

AlphaGuard BIO 25

LIQUID APPLIED FLAT ROOFING SYSTEM



This document is a guide to help understand the quantities required when ordering products for the installation of AlphaGuard BIO 25 Liquid Applied Flat Roofing System.

PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	TOTAL UNIT M ²
AlphaGuard TremStik WB Primer (RBM and Asphalt)	RW411606688	0.21kg/m ² (smooth) to 0.6kg/m ² (granular)	15kg	25m ^{2*}
AlphaGuard C-Prime Part A & B (Concrete)	RW412K606750	0.4kg/m ²	6kg	15m ^{2**}
AlphaGuard M-Prime Part A & B (Metal)	RW413K606751	0.12kg/m ²	6kg	50m ^{2**}
AlphaGuard BIO PVC Primer (Single-Ply)	RW415606742	0.172kg/m ²	4.3kg	25m ²
AlphaGuard Reactivation Primer	RW414606693	0.109kg/m ²	4.35kg	40m ^{2**}
AlphaGuard Biowash	RW416606743	0.100kg/m ²	5kg	50m ²
AlphaGuard BIO Base Coat A & B Kit	RW431K606752	1.6kg/m ²	20.18kg	12.5m ²
AlphaGuard BIO Top Coat A&B Kit	RW431K606753	1.2kg/m ²	21.3kg	18m ²
AlphaGuard 225kg Reinforcement	RW490606698	1m ²	0.965 x 152m roll	147m ²

*Coverage rate calculated to 0.6kg subject to substrate condition.

**All primer coverage rates subject to substrate condition.