TREMCO Lasting Performance

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2017

Version number 3

Revision: 24.05.2017

5
SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: TREMCO CS930 B
 MSDS code: W-T-CS930B 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Epoxy curing agent Additional component
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-illbruck.com
 Further information obtainable from: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com
 • 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre.
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms
GHS05
· Signal word Danger
 Contains: Polyamine, water-based Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage.
(Contd. on page 2) GB



Version number 3

Revision: 24.05.2017

Printing date 24.05.2017

Trade name: TREMCO CS930 B

(Contd. of page 1)

20- <30%

· Precautionary statements Wear protective gloves/protective clothing/eye protection/face protection. P280 Wash thoroughly after handling. P264 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a doctor. If skin irritation occurs: Get medical advice/attention. P332+P313

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- · Description: Mixture of substances listed below with non-hazardous additions.
- · Dangerous components:
- Polyamine, water-based

Eye Dam. 1, H318; Skin Irrit. 2, H315 · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product. Take affected persons out of danger area and lay down.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed Irritant to skin and mucous membranes. Risk of serious damage to eyes.

Nausea

- Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

GB



Version number 3

Revision: 24.05.2017

Printing date 24.05.2017

Trade name: TREMCO CS930 B

(Contd. of page 2)

SECTION 5: Firefighting measures	
 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Mouth respiratory protective device. Wear self-contained respiratory protective device. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system. 	
SECTION 6: Accidental release measures	
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	t).
SECTION 7: Handling and storage • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Avoid contact with the eyes and skin. The usual precautionary measures are to be adhered to when handling chemicals.	
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Information about storage in one common storage facility: Protect from heat and direct Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from frost. Store receptacle in a well ventilated area. Storage temperature: +5 °C to +25 °C 	sunlight. d. on page 4)

TREMCO Lasting Performance

Printing date 24.05.2017

Version number 3

Revision: 24.05.2017

(Contd. of page 3)

Trade name: TREMCO CS930 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.
- · Respiratory protection: Use only in well-ventilated areas.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Neoprene gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

GB

Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 24.05.2017

Version number 3

Revision: 24.05.2017

Trade name: TREMCO CS930 B

(Contd. of page 4)

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information				
· Appearance:				
Form:	Liquid			
Colour:	Yellow-brown			
· Odour:	Recognisable			
· pH-value:	8 - 11			
· Initial boiling point and boiling range: >100 °C				
· Flash point:	>93 °C			
· Explosive properties:	Product does not present an explosion hazard.			
· Density at 20 °C:	1.25 g/cm ³			
 Solubility in / Miscibility with 				
water:	Fully miscible.			
· 9.2 Other information	No further relevant information available.			
SECTION 10: Stability and reactivity				

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Forms heat.
- Exothermic reaction.

Reacts with strong acids and oxidising agents.

- · 10.4 Conditions to avoid Keep away from heat.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Possible in traces.

Poisonous gases/vapours

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Irritating effect.
- Causes skin irritation. • Serious eve damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.



Printing date 24.05.2017

Version number 3

Revision: 24.05.2017

Trade name: TREMCO CS930 B

(Contd. of page 5)

- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil Mobile.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Waste disposal key: UK (WM3) : HP4

· European	waste catalogue
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances

· Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
		(Contd. on page 7) GB –



Revision: 24.05.2017

Printing date 24.05.2017

Version number 3

Trade name: TREMCO CS930 B				
		(Contd. of page 6)		
· 14.3 Transport hazard class(es)				
· ADR, ADN, IMDG, IATA				
· Class	Void			
· 14.4 Packing group				
· ADR, IMDG, IATA	Void			
· 14.5 Environmental hazards:				
· Marine pollutant:	No			
· 14.6 Special precautions for user	Not applicable.			

• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

· UN "Model Regulation":

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

 \cdot Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 • * Data compared to the previous version altered.