

FORM PANELS c/w INSERT  
WEBS—CUT TO SUIT FLOOR  
CONNECTION— ADDITIONAL  
FORM SUPPORT AS  
REQUIRED

BRICK VENEER c/w 1"  
(25mm) AIR SPACE  
AND BRICK TIES

WET SET DOWELS FIELD  
BENT INTO SLAB AS  
SPECIFIED

U BRACKET ANCHOR  
INSERT

THROUGH WALL  
FLASHING AS PER  
CODE OR AS SPECIFIED

$\frac{3}{16}$ " (5mm)  
ACRYLIC PARGE COAT

NUDURA WATERPROOF  
MEMBRANE

NUDURA 10" (254mm)  
SITE ASSEMBLED BRICK  
LEDGE FORM UNIT

HORIZ/VERT  
REINFORCEMENT AS PER  
CODE OR AS SPECIFIED

GYPSUM BOARD  
FINISHED/FIRE STOP  
INSTALLED AT JOISTS  
AS PER CODE

COMPOSITE STEEL  
DECK—SLAB AND  
REINFORCEMENT AS  
SPECIFIED

OWSJ

INTERIOR INSULATION  
REMOVED AT JOIST  
LOCATIONS

WET SET DOWELS  
TO MATCH VERTICAL  
REINFORCEMENT  
BETWEEN POURS OR  
AS SPECIFIED

$\frac{1}{2}$ " (13mm) GYPSUM  
BOARD

NUDURA 10" (254mm)  
STANDARD FORM UNIT

**DISCLAIMER NOTICE:**  
SPECIFIC INFORMATION  
REQUIRED FOR COMPLIANCE  
WITH LOCAL CODES IS THE  
RESPONSIBILITY OF THE  
DESIGNER

**NUDURA**  
INTEGRATED BUILDING TECHNOLOGY  
*Building Value.*

NUDURA 10" (254mm) FORM UNIT  
COMPOSITE STEEL DECK—SLAB  
STEEL JOIST ON EXT. BEARING WALL  
BRICK VENEER FINISH

REV. NO.  
004 KS  
REV. DATE:  
MARCH 2010  
DRAWN BY:  
T. VAN CLIEAF

DWG NO.  
D10C04  
SCALE:  
1 : 8