Safety Data Sheet according to Regulation (EC) 'No. 2020/878



illbruck Flowcrete Nullifire Vanclex TREMCO Tryvit TNudura

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier	FLOWCOAT/FLOWSHIELD SK PART B	Revision Date:	02/08/2023
	Product Name:	Flowcoat/Flowshield SK Part B	Supersedes Date:	New SDS
			Version Number:	1
1.2	UFI Code: Nanoform: Relevant identified uses of the substance or mixture and uses advised against	WDD0-T0R6-100X-264S No Coatings and paints, thinners, paint re contact. Widespread use leading to in appropriately trained applicators. Roll of coatings. Advised against: Home D and training required. Advised against	clusion into/onto article (indoor). F er application or brushing. Low ene IY applications, because of the hea	or use by rgy spreading
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Tremco CPG Poland Sp. z o. o. Ul. Marywilska 34 03-228 Warszawa Polska Tel: +48 22 879 8907 Fax: +48 22 879 8918 ehs.uk@flowcrete.com www.flowcrete.com.pl/		
1.4	Datasheet Produced by: Emergency telephone number:	ehs.uk@flowcrete.com CHEMTREC +1 703 5273887 (Outsic	le US)	

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4	H302
Skin Corrosion, category 1	H314-1
Skin Sensitizer, category 1	H317
Acute Toxicity, Inhalation, category 4	H332
Reproductive Toxicity, category 2	H361F
STOT, repeated exposure, category 2	H373
Hazardous to the aquatic environment, Acute, category 1	H400
Hazardous to the aquatic environment, Chronic, category 1	H410

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

4-tert-Butylphenol, Benzyl alcohol, m-Phenylenebis(methylamine), 4,4'-Methylenebis(cyclohexylamine), Trimethylhexane-1,6-diamine, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane,

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4	H302	Harmful if swallowed.
Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Reproductive_ToxicityF_category_2	H361F	Suspected of damaging fertility.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated
STOT, repeated exposure, category 2	11373	exposure.
Hazardous to the aquatic environment,	H400	Very toxic to aquatic life.
Acute, category 1		
Hazardous to the aquatic environment, Chronic, category 1	H410	Very toxic to aquatic life with long lasting effects.
PRECAUTION PHRASES		
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P270	Do no eat, drink or smoke when using this product.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/
		face protection.
	P284	Wear respiratory protection.
	P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a
		position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do so.
		Continue rinsing.
	P308+313	IF exposed or concerned: Get medical advice/attention.
	P314	Get medical advice/attention if you feel unwell.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P363	Wash contaminated clothing before reuse.
	P391	Collect spillage.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity						
Name According to EEC	CAS-No.					
No Information						
Endocrine disrupting properties - Ecoto	oxicity					

Name According to EEC

CAS-No.

No Information

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	Classifications		SCL Value: ATE Value: M-Factor:
Benzyl alcohol 202-859-9 100-51-6 01-2119492630-38	25 - <50	H302-319-332 Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Eye Irrit. 2	SCL Value: ATE Value: M-Factor:	-
4,4'-Methylenebis (cyclohexylamine) 217-168-8 1761-71-3 01-2119541673-38	25 - <50	H302-314-317-373 Acute Tox. 4 Oral, Skin Corr. 1B, Skin Sens. 1, STOT RE 2	SCL Value: ATE Value: M-Factor:	-

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane,38294-67-6No Information	25 - <50	H302-314-317-400-410 Acute Tox. 4 Oral, Aquatic Acute 1, Aquatic Chronic 1, Skin Corr. 1, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-
4-tert-Butylphenol 202-679-0 98-54-4 01-2119489419-21	2.5 - <10	H315-318-361F-410 Aquatic Chronic 1, Eye Dam. 1, Repr. 2, Skin Irrit. 2	SCL Value: ATE Value: M-Factor:	
m-Phenylenebis(methylamine) 216-032-5 1477-55-0 01-2119480150-50	2.5 - <10	H302-314-317-332-412 Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1B	SCL Value: ATE Value: M-Factor:	-
Trimethylhexane-1,6-diamine 247-134-8 25620-58-0 01-2119560598-25	1.0 - <2.5	H302-314-317-412 Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-

Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and

shoes.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Refer to protective measures listed in sections 7 and 8.

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Use only in well-ventilated areas. Do not breathe vapours or spray mist.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Direct sources of heat.

STORAGE CONDITIONS: Do not freeze. Store in original container. Store at room temperature in the original container. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(UK WELS)

Name	CAS-No.		LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Benzyl alcohol	100-51-6					
4,4'-Methylenebis(cyclohexylamine)	1761-71-3					
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane,	38294-67-6					
4-tert-Butylphenol	98-54-4					
m-Phenylenebis(methylamine)	1477-55-0					
Trimethylhexane-1,6-diamine	25620-58-0					
Name	<u>CAS-No.</u>	OEL Note				
Benzyl alcohol	100-51-6					
4,4'-Methylenebis(cyclohexylamine)	1761-71-3					
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane,	38294-67-6					
4-tert-Butylphenol	98-54-4					
m-Phenylenebis(methylamine)	1477-55-0					
Trimethylhexane-1,6-diamine	25620-58-0					

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

Benzyl alcohol	
EC No.:	CAS-No.:
202-859-9	100-51-6

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required				20 mg/kg bw/d		4 mg/kg bw/d
Inhalation	-	110 mg/m ³	-	22 mg/m ³	-	27 mg/m ³	-	5.4 mg/m ³
Dermal	-	40 mg/kg bw/d	-	8 mg/kg bw/d	-	20 mg/kg bw/d	-	4 mg/kg bw/d

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	1 mg/l
Fresh water sediments	5.27 mg/kg
Marine water	0.1 mg/l
Marine sediments	0.527 mg/kg
Food chain	
Microorganisms in sewage treatment	39 mg/l
soil (agricultural)	0.456 mg/kg
Air	

Chemical Name:

4-tert-Butylphenol	
EC No.:	CAS-No.:
202-679-0	98-54-4

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							0.026 mg/kg
Inhalation			0.5 mg/m3				0.09 mg/m3	
Dermal				0.071 mg/kg				0.026 mg/kg

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.01 mg/l
Fresh water sediments	0.975 mg/kg
Marine water	0.001 mg/l
Marine sediments	0.0975 mg/kg
Food chain	
Microorganisms in sewage treatment	1.5 mg/l
soil (agricultural)	0.324 mg/kg
Air	

Chemical Name:

m-Phenylenebis(methylamine)	
EC No.:	CAS-No.:
216-032-5	1477-55-0

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required					
Inhalation	0.2 mg/m ³ 1.2 mg/m ³			1.2 mg/m ³				
Dermal				0.33 mg/kg bw/d				

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.094 mg/l
Fresh water sediments	0.43 mg/kg
Marine water	0.0094 mg/l
Marine sediments	0.043 mg/kg
Food chain	
Microorganisms in sewage treatment	10 mg/l
soil (agricultural)	0.045 mg/kg
Air	

Chemical Name:

Trimethylhexane-1,6-diamine	
EC No.:	CAS-No.:
247-134-8	25620-58-0

DNELs - Derived no effect level

		Wo	orkers		Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation								

Dermal

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.102 mg/l
Fresh water sediments	0.662 mg/kg
Marine water	0.01 mg/l
Marine sediments	0.062 mg/kg
Food chain	
Microorganisms in sewage treatment	72 mg/l
soil (agricultural)	
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor.

EYE PROTECTION: Eye wash bottle with pure water. Tightly fitting safety goggles. Face-shield.

HAND PROTECTION: Impervious gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Product: FLOWCOAT/FLOWSHIELD SK PAR

	Colour:	Not determined
	Physical State	No Information
	Odor	No Information
	Odor threshold	Not determined
	pН	Not determined
	Melting point / freezing point (°C)	Not determined
	Boiling point or initial boiling point and boiling range (°C)	205 - N.D.
	Flash Point, (°C)	Not measured
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Llower and upper explosive limit	Not determined
	Vapour Pressure	Not determined
	Relative vapour density	Not determined
	Density and/or relative density	Not determined
	Solubility in / Miscibility with water	Not determined
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Kinematic viscosity	Not determined
	Particle characteristics	Not applicable to liquids
9.2	Other information VOC Content g/I:	<200
		<200
	Specific Gravity (g/cm3)	0.120

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation does not occur. Hazardous polymerisation may occur.

10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Direct sources of heat.

10.5 Incompatible materials

Acids. Strong oxidizing agents.

10.6 Hazardous decomposition products

In case of fire **hazardous decomposition products** may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:	
Oral LD50:	No Information
Inhalation LC50:	No Information
Dermal LD50:	No Information
Irritation:	No information available.
Corrosivity:	Corrosive to eyes and skin.
Sensitization:	May cause an allergic skin reaction.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
100-51-6	Benzyl alcohol	1620 mg/kg (rat)	2001 mg/kg (rabbit)			> 4.178 mg/l (4 h, rat)
1761-71-3	4,4'-Methylenebis (cyclohexylamine)	1200 mg/kg (rat)	2110 mg/kg (rat)		0.000	0.000
98-54-4	4-tert-Butylphenol	>2000 mg/kg	5600 mg/kg		0.000	0.000
1477-55-0	m-Phenylenebis (methylamine)		>2000 mg/kg (rabbit)	Not determined	Not determined	1.34 mg/l (rat)
25620-58-0	Trimethylhexane-1,6-diamine	910 mg/kg, oral, rat			0.000	0.000

Additional Information:

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

No Information

SECTION 12: Ecological Information

12.1 Toxicity:

		,					
	EC	50 48hr (Daphnia):	No info	ormation			
	IC5	0 72hr (Algae):	No inf	ormation			
	LC	50 96hr (fish):	No infe	ormation			
12.2	Persis	tence and degradability:	No info	ormation			
12.3	Bioac	cumulative potential:	No inf	ormation			
12.4	Mobili	ty in soil:	No infe	ormation			
12.5		ts of PBT and vPvB sment:	The pro	oduct does not meet th	ne criteria for PBT/VPvB	in accordance with Annex XIII.	
12.6 Endocrine disrupting properties							
Endocrine disrupting properties - Ecotoxicity							
Name According to EEC			CAS-No.				
No Information							
12.7	Other	adverse effects:	No inf	ormation			
CAS-	<u>No.</u>	Name According to EEC		<u>EC50 48hr</u>	<u>IC50 72hr</u>	LC50 96hr	
100-5	51-6	Benzyl alcohol		230 mg/l	770 mg/l (Pseudokirchneriella)	460 mg/l (Pimephales promelas)	
1761	-71-3	4,4'-Methylenebis(cyclohexylamine)		No information	No information		
3829	4-67-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane,		No information	No information	No information	
98-54	1-4	4-tert-Butylphenol		3.4 to 4.5 mg/l	2.4 mg/l	4.71 to 5.62 mg/l	
1477	-55-0	m-Phenylenebis(methylamine)		15.2 mg/l (Daphnia magna)	20.3 mg/l (P. subcapitata)	87.6 mg/l (Oryzias latipes)	
2562	0-58-0	Trimethylhexane-1,6-diamine		No information	29.5 mg/L		

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

European Waste Code:	080111*
Packaging Waste Code:	150110

SECTION 14: Transport Information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
UN-number or ID number	UN2735	UN2735	UN2735	UN2735
UN proper shipping name	Amines, liquid, corrosive, N.O.S.,(4,4'- methylenebis (cyclohexylamine) mixture)	Amines, liquid, corrosive, N.O.S., (4,4'-methylenebis (cyclohexylamine) mixture)	Amines, liquid, corrosive, N.O.S.,(4,4'- methylenebis (cyclohexylamine) mixture)	Amines, liquid, corrosive, N.O.S.,(4,4'-methylenebis (cyclohexylamine) mixture)
Transport Hazard Class(es)	8	8	8	8
Packing Group	Ш	Ш	III	III
Enviromental Hazards	Marine pollutant	Marine pollutant	Marine pollutant	Marine pollutant
	ID number UN proper shipping name Transport Hazard Class(es) Packing Group Enviromental	UN-number or ID number UN2735 UN proper shipping name Amines, liquid, corrosive, N.O.S.,(4,4'-methylenebis (cyclohexylamine) mixture) Transport Hazard Class(es) 8 Packing Group III Enviromental Marine pollutant	UN-number or ID numberUN2735UN2735UN proper shipping nameAmines, liquid, corrosive, N.O.S.,(4,4'- methylenebis (cyclohexylamine) mixture)Amines, liquid, corrosive, N.O.S., (4,4'-methylenebis (cyclohexylamine) mixture)Transport Hazard Class(es)88Packing GroupIIIIIIEnviromentalMarine pollutantMarine pollutant	UN-number or ID numberUN2735UN2735UN2735UN proper shipping nameAmines, liquid, corrosive, N.O.S.,(4,4'- methylenebis (cyclohexylamine) mixture)Amines, liquid, corrosive, N.O.S., (4,4'-methylenebis (cyclohexylamine) mixture)Amines, liquid, corrosive, N.O.S., (4,4'-methylenebis (cyclohexylamine) mixture)Amines, liquid, corrosive, N.O.S., (4,4'-methylenebis (cyclohexylamine) mixture)Transport Hazard Class(es)888Packing GroupIIIIIIIIIEnviromentalMarine pollutantMarine pollutantMarine pollutant

14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable

14.7 Maritime transport in bulk according to IMO Not applicable intruments

SECTION 15: Regulatory Information

15.1	Safety, health and environmental regulations/legislation for the substance or mixture National Regulations:	
	Denmark Product Registration Number:	Not available

Danish MAL Code:	00-5
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
Germany WGK Class:	Not available
Directive 2004/42/CE :	<200
Covered by Directive 2012/18/EC (Seveso III):	Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: No

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

98-54-4 4-tert-Butylphenol

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Reasons for revision

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances

Date Printed: 02/08/2023

REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.