Page 1/13



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

SECTION 1: Identification undertaking • 1.1 Product identifier • Trade name: TREMCO RW413 A • MSDS code: W-T-RW413A • 1.2 Relevant identified uses of the s No further relevant information availab • Application of the substance / the m • 1.3 Details of the supplier of the safe • Manufacturer/Supplier: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigar Tel: +44 (0) 1942251400, Fax: +44 (0) msds@cpg-europe.com	ubstance or mixture and uses advis le. iixture Priming ety data sheet n, WN2 4HT	
 Trade name: <u>TREMCO RW413 A</u> MSDS code: W-T-RW413A 1.2 Relevant identified uses of the s No further relevant information availab Application of the substance / the m 1.3 Details of the supplier of the safe Manufacturer/Supplier: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigar Tel: +44 (0) 1942251400, Fax: +44 (0) 	le. hixture Priming ety data sheet n, WN2 4HT	ed against
 MSDS code: W-T-RW413A 1.2 Relevant identified uses of the s No further relevant information availab Application of the substance / the m 1.3 Details of the supplier of the safe Manufacturer/Supplier: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigar Tel: +44 (0) 1942251400, Fax: +44 (0) 	le. hixture Priming ety data sheet n, WN2 4HT	ed against
 1.2 Relevant identified uses of the s No further relevant information availab Application of the substance / the m 1.3 Details of the supplier of the safe Manufacturer/Supplier: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigar Tel: +44 (0) 1942251400, Fax: +44 (0) 	le. hixture Priming ety data sheet n, WN2 4HT	ed against
Manufacturer/Supplier: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigar Tel: +44 (0) 1942251400, Fax: +44 (0	n, WN2 4HT	
 Further information obtainable from Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigar T: +44 (0) 1942251400, F: +44 (0) 194 www.cpg-europe.com, info.uk@cpg-europe.com 	n, WN2 4HT 2251410	
	2251400. At all other times it is reco GP/pharmacist (NI), 01 809 2166 (RC	
SECTION 2: Hazards identifica	tion	
STOT SE 3 H335 May cause re Aquatic Chronic 2 H411 Toxic to aqua • 2.2 Label elements • Labelling according to Regulation (I The product is classified and labelled a • Hazard pictograms	on (EC) No 1272/2008 quid and vapour. irritation. us eye damage. n allergic skin reaction. espiratory irritation. atic life with long lasting effects. EC) No 1272/2008	
GHS02 GHS05 GHS07 GHS09		
		(Contd. on page 2)



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

Trade name: TREMCO RW413 A

(Contd. of page 1) · Signal word Danger · Contains: n-butanol Epoxy Resin (MW 700 - ≤1100) Hydrocarbons, C9, aromatic xvlene · Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous compo	onents:
-------------------	---------

Epoxy Resin (MW 700 - ≤1100)	20-<30%
Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Hydrocarbons, C9, aromatic	20-<30%
Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336	
n-butanol	5-<10%
Flam. Liq. 3, H226; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	
xylene	5-<10%
Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304;	
Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315;	
Eye Irrit. 2, H319; STOT SE 3, H335	
<	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Hydrocarbons, C9, aromatic Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336 n-butanol Flam. Liq. 3, H226; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

Trade name: TREMCO RW413 A

	(C	ontd. of page 2)
CAS: 7779-90-0	trizinc bis(orthophosphate)	5-<10%
EINECS: 231-944-3	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Reg.nr.: 01-2119485044-40-xxxx		
CAS: 112-07-2	2-butoxyethyl acetate	1-<5%
EINECS: 203-933-3	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
CAS: 1314-13-2	zinc oxide	0.1-<1%
EINECS: 215-222-5	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Reg.nr.: 01-2119463881-32-xxxx		
• Additional information: For the	wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out of danger area and lay down.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- · Information for doctor: No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed** Irritating to eyes, respiratory system and skin.
- Risk of serious damage to eyes.

May cause an allergic skin reaction.

- Coughing
- Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

[·] 5.1 Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour.

Formation of toxic gases is possible during heating or in case of fire. Carbon dioxide (CO2)

(Contd. on page 4)



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

Trade name: TREMCO RW413 A

(Contd. of page 3)

Carbon monoxide (CO) Nitrogen oxides (NOx) Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

• Additional information Cool endangered receptacles with water spray.

Do not allow water to get inside the containers.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation.
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to Section 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals.

Ensure good ventilation/exhaustion at the workplace.

Use only in well-ventilated areas.

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Flammable liquid and vapour.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Protect from heat and direct sunlight.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

- Storage temperature: +5°C to +25°C
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

GB



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

(Contd. of page 4)

Trade name: TREMCO RW413 A

SECTION 8: Exposure controls/personal protection	
· 8.1 Control parameters	
· Ingredients with limit values that require monitoring at the workplace:	
CAS: 71-36-3 n-butanol	
WEL Short-term value: 154 mg/m³, 50 ppm Sk	
CAS: 1330-20-7 xylene	
WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV	
CAS: 112-07-2 2-butoxyethyl acetate	
WEL Short-term value: 332 mg/m³, 50 ppm Long-term value: 133 mg/m³, 20 ppm Sk	
· DNELs	
CAS: 1314-13-2 zinc oxide	
Dermal consumer 83 mg/kg/24h (general public)	
· PNECs	
CAS: 1314-13-2 zinc oxide	
PNEC 0.0206 mg/L (fresh water)	
0.1 mg/L (sewage treatment plant)	
0.0061 mg/L (marine)	
PNEC 35.6 mg/kg dwt (soil)	
56.5 mg/kg dwt (sediment (salt water))	
117.8 mg/kg dwt (sediment (fresh water))	
Ingredients with biological limit values:	
CAS: 1330-20-7 xylene	
BMGV 650 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift	
Parameter: methyl hippuric acid · Additional information:	
The lists valid during the making were used as basis.	
HSE EH40/2005 Workplace Exposure Limits (as amended)	
· 8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
The usual precautionary measures are to be adhered to when handling chemicals.	
Do not eat, drink, smoke or sniff while working.	(Contd. on page 6) GB —




Printing date 23.08.2022

Version number 1

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Revision: 23.08.2022

Trade name: TREMCO RW413 A



Body protection:



Protective work clothing

(Contd. on page 7)



Printing date 23.08.2022

Version number 1

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Revision: 23.08.2022

Trade name: TREMCO RW413 A

(Contd. of page 6)

SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical and chemical properties General Information 		
· Appearance: Form:	Liquid	
Colour:	Beige	
· Odour:	Characteristic	
· pH-value:		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: 37 °C	
· Flash point:	34 °C	
· Ignition temperature:	>340 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.	
· Explosion limits:		
Lower:	0.99 Vol %	
Upper:	5.19 Vol %	
[·] Density at 20 °C:	1.6 g/cm³	
· Solubility in / Miscibility with		
water:	Insoluble.	
 Viscosity: Kinematic at 40 °C: 	>20.5 mm²/s	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with water.

Reacts with acids, alkalis and oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

Trade name: TREMCO RW413 A

(Contd. of page 7)

Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for	classification:
-----------------------------	-----------------

Hydrocar	bons, C9,	aromatic
Oral	LD50	8,400 mg/kg (rat)

8,400 mg/kg (mouse)

CAS: 71-36-3 n-butanol

Oral LD50 790 mg/kg (rat) Dermal LD50 3,400 mg/kg (rabbit)

Inhalative LC50/4 h 8,000 mg/L (rat)

CAS: 1330-20-7 xylene

Dermal ATE 1,100 mg/kg (unknown)

CAS: 7779-90-0 trizinc bis(orthophosphate)

Oral LD50 >5,000 mg/kg (rat)

CAS: 112-07-2 2-butoxyethyl acetateOralLD502,400 mg/kg (rat)

Dermal LD50 1,580 mg/kg (rabbit)

CAS: 1314-13-2 zinc oxide

Oral LD50 >5,000 mg/kg (rat)

· Primary irritant effect:

- · Skin corrosion/irritation
- Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information: Irritating to eyes, respiratory system and skin.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

- GB ·

(Contd. on page 9)



Printing date 23.08.2022

Version number 1

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Revision: 23.08.2022

Trade name: TREMCO RW413 A

(Contd. of page 8)

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:
- CAS: 1314-13-2 zinc oxide
- LC50/96 h 1.1 mg/L (fish)
- EC50/48 h >1,000 mg/L (daphnia magna)
- **12.2 Persistence and degradability** Not easily biodegradable
- 12.3 Bioaccumulative potential Low potential for bioaccumulation.
- · 12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

CAS: 1314-13-2 zinc oxide

- IC50/72 h 0.1-1 mg/L (algae)
- · Remark: Toxic for fish

· Additional ecological information:

· General notes:

Toxic for aquatic organisms

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue	
08 01 11* waste paint and varnish containing organic solvents or other hazardous substances	
Flammable	
Irritant - skin irritation and eye damage	
Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
Sensitising	
Ecotoxic	

Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

(Contd. on page 10)

⁻ GB



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

Trade name: TREMCO RW413 A (Contd. of page 9) Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA UN1263 · 14.2 UN proper shipping name · ADR 1263 PAINT, ENVIRONMENTALLY HAZARDOUS PAINT, MARINE POLLUTANT ·IMDG · IATA PAINT · 14.3 Transport hazard class(es) · ADR · Class 3 (F1) Flammable liquids. · Label 3 ·IMDG · Class 3 Flammable liquids. · Label 3 · Class 3 Flammable liquids. · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 30 (Contd. on page 11) - GB



Printing date 23.08.2022 Version r

Version number 1

Revision: 23.08.2022

	(Contd. of page 1
EMS Number: Stowage Category	F-E, <u>S-E</u> A
 14.7 Transport in bulk according to An Marpol and the IBC Code 	nnex II of Not applicable.
• Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3
· Tunnel restriction code · IMDG	D/E
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1263 PAINT, 3, III, ENVIRONMENTALL HAZARDOUS

SECTION 15: Regulatory information

 • 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended) Guidance on the classification and assessment of waste Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019
 Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
(Contd. on page 12)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

(Contd. of page 11)

Trade name: TREMCO RW413 A

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Other regulations, limitations and prohibitive regulations No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

Page 13/13

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.08.2022

Version number 1

Revision: 23.08.2022

Trade name: TREMCO RW413 A

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit 2: Skin corrosion/irritation – Category 2	(Contd. of page 12)
,	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
	GB