Printing date 24.05.2017

Version number 3

Revision: 24.05.2017

TREÑ

Lasting Performance

SECTION 1: Identificati undertaking	on of the substance/mixture	e and of the company/		
· 1.1 Product identifier				
· Trade name: TREMCO CS930	<u>A</u>			
 • MSDS code: W-T-CS930A • 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Epoxy resin 				
 1.3 Details of the supplier of th Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Tel: +44 (0) 1942251400, Fax: - msds@tremco-illbruck.com 	Wigan, WN2 4HT			
 Further information obtainable tremco illbruck Ltd Coupland Road, Hindley Green, T: +44 (0) 1942251400, F: +44 (www.tremco-illbruck.co.uk, uk.in 	Wigan, WN2 4HT 0) 1942251410			
• 1.4 Emergency telephone num During office hours tel.: +44 (0) centre.	ber: 1942251400. At all other times please	contact your national poisoning		
SECTION 2: Hazards iden	tification			
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 				
Skin Irrit. 2 H315 Cause	s skin irritation.			
Eye Irrit. 2 H319 Cause	s serious eye irritation.			
Skin Sens. 1 H317 May ca	ause an allergic skin reaction.			
Aquatic Chronic 2 H411 Toxic t	o aquatic life with long lasting effects.			
 2.2 Label elements Labelling according to Regula The product is classified and lab Hazard pictograms 	tion (EC) No 1272/2008 elled according to the CLP regulation.			
GHS07 GHS09				
· Signal word Warning				
	pichlorhydrin) epoxy resin (number ave on products with 1-chloro-2,3-epoxypro methyl] derivs			
H315 Causes skin irritation.				
		(Contd. on page 2)		

– GB -



Version number 3

Revision: 24.05.2017

Printing date 24.05.2017

Trade name: TREMCO CS930 A

	(Contd. of page 1)		
H319 Causes serious eye irritation.			
H317 May cause	e an allergic skin reaction.		
H411 Toxic to a	quatic life with long lasting effects.		
· Precautionary			
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P273	Avoid release to the environment.		
P264	Wash thoroughly after handling.		
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.		
P321	Specific treatment (see on this label).		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
· Supplemental information:			
EUH205 Contains epoxy constituents. May produce an allergic reaction.			
· 2.3 Other hazards			
· Results of PBT and vPvB assessment			
· PBT: Not applicable.			
• vPvB: Not applicable.			

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 25068-38-6 NLP: 500-033-5 Reg.nr.: 05-2114287500-52-xxxx	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	30- <50%
CAS: 9003-36-5 NLP: 500-006-8 Reg.nr.: 01-2119454392-40-xxxx	Formaldehyde, oligomeric reaction products with 1- chloro-2,3-epoxypropane and phenol Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	20- <30%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10- <20%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Take affected persons out of danger area and lay down.
- · After inhalation:
 - Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
 - Immediately wash with water and soap and rinse thoroughly.
 - If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.

Safety data sheet

TREMCO Lasting Performance

according to 1907/2006/EC, Article 31

Printing date 24.05.2017

Version number 3

Revision: 24.05.2017

Trade name: TREMCO CS930 A

(Contd. of page 2) · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Irritating to eyes and skin. · Information for doctor: No further relevant information available. · Hazards No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 5: Firefighting measures · 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. · For safety reasons unsuitable extinguishing agents: Water with full jet · 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. · 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device. · Additional information Cool endangered receptacles with water spray. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. The usual precautionary measures are to be adhered to when handling chemicals. Open and handle receptacle with care. Avoid contact with the eyes and skin. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. · Information about storage in one common storage facility: Protect from heat and direct sunlight. Store away from foodstuffs.

Do not store together with oxidising and acidic materials.



Version number 3

Revision: 24.05.2017

Trade name: TREMCO CS930 A

Printing date 24.05.2017

(Contd. of page 3)

Store away from reducing agents. • Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area. Storage temperature: +5 °C to +25 °C

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection: Use only in well-ventilated areas.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR PVA gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and
 has to be observed.
 Figure protections

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

- GB

(Contd. on page 5)



Revision: 24.05.2017

Printing date 24.05.2017

Version number 3

Trade name: TREMCO CS930 A

(Contd. of page 4)

9.1 Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Liquid	
Colour:	According to product specification	
Odour:	Characteristic	
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	Inge: Undetermined.	
Flash point:	>93 °C	
Explosive properties:	Product does not present an explosion hazard.	
Density at 20 °C:	1.07 g/cm ³	
Solubility in / Miscibility with		
water:	Slightly soluble.	
9.2 Other information	No further relevant information available.	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis	y to specifications. ctions sing agents.	
 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep away 	y to specifications. ctions sing agents. ray from heat. urther relevant information available.	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fu 10.6 Hazardous decomposition pr Possible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological	g to specifications. ctions sing agents. ray from heat. urther relevant information available. roducts:	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fu 10.6 Hazardous decomposition pr Possible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological Acute toxicity Based on available of	g to specifications. ctions sing agents. vay from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met.	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fu 10.6 Hazardous decomposition proposible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological in Acute toxicity Based on available of LD/LC50 values relevant for class	g to specifications. ctions sing agents. ray from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met. sification:	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fur 10.6 Hazardous decomposition pro Possible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological in Acute toxicity Based on available of LD/LC50 values relevant for class 25068-38-6 reaction product: bis molecular weight ≤ 70	g to specifications. ctions sing agents. ray from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met. sification: sphenol-A-(epichlorhydrin) epoxy resin (number averag	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fut 10.6 Hazardous decomposition proposible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological acute toxicity Based on available of LD/LC50 values relevant for class 25068-38-6 reaction product: bis molecular weight ≤ 70 Oral LD50	g to specifications. ctions sing agents. vay from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met. sification: sphenol-A-(epichlorhydrin) epoxy resin (number averag 00)	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fur 10.6 Hazardous decomposition pro Possible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological in Acute toxicity Based on available of LD/LC50 values relevant for class 25068-38-6 reaction product: bis molecular weight ≤ 70	g to specifications. ctions sing agents. vay from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met. sification: sphenol-A-(epichlorhydrin) epoxy resin (number averag 00)	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fu 10.6 Hazardous decomposition propossible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological in Acute toxicity Based on available of LD/LC50 values relevant for class 25068-38-6 reaction product: bis molecular weight ≤ 70 Oral LD50 LD50 2000 mg/kg (rat) Dermal LD50 Primary irritant effect:	g to specifications. ctions sing agents. vay from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met. sification: sphenol-A-(epichlorhydrin) epoxy resin (number averag 00)	
Thermal decomposition / condition No decomposition if used according 10.3 Possibility of hazardous read Forms heat. Exothermic reaction. Reacts with acids, alkalis and oxidis 10.4 Conditions to avoid Keep awa 10.5 Incompatible materials: No fut 10.6 Hazardous decomposition proposible in traces. Poisonous gases/vapours SECTION 11: Toxicological in 11.1 Information on toxicological acute toxicity Based on available of LD/LC50 values relevant for class 25068-38-6 reaction product: bis molecular weight ≤ 70 Oral LD50 11400 mg/kg (rat)	g to specifications. ctions sing agents. vay from heat. urther relevant information available. roducts: information effects data, the classification criteria are not met. sification: sphenol-A-(epichlorhydrin) epoxy resin (number averag 00)	



Version number 3

Revision: 24.05.2017

Printing date 24.05.2017

Trade name: TREMCO CS930 A

(Contd. of page 5)

- Serious eye damage/irritation
 Causes serious eye irritation.
 Respiratory or skin sensitisation
 - Contains epoxy constituents. May produce an allergic reaction. May cause an allergic skin reaction.
 - · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - Carcinogenicity Based on available data, the classification criteria are not met.
 - Reproductive toxicity Based on available data, the classification criteria are not met.
 - STOT-single exposure Based on available data, the classification criteria are not met.
 - · STOT-repeated exposure Based on available data, the classification criteria are not met.
 - Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil Mobile.
- · Ecotoxical effects:
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Also poisonous for fish and plankton in water bodies.

- Toxic for aquatic organisms
- \cdot 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

· Waste disposal key: UK (WM3) : HP4 HP13 HP14

· European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

· Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

(Contd. on page 7)



Revision: 24.05.2017

Printing date 24.05.2017

Version number 3

Trade name: TREMCO CS930 A

(Contd. of page 6) Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

SECTION 14: Transport information

· 14.1 UN-Number		
· ADR, IMDG, IATA	UN3082	
 14.2 UN proper shipping name ADR 	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol A epoxy resin (number average MW ≤700))	
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol A epoxy resin (number average MW ≤700)), MARINE POLLUTANT	
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol A epoxy resin (number average MW \leq 700))	
· 14.3 Transport hazard class(es)		
· ADR		
· Class · Label	9 (M6) Miscellaneous dangerous substances and articles. 9	
· IMDG, IATA	•	
· Class · Label	9 Miscellaneous dangerous substances and articles. 9	
· 14.4 Packing group	•	
· ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: dipentene, bisphenol A epoxy resir (number average MW ≤700)	
· Marine pollutant:	Yes Symbol (fish and tree)	
 Special marking (ADR): Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)	
	(Contd. on page 8	



Revision: 24.05.2017

Printing date 24.05.2017

Version number 3

Trade name: TREMCO CS930 A

	(Contd. of page	
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.	
· Danger code (Kemler):	90	
· EMS Number:	F-A,S-F	
· Stowage Category	A	
· 14.7 Transport in bulk according to Annex	ll of	
Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:		
 ADR Limited quantities (LQ) 	5L	
· Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml	
· Transport category	3	
Tunnel restriction code	E	
· IMDG		
· Limited quantities (LQ)	5L	
· Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml	
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (BISPHENOL EPOXY RESIN (NUMBER AVERAGE MW ≤700) 9, III	

SECTION 15: Regulatory information

\cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB



Revision: 24.05.2017

Printing date 24.05.2017

Version number 3

Trade name: TREMCO CS930 A

(Contd. of page 8)

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eve Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • * Data compared to the previous version altered. GB