

# Safety Data Sheet according to Regulation (EC) No. 2015/830

# SECTION 1: Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier MONDECO TZ COVE & ESD TZ/

COVE FILLER C

Product Name: Mondeco TZ Cove & ESD TZ/

Cove Filler C

Revision Date: 19/01/2017

Supercedes Date: 26/08/2015

1.2 Relevant identified uses of the substance or mixture and uses advised against

Hand-mixing with intimate contact and only PPE available. Wide dispersive indoor use resulting in inclusion into or onto a matrix. For use by appropriately trained applicators. Roller application or brushing. Low energy spreading of coatings. Advised against: Home DIY applications, because of the health hazards and training required. Filler.

1.3 Details of the supplier of the safety data sheet

Supplier: Flowcrete UK Ltd.

The Flooring Technology Centre

**Booth Lane** 

Moston, Sandbach, Cheshire. UK

CW11 3QF

Tel: +44 (0)1270 753000 Fax: +44 (0)1270 753333 ehs.uk@flowcrete.com http://www.flowcrete.co.uk

**Datasheet Produced by:** 

ehs.uk@flowcrete.com

1.4 Emergency telephone number:

CHEMTREC +001 703 5273887 (Outside US) CHEMTREC 1-800-424-9300 (Inside US)

# **SECTION 2: Hazard Identification**

### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

### HAZARD STATEMENTS

Skin Irritation, category 2 H315
Skin Sensitizer, category 1 H317
Serious Eye Damage, category 1 H318

### 2.2 Label elements

Date Printed: 19/01/2017

### Symbol(s) of Product



### Signal Word

Danger

### Named Chemicals on Label

Calcium dihydroxide, Cement, portland, chemicals

### HAZARD STATEMENTS

| Skin Irritation, category 2    | H315 | Causes skin irritation.              |
|--------------------------------|------|--------------------------------------|
| Skin Sensitizer, category 1    | H317 | May cause an allergic skin reaction. |
| Serious Eye Damage, category 1 | H318 | Causes serious eye damage.           |

PRECAUTION PHRASES

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/

face protection.

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do so.

Continue rinsing.

P333+313 If skin irritation or rash occurs: Get medical advice/attention.

### 2.3 Other hazards

No Information

### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# **SECTION 3: Composition/Information On Ingredients**

### 3.2 Mixtures

### Hazardous Ingredients

| <u>CAS-No.</u> | EINEC No. | Name According to EEC       | <u>%</u> |
|----------------|-----------|-----------------------------|----------|
| 65997-15-1     | 266-043-4 | Cement, portland, chemicals | 2.5-10   |
| 1305-62-0      | 215-137-3 | Calcium dihydroxide         | 2.5-10   |

CAS-No. REACH Reg No. CLP Symbols CLP Hazard Statements M-Factors

65997-15-1 GHS05-GHS07 H315-317-318-335 1305-62-0 01-2119475151-45 GHS05-GHS07 H315-318-335

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

### **SECTION 4: First-aid Measures**

### 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and shoes.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear. Page 2 / 11

Remove person to fresh air. If signs/symptoms continue, get medical attention.

**AFTER SKIN CONTACT:** Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

### Self protection of the first aider:

Date Printed: 19/01/2017

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

No Information

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# **SECTION 5: Fire-fighting Measures**

### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

### 5.2 Special hazards arising from the substance or mixture

No Information

### 5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. Dry powderCarbon dioxide (CO2)HalonsCollect contaminated fire extinguishing water separately. This must not be discharged into drains.

### SECTION 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). After cleaning, flush away traces with water. Refer to protective measures listed in sections 7 and 8.

### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

# **SECTION 7: Handling and Storage**

### 7.1 Precautions for safe handling

Hepeated to a profession to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. Wash hands and face before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Avoid dust accumulation in enclosed space.

**STORAGE CONDITIONS:** Do not freeze. Store at room temperature in the original container. Keep tightly closed in a dry and cool place. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

### 7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

# **SECTION 8: Exposure Controls/Personal Protection**

### 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (UK WELS)

| <u>Name</u>                 | CAS-No.    | LTEL ppm | STEL ppm | STEL mg/m3 | LTEL mg/m3 |
|-----------------------------|------------|----------|----------|------------|------------|
| Cement, portland, chemicals | 65997-15-1 |          |          |            | 4 10       |
| Calcium dihydroxide         | 1305-62-0  |          |          |            | 5          |
|                             |            |          |          |            |            |

Name CAS-No. OEL Note

Cement, portland, chemicals 65997-15-1 Respirable Dust,

Total Inhalable

Calcium dihydroxide 1305-62-0

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

### 8.2 Exposure controls

### **Personal Protection**

**RESPIRATORY PROTECTION:** Breathing apparatus with filter. In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor.

EYE PROTECTION: Eye wash bottle with pure water. Tightly fitting safety goggles. Face-shield.

**HAND PROTECTION:** Rubber or plastic gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

**ENGINEERING CONTROLS:** As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

**Chemical Name:** 

EC No.: CAS-No.:

### **DNELs - Derived no effect level**

|            | Workers      |               |               | Consumers       |              |               |               |                 |
|------------|--------------|---------------|---------------|-----------------|--------------|---------------|---------------|-----------------|
| Route of   | Acute effect | Acute effects | Chronic       | Chronic effects | Acute effect | Acute effects | Chronic       | Chronic effects |
| Exposure   | local        | systemic      | effects local | systemic        | local        | systemic      | effects local | systemic        |
| Oral       | Not required |               |               |                 |              |               |               |                 |
| Inhalation |              |               |               |                 |              |               |               |                 |
| Dermal     |              |               |               |                 |              |               |               |                 |

### PNEC's - Predicted no effect concentration

| Environmental protection target    | PNEC |
|------------------------------------|------|
| Fresh water                        |      |
| Fresh water sediments              |      |
| Marine water                       |      |
| Marine sediments                   |      |
| Food chain                         |      |
| Microorganisms in sewage treatment |      |
| soil (agricultural)                |      |
| Air                                |      |

# **SECTION 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Granules Powder Mix

Physical State Solid
Odor None

Odor threshold Not Applicable

pH 11

Melting point / freezing point (°C)

Boiling point/range (°C)

N.D. - N.D.

Flash Point, (°C)

Not Applicable

Evaporation rate Not determined Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Not determined

Vapour PressureNot ApplicableVapour densityNot ApplicableRelative densityNot determined

Solubility in / Miscibility with water Slight

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not Applicable

Decomposition temperature (°C)

Not determined

Viscosity

Not determined

Explosive properties

Not determined

Oxidising properties

Date Printed: 19/01/2017 Product: MONDECO TZ COVE & ESD TZ/COVE FILLER C

Not determined

### 9.2 Other information

VOC Content g/l: <10

This is a calculated maximum VOC content for the mixed ready to use product (to Directive 2004/42/EC).

# **SECTION 10: Stability and Reactivity**

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Avoid dust accumulation in enclosed space.

### 10.5 Incompatible materials

Acids. Strong oxidizing agents.

### 10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological Information**

### 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No Information Inhalation LC50: No Information

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

**Aspiration hazard:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested.

# Data on individual components are tabulated below:

<u>CAS-No.</u> <u>Name According to EEC</u> <u>Oral LD50</u> <u>Dermal LD50</u> <u>Vapor LC50</u>

1305-62-0 Calcium dihydroxide 7340 mg/kg (rat) >2500 mg/kg (rabbit)

#### Additional Information:

Date Printed: 19/01/2017

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

# **SECTION 12: Ecological Information**

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

**12.4 Mobility in soil:** No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

**12.6 Other adverse effects:** No information

CAS-No. Name According to EEC EC50 48hr IC50 72hr LC50 96hr

65997-15-1 Cement, portland, chemicals No information No information

1305-62-0 Calcium dihydroxide 49.1 mg/l No information 50.6 mg/l

# **SECTION 13: Disposal Considerations**

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

European Waste Code: 080111\*
Packaging Waste Code: 150110

# **SECTION 14: Transport Information**

14.1 UN number Not applicable

14.2 UN proper shipping name Not regulated for transport according to ADR/RID, IMDG, and IATA

regulations.

Technical name

Not applicable

14.3 Transport hazard class(es)

Subsidiary shipping hazard

Not applicable

14.4 Packing group
14.5 Environmental hazards
14.6 Special precautions for user
EmS-No.:
Not applicable
Not applicable

14.7 Transport in bulk according to Annex II

of MARPOL 73/78 and the IBC code

Not applicable

# **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

### **National Regulations:**

Denmark Product Registration Number: Not available

Danish MAL Code:Not availableDanish MAL Code - Mixture:Not availableSweden Product Registration Number:Not available

Norway Product Registration Number:

WGK Class:

Not available

### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: Other Information

# Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

### Reasons for revision

Substance and/or Product Properties Changed in Section(s): 08 - Exposure Controls/Personal Protection Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions

Product: MONDECO TZ COVE & ESD TZ/COVE FILLER C

and recommendations are not followed.

Date Printed: 19/01/2017

Product: MONDECO TZ COVE & ESD TZ/COVE FILLER C

Date Printed: 19/01/2017