Page 1/9



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

GB

(Contd. on page 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>illbruck LD714</u>
 MSDS code: A-I-LD714 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Adhesives
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Tremco CPG Netherlands B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 183568100 msds@cpg-europe.com
 Further information obtainable from: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com
• 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Supplemental information: EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH210 Safety data sheet available on request. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

 Dangerous components: 		
CAS: 27138-31-4 EINECS: 248-258-5 Reg.nr.: 01-2119529241-49-xxxx	dipropyleneglycol dibenzoate Aquatic Chronic 3, H412	1-<5%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.01%

· SVHC -

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Give small amounts of water to drink.

Seek immediate medical advice.

· Information for doctor: No further relevant information available.

• **4.2 Most important symptoms and effects, both acute and delayed** Irritating to eyes and skin.

Sensitising effect by skin contact is possible by prolonged exposure.

- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 2)

5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Avoid contact with the eyes and skin.
 Wear protective clothing.

 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
 6.3 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to Section 13. Clean the affected area carefully; suitable cleaners are: Warm water and cleansing agent

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

Do not breathe vapour.

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

· Information about fire - and explosion protection: The product is not flammable.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

• Information about storage in one common storage facility: Protect from heat and direct sunlight.

• Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Page 4/9

Safety data sheet



Jaiety data Sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 3)

• Additional information:

The lists valid during the making were used as basis. HSE EH40/2005 Workplace Exposure Limits (as amended)

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation. For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

• Body protection:



Protective work clothing

(Contd. on page 5)

llbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 4)

SECTION 9: Physical and chemical properties				
· 9.1 Information on basic physical and chemical properties				
· General Information				
· Colour:	White			
· Odour:	Slightly sweetish			
 Melting point/freezing point: 	Undetermined.			
[·] Flash point:	Not applicable.			
·рН	Not determined.			
· Solubility				
· water:	Fully miscible.			
 Density and/or relative density 				
· Density at 20 °C:	1.6 g/cm ³			
• 9.2 Other information				
· Appearance:				
· Form:	Pasty			
 Important information on protection of healt 	h			
and environment, and on safety.				
 Explosive properties: 	Product does not present an explosion hazard.			
Information with regard to physical hazar	d			
classes				
· Explosives	Void			
Flammable gases	Void			
· Aerosols	Void			
· Oxidising gases	Void			
· Gases under pressure	Void			
Flammable liquids	Void			
Flammable solids	Void			
 Self-reactive substances and mixtures 	Void			
· Pyrophoric liquids	Void			
• Pyrophoric solids	Void			
Self-heating substances and mixtures	Void			
 Substances and mixtures, which emit flammabl 	e			
gases in contact with water	Void			
· Oxidising liquids	Void			
· Oxidising solids	Void			
· Organic peroxides	Void			
Corrosive to metals	Void			
Desensitised explosives	Void			

SECTION 10: Stability and reactivity

· 10.1 Reactivity Stable

(Contd. on page 6)

Page 6/9

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 5)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid Protect from frost.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Nitrogen oxides

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral LD50 1,193 mg/kg (rat)

Dermal LD50 4,115 mg/kg (rat)

Skin corrosion/irritation Irritating effect.

- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation Sensitising effect by skin contact is possible by prolonged exposure.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

CAS: 27138-31-4 dipropyleneglycol dibenzoate

LC50/96 h 3.7 mg/L (fish)

LC50/48 h 19.3 mg/L (daphnia magna)

EC50/72 h 4.9 mg/L (algae)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50/96 h 2.18 mg/L (oncorhynchus mykiss)

(Contd. on page 7)

Page 7/9

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 6)

EC50/48 h 2.94 mg/L (daphnia magna)

EC50/72 h 0.11 mg/L (pseudokirchneriella subcapit.)

• 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Ecotoxical effects:

CAS: 27138-31-4 dipropyleneglycol dibenzoate

NOEC 1 mg/L (algae)

Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Smaller quantities can be disposed of with household waste.

Disposal must be made according to official regulations.

European waste catalogue

2008/98/EC (UK WM3) : n/a

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA · 14.2 UN proper shipping name · ADR · Ovid Void · Contd. on page 8)

- GB -

illbruck

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

		(Contd. of page 7)
· ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended) Guidance on the classification and assessment of waste Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019
· Directive 2012/18/EU
· Named dangerous substances - ANNEX I None of the ingredients is listed.
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
· REGULATION (EU) 2019/1148
 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
· Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.
· Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
(Contd. on page 9)
GB

lilbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.11.2022

Version number 2 (replaces version 1)

Revision: 18.11.2022

Trade name: illbruck LD714

(Contd. of page 8)

• National regulations:

· Other regulations, limitations and prohibitive regulations No further relevant information available.

- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.

GB -