Page 1/10



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

r miling date 03.01.2023 Version number 12 (replaces version 11)
SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>illbruck PL600</u>
 MSDS code: A-I-PL600 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Adhesives
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Tremco CPG Netherlands B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 183568100 msds@cpg-europe.com
 Further information obtainable from: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com
 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Supplemental information: EUH208 Contains 1,2-benzisothiazol-3(2H)-one, CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1). May produce an allergic reaction. EUH210 Safety data sheet available on request. Regulation (EC) No 528/2012 on biocidal products Contains a biocidal product: C(M)IT/MIT (3:1) 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

illbruck

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name: illbruck PL600

(Contd. of page 1)

EINECS: 248-258-5 Aquatic Chronic 3, H412 CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one EINECS: 220-120-9 Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1) <0. Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Skin Sens. 1A, H317 <0. Specific concentration limits: Skin Corr. 1C; H314; C ≥ 0.6 % Skin Irrit. 2; H315; 0.06 % ≤ C < 0.6 % EU SVHC see Section 15 GB SVHC see Section 15 <0.6 % • EU SVHC see Section 15 Additional information: For the wording of the listed hazard phrases refer to section 16.			
EINECS: 248-258-5 Aquatic Chronic 3, H412 CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one EINECS: 220-120-9 Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irnit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1, H317; C ≥ 0.05 % CAS: 55965-84-9 CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1) <0. Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Step Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317; C ≥ 0.06 % Secourd Concentration limits: Skin Sens. 1A; H317; C ≥ 0.06 % Skin Sens. 1A; H317; C ≥ 0.06 % Secourd Concentration limits: Skin Sens. 1A; H317; C ≥ 0.6 % Skin Sens. 1A; H317; C ≥ 0.06 % Secourd Concentration limits: Skin Sens. 1A; H317; C ≥ 0.06 % Skin Sens. 1A; H317; C ≥ 0.06 % Secourd Concentration limits: Skin Sens. 1A; H317; C ≥ 0.06 % Skin Sens. 1A; H317; C ≥ 0.06 % Secourd Conce	· Dangerous components:		
EINECS: 220-120-9 Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 % CAS: 55965-84-9 CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1) <0. Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317 Specific concentration limits: Skin Sens. 1A; H317: C ≥ 0.6 % Skin Sens. 1A; H317: C ≥ 0.6 % Systep Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.6 % Skin Sens. 1A; H317: C ≥ 0.6 % Systep Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.6 % Skin Sens. 1A; H317: C ≥ 0.6 % SB SVHC see Section 15 Additional information: For the wording of the listed hazard phrases refer to section 16. Regulation (EU) No 528/2012 Biocidal Products Regulation CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1) SECTION 4: First aid measures After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoro	EINECS: 248-258-5		1-<59
Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C <	EINECS: 220-120-9	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	<0.19
 GB SVHC see Section 15 Additional information: For the wording of the listed hazard phrases refer to section 16. Regulation (EU) No 528/2012 Biocidal Products Regulation CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1) SECTION 4: First aid measures • 4.1 Description of first aid measures • After inhalation: Supply fresh air; consult doctor in case of complaints. • After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:		Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6 \%$ Skin Irrit. 2; H315: 0.06 % $\le C <$ 0.6 % Eye Dam. 1; H318: $C \ge 0.6 \%$ Eye Irrit. 2; H319: 0.06 % $\le C <$ 0.6 % Skin Sens. 1A; H317: $C \ge$	<0.01
CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1) SECTION 4: First aid measures · 4.1 Description of first aid measures · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing:	GB SVHC see Section 15		
SECTION 4: First aid measures • 4.1 Description of first aid measures • After inhalation: Supply fresh air; consult doctor in case of complaints. • After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:	· Regulation (EU) No 528/2012 Bio	ncidal Products Regulation	
Seek immediate medical advice.	•	•	PT

Page 3/10

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name:	illbruck PL600
-------------	----------------

(Contd. of page 2)

• 4.2 Most important symptoms and effects, both acute and delayed Irritating to eyes and skin.

Sensitising effect by skin contact is possible by prolonged exposure.

· Hazards No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Carbon dioxide (CO2)

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin. Wear protective clothing.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to Section 13.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid contact with the eyes and skin. Do not breathe vapour.

Page 4/10

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name: illbruck PL600

(Contd. of page 3)

The usual precautionary measures are to be adhered to when handling chemicals. Do not eat, drink, smoke or sniff while working.

· Information about fire - and explosion protection: The product is not flammable.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

· Information about storage in one common storage facility: Protect from heat and direct sunlight.

Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists valid during the making were used as basis. HSE EH40/2005 Workplace Exposure Limits (as amended)

· 8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Nitrile rubber, NBR

(Contd. on page 5)

Page 5/10

Safety data sheet




acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name: illbruck PL600



Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

(Contd of page E)

Trade name: illbruck PL600

		(Contd. of pag
Information with regard to physical ha	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamn	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid Protect from frost.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Formation of toxic gases is possible during heating or in case of fire.
- Carbon monoxide and carbon dioxide
- Nitrogen oxides

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
CAS: 26	34-33-5 1,	2-benzisothiazol-3(2H)-one			
Oral	LD50	1,193 mg/kg (rat)			
Dermal	LD50	4,115 mg/kg (rat)			
		(Contd. on page 7)			

Page 7/10

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name: illbruck PL600

(Contd. of page 6)

CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)

Dermal LD50 660 mg/kg (rabbit)

Inhalative LC50/4 h 2.36 mg/L (rat)

• Skin corrosion/irritation Irritating effect.

• Serious eye damage/irritation Irritating effect.

• **Respiratory or skin sensitisation** Sensitising effect by skin contact is possible by prolonged exposure.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 27138-31-4 dipropyleneglycol dibenzoate

LC50/96 h 3.7 mg/L (fish)

LC50/48 h 19.3 mg/L (daphnia magna)

EC50/72 h 4.9 mg/L (algae)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50/96 h 2.18 mg/L (oncorhynchus mykiss)

EC50/48 h 2.94 mg/L (daphnia magna)

EC50/72 h 0.11 mg/L (pseudokirchneriella subcapit.)

CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)

LC50/96 h 0.19 mg/L (rainbow trout)

EC50/48 h 0.16 mg/L (daphnia magna)

EC50/72 h 0.027 mg/L (algae)

12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name: illbruck PL600

· 12.7 Other adverse effects	(Contd. of page 7)
· Ecotoxical effects:	
CAS: 27138-31-4 dipropyleneglycol dibenzo	oate
NOEC 1 mg/L (algae)	
· Additional ecological information:	
 General notes: Do not allow undiluted product or large quan system. 	ntities of it to reach ground water, water course or sewage
SECTION 13: Disposal consideration	IS
13.1 Waste treatment methods Recommendation Smaller quantities can be disposed of with hou Disposal must be made according to official re European waste catalogue 2008/98/EC (UK WM3) : n/a	egulations.
08 04 10 waste adhesives and sealants other	than those mentioned in 08 04 09
 Uncleaned packaging: Recommendation: Dispose of packaging according to regulations Empty contaminated packagings thoroughly. 1 Recommended cleansing agents: Water, if the second seco	They may be recycled after thorough and proper cleaning.
SECTION 14: Transport information	
 · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR 	Void Void
· ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
 14.5 Environmental hazards: 	Not applicable.
	(Contd. on page 9)

(Contd. on page 9)

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name:	illbruck PL600
-------------	----------------

(Contd. of page 8) 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. **UN "Model Regulation":** Void **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products. Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13. HSE EH40/2005 Workplace Exposure Limits (as amended) Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 Directive 2012/18/EU • Named dangerous substances - ANNEX I None of the ingredients is listed. · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. • National regulations: • **Other regulations, limitations and prohibitive regulations** No further relevant information available. · Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.

• Substances of very high concern (SVHC) according to UK REACH Not applicable.

(Contd. on page 10)

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 09.01.2023

Version number 12 (replaces version 11)

Revision: 09.01.2023

Trade name: illbruck PL600

(Contd. of page 9)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

GB