Printing date 19.01.2017

Version number 3



Revision: 19.01.2017

	version number 5	Tevision. 19.01.2017
SECTION 1: Identificati undertaking	on of the substance/mixture	and of the company/
· 1.1 Product identifier		
· Trade name: TREMCO ES300 /	<u>A</u>	
 MSDS code: W-T-ES300A 1.2 Relevant identified uses of No further relevant information a Application of the substance / 		lvised against
 1.3 Details of the supplier of the supplier. Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Tel: +44 (0) 1942251400, Fax: + msds@tremco-illbruck.com 	Wigan, WN2 4HT	
 Further information obtainable tremco illbruck Ltd Coupland Road, Hindley Green, T: +44 (0) 1942251400, F: +44 (0) www.tremco-illbruck.co.uk, uk.int 	Wigan, WN2 4HT 0) 1942251410	
• 1.4 Emergency telephone num During office hours tel.: +44 (0) centre.	ber: 1942251400. At all other times please co	ontact your national poisoning
SECTION 2: Hazards iden	tification	
 2.1 Classification of the substance Classification according to Re 		
-	s skin irritation.	
Eye Irrit. 2 H319 Cause	s serious eye irritation.	
Skin Sens. 1 H317 May ca	ause an allergic skin reaction.	
Aquatic Chronic 2 H411 Toxic t	o aquatic life with long lasting effects.	
 2.2 Label elements Labelling according to Regular The product is classified and labe Hazard pictograms 	tion (EC) No 1272/2008 elled according to the CLP regulation.	
GHS07 GHS09		
· Signal word Warning		
Contains: epoxy resin (number average M\ oxirane, mono[(C12-14-alkyloxy) polypropylene glycol diglycidyl et Hazard statements H215 Courses skip irritation	methyl] derivs	
H315 Causes skin irritation.		(Contd. on page 2)
		GB



Version number 3

Revision: 19.01.2017

Printing date 19.01.2017

Trade name: TREMCO ES300 A

(Contd. of page 1) H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements Wear protective gloves / eye protection. P280 P273 Avoid release to the environment. Wash thoroughly after handling. P264 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. · Supplemental information: EUH205 Contains epoxy constituents. May produce an allergic reaction. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 40216-08-8	epoxy resin (number average MW <700) 30- <5	
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	10- <20%
EINECS: 271-846-8 Reg.nr.: 01-2119485289-22-xxxx	Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 9072-62-2	polypropylene glycol diglycidyl ether	5- <10%
	Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	0 10/0
Additional informations. For the wording of the listed beyond physics refer to postion 40		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Take affected persons out of danger area and lay down.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions Irritating to eyes and skin.
- · Information for doctor: No further relevant information available.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.01.2017

Version number 3

Trade name: TREMCO ES300 A

(Contd. of page 2) · Hazards No further relevant information available. · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 5: Firefighting measures · 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. · For safety reasons unsuitable extinguishing agents: Water with full jet · 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO) Carbon dioxide · 5.3 Advice for firefighters • **Protective equipment:** Wear self-contained respiratory protective device. **SECTION 6: Accidental release measures** · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. · 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1 Precautions for safe handling The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin. • Information about fire - and explosion protection: The product is not flammable. 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. · Information about storage in one common storage facility: Protect from heat and direct sunlight. Store away from foodstuffs. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

(Contd. on page 4) - GB

TREMCO Lasting Performance

Printing date 19.01.2017

Version number 3

Revision: 19.01.2017

(Contd. of page 3)

Trade name: TREMCO ES300 A

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection: Use only in well-ventilated areas.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

PVC or PE gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:PastyColour:Beige



Version number 3

Revision: 19.01.2017

Printing date 19.01.2017

	(Contd. of page 4)
 Odour: Initial boiling point and boiling 	Characteristic range: >200 °C
· Flash point:	>140 °C
· Explosive properties:	Product does not present an explosion hazard.
· Density at 20 °C:	1.15 g/cm ³
 Solubility in / Miscibility with water: 	Insoluble.
 Viscosity: Dynamic at 25 °C: 9.2 Other information 	2400 cps No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- \cdot Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Irritant to skin and mucous membranes. Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

βB -



Revision: 19.01.2017

Printing date 19.01.2017

Version number 3

Trade name: TREMCO ES300 A

SECTION 13: Disposal considerations • 13.1 Waste treatment methods Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities. • Waste disposal key: UK (WM3) : HP4 HP13 HP14 • European waste catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances • Uncleaned packaging: • Recommendation: Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled. SECTION 14: Transport information • 14.1 UN-Number • ADR 3082 • 14.2 UN proper shipping name • ADR 3082 • NURONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700)) • IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700)) • IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700))	 12.3 Bioaccumulative potential May be 12.4 Mobility in soil No further relevant Ecotoxical effects: Remark: Toxic for fish Additional ecological information: General notes: 	information available. ater, water course or sewage system, even in small quantities. water bodies. ment	
 Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities. Waste disposal key: UK (WM3) : HP4 HP13 HP14 European waste catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances Uncleaned packaging:	SECTION 13: Disposal consider	ations	
08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances • Uncleaned packaging: • Recommendation: Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled. SECTION 14: Transport information • 14.1 UN-Number • ADR, IMDG, IATA • ADR, IMDG, IATA UN3082 • 14.2 UN proper shipping name • 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700))	 Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities. 		
Uncleaned packaging: Recommendation: Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled. SECTION 14: Transport information 14.1 UN-Number ADR, IMDG, IATA UN3082 14.2 UN proper shipping name ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700)) IMDG IMDG EN VIRON MENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700), Solvent naphtha (petroleum), light arom.), MARINE POLLUTANT (Contd. on page 7) 	· European waste catalogue		
• Recommendation: Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled. SECTION 14: Transport information • 14.1 UN-Number • ADR, IMDG, IATA UN3082 • 14.2 UN proper shipping name • ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700))	08 04 09* waste adhesives and sealant	s containing organic solvents or other hazardous substances	
· 14.1 UN-Number · ADR, IMDG, IATA UN3082 · 14.2 UN proper shipping name · ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700))	 Recommendation: Dispose of packaging according to regule Packagings that may not be cleansed and 	e to be disposed of in the same manner as the product.	
· ADR, IMDG, IATA UN3082 · 14.2 UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700))	SECTION 14: Transport informa	tion	
· ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700)) · IMDG E N V I R O N M E N T ALLY HAZAR DO U S SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700), Solvent naphtha (petroleum), light arom.), MARINE POLLUTANT (Contd. on page 7)		UN3082	
	· ADR	SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700), Solvent naphtha	
		(Contd. on page 7)	

Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 19.01.2017

Version number 3

Revision: 19.01.2017

Trade name: TREMCO ES300 A (Contd. of page 6) HAZARDOUS · IATA ENVIRONMENTALLY SUBSTANCE, LIQUID, N.O.S. (epoxy resin (number average MW <700)) · 14.3 Transport hazard class(es) · ADR AIN · Class 9 (M6) Miscellaneous dangerous substances and articles. · Label 9 · IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Product contains environmentally hazardous substances: epoxy resin (number average MW <700) Yes · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Danger code (Kemler): 90 · EMS Number: F-A,S-F Stowage Category А · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category 3



Version number 3

Revision: 19.01.2017

Printing date 19.01.2017

Trade name: TREMCO ES300 A

	(Contd. of page 7)
· Tunnel restriction code	E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (NUMBER AVERAGE MW <700)), 9, III

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

(Contd. on page 9)

⁻ GB -



Printing date 19.01.2017

Version number 3

Revision: 19.01.2017

Trade name: TREMCO ES300 A

(Contd. of page 8)

GB

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.