Page 1/12



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: illbruck PU220
<ul> <li>MSDS code: A-I-PU220</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> <li>Application of the substance / the mixture Glue/ Sising agent</li> </ul>
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Tremco CPG Netherlands B.V.</li> <li>Vlietskade 1032, 4241 WC Arkel</li> <li>T: +31 (0) 183568000, F: +31 (0) 183568100 msds@tremcocpg.com</li> </ul>
<ul> <li>Further information obtainable from: Tremco CPG UK Ltd</li> <li>Coupland Road, Hindley Green, Wigan, WN2 4HT</li> <li>T: +44 (0) 1942251400, F: +44 (0) 1942251410</li> <li>www.tremcocpg.eu, info.uk@tremcocpg.com</li> </ul>
• <b>1.4 Emergency telephone number:</b> During office hours (Mon-Fri 08:30-17:00 GMT) Tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.
SECTION 2: Hazards identification
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> </ul>
Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT SE 3 H335 May cause respiratory irritation.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
2.2 Label elements
<ul> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The product is classified and labelled according to the CR CL B regulation</li> </ul>
The product is classified and labelled according to the GB CLP regulation. (Contd. on page 2)
GB



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

· Hazard pictogra	(Contd. of page 1)
GHS07 GHS08	
Signal word Dan	nger
Contains:	
diphenylmethane	diisocyanate, isomers and homologues
Hazard statemer	nts
H332 Harmful if in	nhaled.
H315 Causes ski	n irritation.
H319 Causes ser	ious eye irritation.
	allergy or asthma symptoms or breathing difficulties if inhaled.
	an allergic skin reaction.
	of causing cancer.
	respiratory irritation.
	damage to organs through prolonged or repeated exposure.
Precautionary st	
P201	Obtain special instructions before use.
P260	Do not breathe mist/vapours/spray.
P264	Wash contaminated body parts thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
0200,0242	if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314 P333+P313	Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Supplemental in	0
	s isocyanates. May produce an allergic reaction.
	st 2023 adequate training is required before industrial or professional use.

(Contd. on page 3)

# Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

(Contd. of page 2) · feica.eu/PUinfo: · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures • **Description:** Mixture of substances listed below with non-hazardous additions. Dangerous components: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues 50-<75% EC number: 618-498-9 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315:  $C \ge 5$  % Eye Irrit. 2; H319:  $C \ge 5 \%$ Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3: H335: C ≥ 5 % · EU SVHC see Section 15 • **GB SVHC** see Section 15 · Additional information: For the wording of the listed hazard phrases refer to section 16. While curing the following substances are formed and released by a reaction with atmospheric humidity: Carbon dioxide (CO2) **SECTION 4: First aid measures**  4.1 Description of first aid measures · General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out of danger area and lay down. • After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor,

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 4)

Page 4/12

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

(Contd. of page 3)

· After swallowing: If symptoms persist consult doctor.

· Information for doctor: No further relevant information available.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· Hazards No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Carbon dioxide (CO2)

Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (HCN)

• 5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
- For non-emergency personnel No further relevant information available.
- For emergency responders No further relevant information available.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to Section 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

Page 5/12

Safety data sheet



# acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

(Contd. of page 4) • 7.2 Conditions for safe storage, including any incompatibilities · Storage: • **Requirements to be met by storerooms and receptacles:** No special requirements. · Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep container tightly sealed. • 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen: as -NCO Long term effects CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues Inhalative industrial 0.05 mg/m3 (workers) (systemic and local effects) consumer 0.025 mg/m3 (general public) (systemic and local effects) Short term effects CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues consumer 20 mg/kg/24h (consumers) (systemic effects) Oral Dermal industrial 50 mg/kg/24h (workers) (systemic and local effects) consumer 25 mg/kg/24h (consumers) (systemic effects) Inhalative industrial 0.1 mg/m3 (workers) (systemic and local effects) consumer 0.05 mg/m3 (general public) (local effects) · PNECs CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues PNEC 1 mg/L (fresh water) 10 mg/L (intermittent release) 0.1 mg/L (salt water) Ingredients with biological limit values: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues BMGV 1µmol Sampling time: at the end of the period of exposure Parameter: isocyanate-derived diamine/mol creatinine in urine • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls • Appropriate engineering controls No further data; see section 7.

(Contd. on page 6)

Page 6/12

# Safety data sheet




acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220



(Contd. on page 7)

Page 7/12



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

	(Contd. of page 6)
· Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	10 °C
· Boiling point or initial boiling point and boiling	
range	330 °C
Flammability	Not applicable.
Lower and upper explosion limit	
· Lower:	0.1 Vol %
· Upper:	0.2 Vol %
Flash point:	>200 °C
Auto-ignition temperature:	400 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Immiscible / difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 25 °C:	0 h P a (C A S : 9016-87-9
	diphenylmethanediisocyanate, isomers and
	homologues)
Density and/or relative density	
Density at 20 °C:	1.12 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	1
and environment, and on safety.	<b>_</b>
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Evaporation rate	Not determined.
Information with regard to physical hazard	k
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
	(Contd. on page 8

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

		(Contd. of page 7
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flam	mable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity
- Harmful if inhaled.

### · LD/LC50 values relevant for classification:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

Oral LD50 >10,000 mg/kg (rat)

Dermal LD50 >10,000 mg/kg (rabbit)

· Skin corrosion/irritation

Causes skin irritation.

- **Serious eye damage/irritation** Causes serious eye irritation.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)

Page 9/12

# Safety data sheet



### Salety Uata Sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

#### Trade name: illbruck PU220

(Contd. of page 8)

- STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Information on likely routes of exposure No further relevant information available.
- Symptoms related to the physical, chemical and toxicological characteristics No further relevant information available.
- **Delayed and immediate effects as well as chronic effects from short and long-term exposure** No further relevant information available.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:

### CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

LC0/96 h >1,000 mg/L (brachydanio rerio)

EC50/24 h >1,000 mg/L (daphnia magna)

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

### · Ecotoxical effects:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

NOEC/21 d >10 mg/L (daphnia magna)

· Additional ecological information:

#### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 10)

GB

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

(Contd. of page 9)

	te treatment methods		
Recomme		northana. Do not allow product to reach activery aveta	
		garbage. Do not allow product to reach sewage system	
-	n waste catalogue		
		aining organic solvents or other hazardous substances	
HP4		contaminated by hazardous substances	
HP4 HP5	Irritant - skin irritation and eye damage Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
HP5 HP7			
HP13	Carcinogenic Sensitising		
пгіз	Sensitising		
SECTIO	N 14: Transport information		
SECTIO	N 14: Transport information		
14.1 UN n	umber or ID number		
14.1 UN n	•	Void	
14.1 UN n ADR, ADN 14.2 UN p	umber or ID number N, IMDG, IATA proper shipping name		
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN	umber or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA	Void Void	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans	number or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA sport hazard class(es)		
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN	umber or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA	Void	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class	number or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA sport hazard class(es) N, IMDG, IATA		
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Pack	number or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA sport hazard class(es) N, IMDG, IATA	Void	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Pack ADR, IMD	umber or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA sport hazard class(es) N, IMDG, IATA	Void	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Pack ADR, IMD 14.5 Envir	number or ID number N, IMDG, IATA proper shipping name N, IMDG, IATA sport hazard class(es) N, IMDG, IATA sing group G, IATA ronmental hazards:	Void Void Void	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Pack ADR, IMD 14.5 Envin Marine pc	A model of the second s	Void Void Void No	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Pack ADR, IMD 14.5 Envin Marine po 14.6 Spec	A sport hazard class(es) N, IMDG, IATA Sport hazard class(es) N, IMDG, IATA Sport hazard class(es) N, IMDG, IATA Sing group OG, IATA ronmental hazards: Spllutant: Stal precautions for user	Void Void Void Void No Not applicable.	
14.1 UN n ADR, ADN 14.2 UN p ADR, ADN 14.3 Trans ADR, ADN Class 14.4 Pack ADR, IMD 14.5 Envin Marine po 14.6 Spec	A mumber or ID number N, IMDG, IATA Proper shipping name N, IMDG, IATA sport hazard class(es) N, IMDG, IATA sing group G, IATA ronmental hazards: pollutant: cial precautions for user time transport in bulk according to	Void Void Void Void No Not applicable.	

### **SECTION 15: Regulatory information**

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** HSE EH40/2005 Workplace Exposure Limits (as amended)

(Contd. on page 11)

Page 11/12

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

(Contd. of page 10)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 "UK- REACH" UK SI 2020 No. 1577 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 The Endocrine Disruptor Lists I, II, III (www.edlists.org) · Poisons Act Regulated explosives precursors None of the ingredients is listed. Regulated poisons None of the ingredients is listed. **Reportable explosives precursors** None of the ingredients is listed. Reportable poisons None of the ingredients is listed. • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56a, 74 · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. National regulations: Information about limitation of use: Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed. • Other regulations, limitations and prohibitive regulations No further relevant information available. • Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.

Substances of very high concern (SVHC) according to UK REACH Not applicable.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GR

Page 12/12

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 08.02.2024

Version number 9 (replaces version 8)

Revision: 08.02.2024

Trade name: illbruck PU220

(Contd. of page 11)

#### SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. EUH204 Contains isocyanates. May produce an allergic reaction. Department issuing SDS: Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 · Version number of previous version: 8 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

#### \* \* Data compared to the previous version altered.

GB