

# DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) N° 305/2011

**Nullifire**  
Smart Protection

No. FF197-20150508

1. **Unique identification code of the product-type:** Nullifire FF197
2. **Intended use/es:** Reinstate the fire resistance performance of gaps and joints in rigid wall and floor constructions.
3. **Manufacturer:** Tremco CPG Netherlands B.V., Vlietskade 1032, 4241 WC, Arkel, The Netherlands
5. **System/s of AVCP:** System 1
- 6b. **European Assessment Document:** ETAG 026-3  
**European Technical Assessment:** ETA 15/0172  
**Technical Assessment Body:** Warrington Certification Limited (UK)  
**Notified body/ies:** Warrington Certification Limited (UK)
7. **Declared performance/s**

Basic Work Requirement (BWR)	Performance
<b>Mechanical resistance and stability (BWR 1)</b>	
None	Not relevant
<b>Safety in case of fire (BWR 2)</b>	
Reaction to fire (EN 13501-1)	Class E
Resistance to fire (EN 13501-2)	See ETA 15/0172 Annex A
<b>Hygiene, Health and the Environment (BWR 3)</b>	
Air Permeability (EN 1026:2000)	NPD
Water Permeability (ETAG 026-3 Annex C)	NPD
Release of dangerous substances	Use Category IA1, S/W3 Declaration of manufacturer
<b>Safety in Use (BWR 4)</b>	
Mechanical Resistance and stability (EOTA TR001:2003)	NPD
Resistance to Impact / movement (EOTA TR001:2003)	NPD
Adhesion (EOTA TR001:2003)	NPD
<b>Protection against noise (BWR 5)</b>	
Airborne Sound Insulation (EN10140-2 / EN ISO 717-1)	NPD
<b>Energy, Economy and Heat Retention (BWR 6)</b>	
Thermal Properties (EN 12664, EN 12667 or EN 12939)	NPD
Water vapour permeability (EN ISO 12572 / EN 12086)	NPD
<b>General Aspects Relating to fitness for use</b>	
Durability and Serviceability (EOTA TR 024:2009)	Y <sup>2</sup>
<b>Sustainable use of natural resources (BWR 7)</b>	
Sustainable use of natural resources	NPD

BWR = Basic requirement for construction work

NPD = No Performance Determined

# DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) N° 305/2011

**Nullifire**  
Smart Protection

## 8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

**Signed for and on behalf of the manufacturer by:**

M. Liptrot, Operations Director

At Arkel on September 30<sup>th</sup>, 2020



## Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

# DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) N° 305/2011

**Nullifire**  
Smart Protection



1121

Tremco CPG Netherlands B.V.,  
Vlietskade 1032, 4241 WC, Arkel, The Netherlands  
15

FF197-20150508  
[www.nullifire.com/FF197](http://www.nullifire.com/FF197)

ETA 15/0172

ETAG 26 – 1 and 3

1121-CPR-JA5067

Reinstate the fire resistance performance of gaps and joints in rigid wall and floor constructions.

Basic Work Requirement (BWR)	Performance
<b>Mechanical resistance and stability (BWR 1)</b>	
None	Not relevant
<b>Safety in case of fire (BWR 2)</b>	
Reaction to fire	Class E
Resistance to fire	See ETA 15/0172 Annex A
<b>Hygiene, Health and the Environment (BWR 3)</b>	
Air Permeability	NPD
Water Permeability	NPD
Release of dangerous substances	Use Category IA1, S/W3 Declaration of manufacturer
<b>Safety in Use (BWR 4)</b>	
Mechanical Resistance and stability	NPD
Resistance to Impact / movement	NPD
Adhesion	NPD
<b>Protection against noise (BWR 5)</b>	
Airborne Sound Insulation	NPD
<b>Energy, Economy and Heat Retention (BWR 6)</b>	
Thermal Properties	NPD
Water vapour permeability	NPD
<b>General Aspects Relating to fitness for use</b>	
Durability and Serviceability	Y <sup>2</sup>
<b>Sustainable use of natural resources (BWR 7)</b>	
Sustainable use of natural resources	NPD