Printing date 23.10.2017

Version number 4

Revision: 23.10.2017

TREMCO

Lasting Performance

 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: TREMCO SX303 A MSDS code: W.T-SX303A 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Floor screed - fast cement 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: temeo illbruck. Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tei: +44 (0) 1942251400, Fas: +44 (0) 1942251410 most @tremco-illbruck.com Further information obtainable from: tremco illbruck.com I Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, Fi: +44 (0) 1942251410 www.tremco-illbruck.com I A Emergency telephone number: During office hours tel:: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irnt: 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Giffso 5 GHS07 Signal word Danger Contains: portand cement Hazard statements H315 Causes skin irritation. H325 Causes skin irritation. H325 Causes skin irritation. H325 Causes skin irritation. H325 Causes skin irritation. H326 Causes skin irritation. H315 Causes skin irritation. H327 Ausses skin irritation. H315	5	
 Trade name: TREMCO SX303 A MSDS code: W-T-SX303A 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Floor screed - fast cement 1.3 Details of the substance / the mixture Floor screed - fast cement Manufacturer/Supplier: tremco: libruck.td Coupland Road, Hindley Green, Wigan, WN2 4HT Tet: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-libruck.com Further information obtainable from: tremco: libruck.td Coupland Road, Hindley Green, Wigan, WN2 4HT T. +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-ilbruck.com 1.4 Emergency telephone number: During office hours tell: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eyo Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard statements Asset GHS05 GHS07 Signal word Danger Contains: portland cement Hazard statements Hazard statements		ompany/
 MSDS code: W-T-SX303A 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the subplier of the safety data sheet Manufacturer/Supplier: tremeo ilbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1342251400, Fax: +44 (0) 1942251410 msds@tremco-ilbruck.com Further information obtainable from: tremco ilbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1342251400, F: +44 (0) 1942251410 www.tremco-ilbruck.co.uk, uk.info@tremco-ilbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251410 www.tremco-ilbruck.co.uk, uk.info@tremco-ilbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pitograms Gottains: portland doement Hazard statements H315 Causes skin irritation. H315 Causes skin irritation. H326 Guess skin irritation. H327 Sauses skin irritation. H337 May cause an allergic skin reaction. 	· 1.1 Product identifier	
 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the subplier of the safety data sheet Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tei: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-illbruck.com Further information obtainable from: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, Fax: +44 (0) 1942251410 www.tremco-illbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Contains: portland Greent Hazard statements H	· Trade name: TREMCO SX303 A	
 Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-illbruck.com Further information obtainable from: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2. H315 Causes skin irritation. Eye Dam. 1. H316 Causes an allergic skin reaction. STOT SE 3. H335 May cause an allergic skin reaction. STOT SE 3. H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 	 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 	
tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes vericus eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction.	• Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410	
During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre. SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms • GHS05 GHS07 • Signal word Danger • Contains: portland cement • Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. (Contd. on page 2)	tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410	
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. Cont. H318 Causes skin irritation. H318 Causes an allergic skin reaction. Cont. H318 Causes an allergic skin reaction. Cont. H318 Causes an allergic skin reaction. Cont. H318 Causes and the mage. H317 May cause an allergic skin reaction. Cont. H318 Causes and the mage. H317 May cause an allergic skin reaction. Cont. On page 2 Cont. Cont.	During office hours tel.: +44 (0) 1942251400. At all other times please contact your nation	al poisoning
 Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. (Contd. on page 2) 	SECTION 2: Hazards identification	
 Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. 		
 Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 	Skin Irrit. 2 H315 Causes skin irritation.	
 STOT SE 3 H335 May cause respiratory irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 	Eye Dam. 1 H318 Causes serious eye damage.	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms 	Skin Sens. 1 H317 May cause an allergic skin reaction.	
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GFS05 GHS07 Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. 	STOT SE 3 H335 May cause respiratory irritation.	
 Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. 	 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. 	
 Signal word Danger Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. 	GHS05 GHS07	
 Contains: portland cement Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. 		
portland cement • Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. (Contd. on page 2)		
• Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. (Contd. on page 2)		
H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. (Contd. on page 2)		
H317 May cause an allergic skin reaction. (Contd. on page 2)		
(Contd. on page 2)	H318 Causes serious eve damage.	



Version number 4

Revision: 23.10.2017

Printing date 23.10.2017

Trade name: TREMCO SX303 A

(Contd. of page 1)

H335 May cause respiratory irritation.

· Precautionary statements

P261	Avoid breathing dust.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.	
· Supplemental inf	ormation:	
Skin contact with v	vet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.	

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- **Description:** Mixture of substances listed below with non-hazardous additions.
- · Dangerous components:

CAS: 65997-15-1 portland cement EINECS: 266-043-4 Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- Risk of serious damage to eyes.
- · Information for doctor: No further relevant information available.
- Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

– GB

(Contd. on page 3)



Version number 4

Revision: 23.10.2017

Printing date 23.10.2017

Trade name: TREMCO SX303 A

(Contd. of page 2)

 SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation. Avoid formation of dust. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Keep away from water. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 13 for disposal information. See Section 13 for disposal information. Section 13 for disposal information. Section 6 for information on personal protection equipment. See Section 13 for disposal information. Section 13 for disposal information. Firewent formation of dust. Avoid contact with the eyes and skin. Information of dust. Avoid contact with the eyes and skin. Information for safe storage, including any incompatibilities Storage:
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation. Avoid formation of dust. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Keep away from water. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust. Avoid contact with the eyes and skin. Information about fire - and explosion protection: The product is not flammable. 7.2 Conditions for safe storage, including any incompatibilities Storage:
 Wear protective clothing. Ensure adequate ventilation. Avoid formation of dust. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Keep away from water. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust. Avoid contact with the eyes and skin. Information about fire - and explosion protection: The product is not flammable. 7.2 Conditions for safe storage, including any incompatibilities Storage:
 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust. Avoid contact with the eyes and skin. Information about fire - and explosion protection: The product is not flammable. 7.2 Conditions for safe storage, including any incompatibilities Storage:
 Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust. Avoid contact with the eyes and skin. Information about fire - and explosion protection: The product is not flammable. 7.2 Conditions for safe storage, including any incompatibilities Storage:
· Storage:
 Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Information about storage in one common storage facility: Protect from heat and direct sunlight. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. 7.3 Specific end use(s) No further relevant information available.
GB – (Contd. on page 4)

Safety data sheet

TREMCO Lasting Performance

according to 1907/2006/EC, Article 31

Printing date 23.10.2017

Version number 4

Revision: 23.10.2017

Trade name: TREMCO SX303 A

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 65997-15-1 portland cement WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust · Additional information: The lists valid during the making were used as basis. HSE EH40/2005 Workplace Exposure Limits (as amended) · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not breathe dust. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Dust/Particulate mask. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves Rubber gloves Neoprene gloves **PVC** gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 5) GB



Printing date 23.10.2017

Version number 4

Revision: 23.10.2017

Trade name: TREMCO SX303 A

(Contd. of page 4)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic phy General Information Appearance: 	sical and chemical properties
Form:	Powder
Colour:	Grey
· Odour:	Odourless
· pH-value:	10 - 12
· Melting point/freezing point:	Undetermined.
· Flash point:	Not applicable.
· Explosive properties:	Product does not present an explosion hazard.
· Density at 20°C:	1.4 g/cm ³
· Solubility in / Miscibility with	
water:	Insoluble.
· Solvent content:	
Solids content:	100.0 %
 9.2 Other information 	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Corrosive action on metals. Reacts with acids. Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid Water / moisture.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Revision: 23.10.2017

Printing date 23.10.2017

Version number 4

(Contd. of page 5) · Primary irritant effect: · Skin corrosion/irritation Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns. Causes skin irritation. · Serious eye damage/irritation Causes serious eye damage. · Respiratory or skin sensitisation Chromium (VI) may cause allergic dermatitis by repeated and/or prolonged skin contact. Chromium (VI) content = <2ppm (0.0002%) May cause an allergic skin reaction. · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) · Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity Based on available data, the classification criteria are not met. • Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure May cause respiratory irritation. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. SECTION 12: Ecological information · 12.1 Toxicity · Aquatic toxicity: No further relevant information available. • 12.2 Persistence and degradability No further relevant information available. • 12.3 Bioaccumulative potential No further relevant information available. • 12.4 Mobility in soil No further relevant information available. · Additional ecological information: · General notes: Do not allow product to reach ground water, water course or sewage system, even in small quantities. High concentrations in water will cause the pH to rise which may cause harm to aquatic life. · 12.5 Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. • 12.6 Other adverse effects No further relevant information available. **SECTION 13: Disposal considerations** · 13.1 Waste treatment methods · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations. · Waste disposal key: UK (WM3) : HP4 HP5 HP13 · European waste catalogue 08 02 01 waste coating powders · Uncleaned packaging: · Recommendation: Dispose of packaging according to regulations on the disposal of packagings. (Contd. on page 7) GB



Printing date 23.10.2017

Version number 4

Revision: 23.10.2017

(Contd. of page 6)

Trade name: TREMCO SX303 A

Non contaminated packagings may be treated like household garbage. Non contaminated packagings may be recycled.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
 · 14.3 Transport hazard class(es) 		
 ADR, ADN, IMDG, IATA Class 	Void	
 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
 14.6 Special precautions for user 	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1). "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). CEMBUREAU; The European Cement Association COMMISSION REGULATION (EU) 2015/830 of 28 May 2015. HSE EH40/2005 Workplace Exposure Limits (as amended)

- · National regulations:
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- Other regulations, limitations and prohibitive regulations "REACH" Regulation (EC) No 1907/2006; ANNEX XVII - RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

· Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB



ruing to 1907/2000/EC, Artic

Printing date 23.10.2017

Version number 4

Revision: 23.10.2017

Trade name: TREMCO SX303 A

(Contd. of page 7)

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered. GB