Page 1/10

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Printing date 29.11.2022	Version number 7 (replaces version 6)	Revision: 29.11.2022
SECTION 1: Identifi undertaking	ication of the substance/mixture a	nd of the company/
· 1.1 Product identifier		
[.] Trade name: <u>illbruck FA88</u>	<u>30</u>	
 MSDS code: T-I-FA880 1.2 Relevant identified use No further relevant informati Application of the substant Adhesives Spacings sealant 		d against
 1.3 Details of the supplier Manufacturer/Supplier: Tremco CPG Germany Gml Zweigniederlassung Traunre Traunring 65, D - 83301 Tra Tel: +49 (0) 8669 34100, Fa msds@cpg-europe.com 	oH eut junreut	
• Further information obtain Tremco CPG UK Ltd Coupland Road, Hindley Gro T: +44 (0) 1942251400, F: + www.cpg-europe.com, info.u	een, Wigan, WN2 4HT -44 (0) 1942251410	
	number: 44 (0) 1942251400. At all other times it is recor your local GP/pharmacist (NI), 01 809 2166 (RO	
SECTION 2: Hazards i	dentification	
•	ubstance or mixture o Regulation (EC) No 1272/2008 I, according to the GB CLP regulation.	
· 2.2 Label elements		

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Supplemental information:
- EUH208 Contains 2-octyl-2H-isothiazol-3-one, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

(Contd. of page 1)

Trade name: illbruck FA880

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Polydimethylsiloxane with inorganic fillers and oximosilane as curing agent

· Dangerous components:		
CAS: 1170315-90-8 EC number: 700-833-6 Reg.nr.: 01-2120087364-51-0000	2-Pentanone, O,O',O''-(phenylsilylidyne)trioxime Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	1-<5%
CAS: 37859-55-5 ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76-xxxx	2-Pentanone, O,O',O''-(methylsilylidyne)trioxime Acute Tox. 4, H302; Eye Irrit. 2, H319	1-<5%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39-xxxx	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318; Skin Sens. 1, H317	0.1-<1%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/L Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

· SVHC -

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: 2-Pentanone oxime (CAS 623-40-5)

While curing the following substances are formed and released by a reaction with atmospheric humidity:

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

In case of accident or if you feel unwell, seek medical advice (show this safety data sheet if possible).

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

Page 3/10

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

```
Trade name: illbruck FA880
```

- (Contd. of page 2) After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · Information for doctor: No further relevant information available. · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. SECTION 6: Accidental release measures • 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. 6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8. **SECTION 7: Handling and storage** • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. · Information about fire - and explosion protection: No special measures required. 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
 - 7.3 Specific end use(s) No further relevant information available.

GB

Page 4/10

*



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Trade name: illbruck FA880

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection
 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Ingredients with biological limit values: Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity: 2-Pentanonoxime (CAS 623-40-5)
CAS: 67-56-1 methanol
WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk
· Additional information: The lists valid during the making were used as basis.
 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Respiratory protection: Not necessary if room is well-ventilated. Filter AX Use suitable respiratory protective device in case of insufficient ventilation. For further guidance, please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".
Protective gloves
 Material of gloves Butyl rubber, BR Nitrile rubber, NBR Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Safety glasses (Contd. on page 5)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Trade name: illbruck FA880

(Contd. of page 4)

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties		
General Information		
· Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and boiling	Nist suulis shis	
range	Not applicable.	
Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	>151 °C	
• Decomposition temperature:	Not determined.	
· pH	Mixture is non-polar/aprotic.	
Viscosity:		
Kinematic viscosity	Not determined.	
· Solubility		
· water:	Fully miscible.	
• Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure at 20 °C:	<0.1 hPa (CAS: 70131-67-8 Dimethyl Silicone,	
	Hydroxy-Terminated)	
Density and/or relative density		
Density at 20 °C:	1.31 g/cm ³	
Relative density	Not determined.	
· Vapour density	Not determined.	
• 9.2 Other information		
· Appearance:		
Form:	Pasty	
Important information on protection of health		
and environment, and on safety.		
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
	(Contd. on page 6)	



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Trade name: illbruck FA880

		(Contd. of page
Solvent content:		
Organic solvents:	0.0 %	
VOC (EU)	0.03 %	
	0.4 g/l	
VOC (EC)	0.03 %	
Evaporation rate	Not determined.	
Information with regard to physical ha	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamn	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:
- None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

(Contd. on page 7)

GB -

Page 7/10

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Trade name: illbruck FA880

(Contd. of page 6) **SECTION 11: Toxicological information** 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: CAS: 37859-55-5 2-Pentanone, O,O',O"-(methylsilylidyne)trioxime 1,234 mg/kg (rat) Oral LD50 CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine >2,000 mg/kg (rat) (OECD 401) Oral LD50 Dermal LD50 >2,000 mg/kg (rat) Inhalative LC50/4 h 1.49-2.44 mg/L (unknown) CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one Oral 125 mg/kg (ATE) LD50 ATE 125 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) ATE 311 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/L (ATE) ATE 0.27 mg/l (rat) · Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • **Reproductive toxicity** Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. · 11.2 Information on other hazards Endocrine disrupting properties CAS: 870-08-6 dioctyltin oxide List II **SECTION 12: Ecological information** · 12.1 Toxicity · Aquatic toxicity:

CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

LC0/96 h 344 mg/L (brachydanio rerio)

LC50/96 h 597 mg/L (brachydanio rerio)

EC50/48 h 81 mg/L (daphnia magna)

(Contd. on page 8)

Page 8/10

Safety data sheet

illbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Trade name: illbruck FA880

(Contd. of page 7)

EC50/72 h 126 mg/L (scenedesmus subspicatus) EC50/96 h 8.8 mg/L (pseudokirchneriella subcapit.)

• 12.2 Persistence and degradability No further relevant information available.

· Other information: The product is not biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects No further relevant information available.

· Ecotoxical effects:

CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

NOEC 3.1 mg/L (pseudokirchneriella subcapit.)

20 mg/L (scenedesmus subspicatus)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

European waste catalogue

2008/98/EC (UK WM3) : n/a

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

· Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

SECTION 14: Transport information 14.1 UN number or ID number ADR, ADN, IMDG, IATA Void 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void (Contd. on page 9) - GB



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

	(Contd. c	of page 8)
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: 		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** HSE EH40/2005 Workplace Exposure Limits (as amended) Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms

"GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

CAS: 108-88-3 toluene

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 108-88-3 toluene

National regulations:

· Other regulations, limitations and prohibitive regulations No further relevant information available.

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

(Contd. on page 10)

3

3



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 7 (replaces version 6)

Revision: 29.11.2022

Trade name: illbruck FA880

(Contd. of page 9)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * * Data compared to the previous version altered.

GB -