

**Safety data sheet**  
**acc. (EC) 1907/2006, as amended by UK SI 2019/758**



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** Nullifire SC904 B**MSDS code:** W-N-SC904B**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Coating compound/ Surface coating/ paint**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Tremco CPG UK Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@cpg-europe.com

**Further information obtainable from:**

Tremco CPG UK Ltd

Torrington Avenue, Coventry, CV4 9TJ

T: +44 (0) 2476855000, F: +44 (0) 2476469547

www.cpg-europe.com, protect@cpg-europe.com

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.cpg-europe.com, info.uk@cpg-europe.com

**1.4 Emergency telephone number:**

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

**Additional information:** (EC) 1272/2008 & UK SI 2019 No. 720 "GB- CLP": 2.6.4.5 (Flam. Liq. 3)**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 1)

- Hazard pictograms**



GHS05

- Signal word** Danger

- Contains:**

3-(trimethoxysilyl)propylamine

- Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

- Precautionary statements**

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC**

VOC 2004/42/CE &amp; UK SI 2012/1715 (A / j) = &lt;500 g/l

Nullifire SC904 B

= 112 g/l

- 2.3 Other hazards** No further relevant information available.

- Results of PBT and vPvB assessment**

- PBT:** Not applicable.

- vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- 3.2 Mixtures**

- Description:** Mixture of substances listed below with non-hazardous additions.

- Dangerous components:**

CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32-xxxx	xylene (mix) Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412	5-<10%
CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45-xxxx	3-(trimethoxysilyl)propylamine Eye Dam. 1, H318; Skin Irrit. 2, H315	5-<10%
CAS: 100-41-4 EINECS: 202-849-4 Reg.nr.: 01-2119489370-35-xxxx	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Aquatic Chronic 3, H412	1-<5%

(Contd. on page 3)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 2)

- **EU SVHC** see Section 15
- **GB SVHC** see Section 15
- **Additional information:**  
For the wording of the listed hazard phrases refer to section 16.  
While curing the following substances are formed and released by a reaction with atmospheric humidity:  
Methanol (CAS 67-56-1)

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information:** Take affected persons out of danger area and lay down.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **Information for doctor:** No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Irritant to skin and mucous membranes.  
Risk of serious damage to eyes.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Mouth respiratory protective device.  
Wear self-contained respiratory protective device.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 3)

- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to Section 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with the eyes and skin.
- **Information about fire - and explosion protection:**  
Flammable liquid and vapour.  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in unopened original receptacles.  
Provide ventilation for receptacles.
- **Information about storage in one common storage facility:** Protect from heat and direct sunlight.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Storage temperature: 0°C to +35°C
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

<b>Ingredients with limit values that require monitoring at the workplace:</b>	
<b>CAS: 1330-20-7 xylene (mix)</b>	
WEL	Short-term value: 441 mg/m <sup>3</sup> , 100 ppm Long-term value: 220 mg/m <sup>3</sup> , 50 ppm Sk; BMGV
<b>CAS: 100-41-4 ethylbenzene</b>	
WEL	Short-term value: 552 mg/m <sup>3</sup> , 125 ppm Long-term value: 441 mg/m <sup>3</sup> , 100 ppm Sk

(Contd. on page 5)

GB

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 4)

· **Ingredients with biological limit values:**

**CAS: 1330-20-7 xylene (mix)**

BMGV	650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid
------	--

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**

**CAS: 67-56-1 methanol**

WEL	Short-term value: 333 mg/m <sup>3</sup> , 250 ppm Long-term value: 266 mg/m <sup>3</sup> , 200 ppm Sk
-----	---

· **Additional information:**

The lists valid during the making were used as basis.  
HSE EH40/2005 Workplace Exposure Limits (as amended)

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Ensure good ventilation/exhaustion at the workplace.  
Do not breathe spray.  
Do not eat, drink, smoke or sniff while working.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.



Wear respiratory protection.

Filter A/P2

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance,  
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

PVA gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

(Contd. on page 6)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 5)

checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

- **Body protection:**



Protective work clothing

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	137-143 °C (CAS: 1330-20-7 xylene (mix))
· <b>Flash point:</b>	47 °C
· <b>Solubility</b>	
· <b>water:</b>	Immiscible / difficult to mix.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.98 g/cm <sup>3</sup>

- **9.2 Other information**

- **Appearance:**

- **Form:** Viscous

- **Important information on protection of health and environment, and on safety.**

- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- **Solvent content:**

- **VOC (EU)** 112.0 g/l

- **VOC (EC)** 112 g/l

11.18 %

(Contd. on page 7)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 6)

## · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid**  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Methanol  
Nitrogen oxides  
Carbon monoxide and carbon dioxide

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

**CAS: 1330-20-7 xylene (mix)**

Oral	LD50	3,523 mg/kg (rat)
------	------	-------------------

(Contd. on page 8)



# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 7)

Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	27.124 mg/L (rat)
	LC50/4 h	5,000 ppmV (rat)
<b>CAS: 13822-56-5 3-(trimethoxysilyl)propylamine</b>		
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>10,000 mg/kg (rabbit) (OECD 402)
<b>CAS: 100-41-4 ethylbenzene</b>		
Oral	LD50	3,500 mg/kg (rat)
Dermal	LD50	17,800 mg/kg (rabbit)

- **Skin corrosion/irritation**

Causes skin irritation.

- **Serious eye damage/irritation**

Causes serious eye damage.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Additional toxicological information:** Repeated exposure may cause skin dryness or cracking.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

- **CAS: 1330-20-7 xylene (mix)**

LC50/96 h 4.2 mg/L (rainbow trout)

EC50/48 h 2.93-4.4 mg/L (daphnia magna)

- **CAS: 13822-56-5 3-(trimethoxysilyl)propylamine**

LC50/96 h &gt;934 mg/L (brachydanio rerio) (OECD TG 203)

EC50/48 h 331 mg/L (daphnia magna) (OECD TG 202)

EC50/72 h &gt;1,000 mg/L (desmodesmus subspicatus) (OECD 201)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 9)



# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 8)

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Ecotoxicological effects:**

**CAS: 1330-20-7 xylene (mix)**

IC50/72 h | 2.2 mg/L (algae)

- **Additional ecological information:**

- **General notes:**

Overall evaluation

Avoid transfer into the environment.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- **European waste catalogue**

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
-----------	---

HP4	Irritant - skin irritation and eye damage
-----	---

- **Uncleaned packaging:**

- **Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Non contaminated packagings may be recycled.

## SECTION 14: Transport information

- **14.1 UN number or ID number**

· <b>ADR, ADN, IMDG, IATA</b>	Void
-------------------------------	------

- **14.2 UN proper shipping name**

· <b>ADR</b>	Void
--------------	------

Void
------

· <b>ADN, IMDG, IATA</b>	Void
--------------------------	------

(Contd. on page 10)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 9)

· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	2.2.3.1.1 (note 1)
· <b>IMDG</b>	2.3.1.3
· <b>IATA</b>	3.3.1.3
· <b>UN "Model Regulation":</b>	Void

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
HSE EH40/2005 Workplace Exposure Limits (as amended)  
Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)  
STATUTORY INSTRUMENTS 2012 No. 1715 ENVIRONMENTAL PROTECTION | The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012, and any subsequent amendments  
"GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019  
"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019  
The Endocrine Disruptor Lists I, II, III (www.edlists.org)
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

### · **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

### · **REGULATION (EU) 2019/1148**

### · **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

(Contd. on page 11)

GB

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 10)

**· Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**· Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**· National regulations:**

- **Other regulations, limitations and prohibitive regulations** No further relevant information available.
- **Substances of very high concern (SVHC) according to EU REACH, Article 57** Not applicable.
- **Substances of very high concern (SVHC) according to UK REACH** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

**· Department issuing SDS:**

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

**· Date of previous version:** 11.06.2021

**· Version number of previous version:** 9

**· Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent

(Contd. on page 12)

GB

**Safety data sheet**  
**acc. (EC) 1907/2006, as amended by UK SI 2019/758**



Printing date 23.03.2023

Version number 10 (replaces version 9)

Revision: 13.02.2023

**Trade name: Nullifire SC904 B**

(Contd. of page 11)

LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**

GB