DECLARATION OF PERFORMANCE



ACCORDING TO ANNEX III OF THE REGULATION (EU) N° 305/2011

No. SX200 - 20180214

1. Unique identification code of the product-type: SX200

2. Intended use/es: Cement screed material for use internally in buildings – EN 13813:2002

3. Manufacturer: TREMCO CPG UK Limited, Coupland Road, Hindley Green, Wigan, WN2 4HT

5. System/s of AVCP: System 4 (for internal uses)

6a. Harmonised standard: EN 13813:2002 (CT-C30-F7)-AR2

Notified body/ies: Not relevant

7. Declared performance/s:

EN 13813:2002 (Cement screed material for use internally in buildings (wearing surfaces))

Essential Characteristic	Performance	Harmonised Technical Specification
Release of corrosive substances	CT	EN 13813:2002
Compressive strength	C30	EN 13813:2002
Flexural strength	F7	EN 13813:2002
Wear Resistance	AR2	EN 13813:2002
Reaction to fire	BFL -s1	EN 13813:2002
Water Permeability	NPD	EN 13813:2002

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

M. Liptrot, Operations Director At Wigan on 1 July 2020

Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.



DECLARATION OF PERFORMANCE



ACCORDING TO ANNEX III OF THE REGULATION (EU) N° 305/2011



TREMCO CPG UK Limited,

Coupland Road, Hindley Green, Wigan. WN2 4HT UK

18

SX200 - 20180214

tremco-europe.com/SX200/

EN 13813:2002

Cement screed material for use internally in buildings (non-wearing surfaces)

certain served material for use internally in ballatings (non-wearing surfaces)		
Essential Characteristic	Performance	
Release of corrosive substances	СТ	
Compressive strength	C30	
Flexural strength	F7	
Wear Resistance	AR2	
Reaction to Fire	BFL -s1	
Water Permeability	NPD	

