

Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: TREMCO CS375

· MSDS code: W-T-CS375F

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Floor screed - fast cement

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-illbruck.com

· Further information obtainable from:

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

· 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre.

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Contains:

Cement, portland, chemicals

· Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

**Trade name: TREMCO CS375** 

(Contd. of page 1)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· Supplemental information:

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous components:				
CAS: 1317-65-3	Marble/limestone (calcium carbonate)	30-<50%		
EINECS: 215-279-6	substance with a Community workplace exposure limit			
CAS: 65997-15-1	Cement, portland, chemicals	5-<10%		
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information:

Remove persons from danger area.

In case of accident or if you feel unwell, seek medical advice (show this safety data if possible).

· After inhalation:

Supply fresh air.

If symptoms persist consult doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical advice.

· After swallowing:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Give small amounts of water to drink.

Seek immediate medical advice.

· 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye damage.

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

(Contd. on page 3)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

**Trade name: TREMCO CS375** 

(Contd. of page 2)

- · Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Alcohol based solutions

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes and skin.

Avoid formation of dust.

Ensure adequate ventilation

- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Wear suitable protective clothing and gloves.

Ensure that washing facilities are available at the work place.

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: The product is not flammable.

(Contd. on page 4)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

**Trade name: TREMCO CS375** 

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

· Information about storage in one common storage facility:

Store away from water.

Do not store together with acids.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Storage temperature: +5°C to +35°C

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

<ul> <li>Ingredients with</li> </ul>	limit values that	require monitoring	ng at the workplace:

## 1317-65-3 Marble/limestone (calcium carbonate)

WEL Long-term value: 10\* 4\*\* mg/m³ \*inhalable \*\*respirable

#### 65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10\* 4\*\* mg/m³
\*inhalable dust \*\*respirable dust

#### Additional information:

The lists valid during the making were used as basis.

HSE EH40/2005 Workplace Exposure Limits (as amended)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Ensure that washing facilities are available at the work place.

Wash contaminated clothing before reuse.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Do not breathe dust.

· Respiratory protection:



Dust/Particulate mask.

Use suitable respiratory protective device in case of insufficient ventilation. Filter P

(Contd. on page 5)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

Trade name: TREMCO CS375

(Contd. of page 4)

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

### · Material of gloves

Rubber gloves

Neoprene gloves

**PVC** gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

**EN 166** 

· Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic ph</li> <li>General Information</li> <li>Appearance:</li> </ul>	nysical and chemical properties	
Form:	Powder	
Colour:	Grey	
· Odour:	Odourless	
· pH-value:	13 (when mixed with water)	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Product is not flammable.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density:	Not determined.	
· Solubility in / Miscibility with water: Not determined.		
· Solvent content:		
Solids content:	100 %	

(Contd. on page 6)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

**Trade name: TREMCO CS375** 

(Contd. of page 5)

· 9.2 Other information

No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with acids.
- · 10.4 Conditions to avoid Water / moisture.
- · 10.5 Incompatible materials: Reacts with acids.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Slight irritation possible.

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

Chromium (VI) may cause allergic dermatitis by repeated and/or prolonged skin contact.

Chromium (VI) content =  $\langle 2ppm (0.0002\%) \rangle$ 

May cause an allergic skin reaction.

· Additional toxicological information:

There is a possibility that quartz dust may be created when sand-papering or grinding the dry, cured product.

This product may contain respirable silica. Prolonged exposure can give rise to fibrosis of the lungs (silicosis).

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

**Trade name: TREMCO CS375** 

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

High concentrations in water will cause the pH to rise which may cause harm to aquatic life.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Waste disposal key: UK (WM3) : n/a

· European waste catalogue		
08 02	2 01	waste coating powders
15 01	10*	packaging containing residues of or contaminated by hazardous substances

- · Uncleaned packaging:
- · Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

## **SECTION 14: Transport information**

OLO HON 14. Hanoport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Anne Marpol and the IBC Code</li> </ul>	ex II of Not applicable.	
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

(Contd. on page 8)



Printing date 21.07.2017 Version number 4 Revision: 21.07.2017

**Trade name: TREMCO CS375** 

(Contd. of page 7)

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).

CEMBUREAU; The European Cement Association

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 47
- · National regulations:
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· \* Data compared to the previous version altered.

GB