illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.09.2018

Version number 18

Revision: 14.09.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifie Trade name: illbruck OS700 (coloured) MSDS code: T-I-OS700 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Adhesives Spacings sealant 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Tramon illbruck GmbH Zweigniedenlassung Traunreut Traunting 65, D - 83301 Traunreut Traunting 64, Hindley Green, Wigan, WN2 4HT T + +44 (0) 1942251400, F + +44 (0) 1942251400 www.tremoo-illbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251400, At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. 2.1 Label lengents 2.3 Label lengents 2.4 Label ling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. 2.5 Label elements H315 Causes serious eye irritation. H312 Causes serious eye irritation. H312 Causes se		
 Trade name: <u>illbruck OS700 (coloured</u>) MSDS code: T-I-QS700C 1. Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Adhesives Spacings sealant 1. 3. Details of the supplier of the safety data sheet Manufacturer/Supplier: tremco: illbruck CombH Zweigniederhassung Traurreut Traunring 65, D - 83301 Traurreut Tei: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784 msds @tremco-illbruck.com Further information obtainable from: tremco illbruck Ldd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.ttermco-illbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification 1.2 Lassification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2: H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. 2.3 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard Statements H315 Causes skin irritation. H326 Causes skin irritation. H327 No work trements H328 H326 H327 H327 H326 H327 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H335 H336 H336 H336 		f the substance/mixture and of the company/
 MSDS code: T-I-OS700C 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Adhesives Spacings sealant 1.3 Details of the supplier of the safety data sheet Manufacture/Supplier: tremco illbruck GmbH Zweigniederlassung Traurneut Trauring 65, D = 83301 Traurneut Trauring 10 Forduce 10 Forduce 2018 Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: 444 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com 1.4 Emergency telephone number: During office hours tel: +44 (0) 1942251400, At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2: H315 Causes skin irritation. Eyb Irrit. 2: H319 Causes sein use ye irritation. Eyb Errit. 2: H319 Causes skin irritation. Hazard pictograms Wiscord bases serious eye irritation. Hazard statements H315 Causes skin irri	· 1.1 Product identifier	
 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Adhesives Spacings sealant 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: tremooillbruck GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Trei + 49 (0) 8669 37410, Fax: +49 (0) 8669 9784 msds@tremco-illbruck.com Further information obtainable from: tremooillbruck Ld Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, Fix: +44 (0) 1942251410 www.tremooillbruck.co.uk, uk.info@tremco-illbruck.com 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400, At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irit. 2 H319 Causes serious eye irritation. Eye Irit. 2 H319 Causes serious eye irritation. Eye Irit. 2 H319 Causes serious eye irritation. Eye Irit. 2 H319 Causes serious eye irritation. Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard statements H315 Causes skin irritation. H32 Causes skin irritation. H32 Causes skin irritation. H32 Causes skin irritation. H33 Causes skin irritation. H34 Causes skin eye irritation. H35 Causes skin irritation. H35 Causes skin irritation. H35 Causes skin irritation. H35 Causes skin irritation. H36 Causes skin irritation. H37 Causes skin irritation. H38 Causes skin irritation. H38 Causes skin irritation. H38 Causes ski	 Trade name: <u>illbruck OS700 (coloure</u>) 	ed)
 Manufacturer/Supplier: tremco ilbruck GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Tet: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784 msds@tremco-ilbruck.com Further information obtainable from: tremco ilbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com 14 Emergency telephone number: During office hours tet:: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard statements H315 Causes skin irritation. H319 Causes skin irritation.	 1.2 Relevant identified uses of the sink of further relevant information available Application of the substance / the matchesives 	e.
tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification 1.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements 1.4abelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. 1.Hazard pictograms 6.Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Cau	• Manufacturer/Supplier: tremco illbruck GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Tel: +49 (0) 8669 34100, Fax: +49 (0)	
During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms • Signal word Warning • Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H310 Causes eye irritat	tremco illbruck Ltd Coupland Road, Hindley Green, Wigar T: +44 (0) 1942251400, F: +44 (0) 194	a, WN2 4HT 2251410
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P20 Avoid breathing vapours. 	During office hours tel.: +44 (0) 1942	
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. Precautionary statements P261 Avoid breathing vapours. 	 • 2.1 Classification of the substance of • Classification according to Regulati Skin Irrit. 2 H315 Causes skin irritatio 	or mixture on (EC) No 1272/2008 n.
 Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P261 Avoid breathing vapours. 	 Labelling according to Regulation (E The product is classified and labelled a Hazard pictograms 	
Precautionary statements P261 Avoid breathing vapours. (Contd. on page 2)	 Signal word Warning Hazard statements H315 Causes skin irritation. 	
(Contd. on page 2)	 Precautionary statements 	ours.
		(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 14.09.2018

Version number 18

Revision: 14.09.2018

Trade name: illbruck OS700 (coloured)

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Polydimethylsiloxane with inorganic fillers, amino- and oximosilane as curing agent

· Dangerous components:

CAS: 37859-55-5 ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76-xxxx	2-Pentanone, O,O',O''-(methylsilylidyne)trioxime Acute Tox. 4, H302; Eye Irrit. 2, H319	1-<5%
CAS: 15901-40-3 EINECS: 240-040-8	N,N',N"-tricyclohexyl-1-methylsilanetriamine Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312	1-<5%

· SVHC -

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity:

2-Pentanone oxime (CAS 623-40-5) Cyclohexylamine (CAS 108-91-8)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Take affected persons out into the fresh air.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap. If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · Information for doctor: No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GR



according to 1907/2006/EC, Article 31

Version number 18

Revision: 14.09.2018

Trade name: illbruck OS700 (coloured)

Printing date 14.09.2018

(Contd. of page 2)

llbruck

SECTION 5: Firefighting measures
 5.1 Extinguishing media Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device.
SECTION 6: Accidental release measures
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. 6.2 Environmental precautions: No special measures required. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. 6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8.
SECTION 7: Handling and storage
 • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.
· 7.2 Conditions for safe storage, including any incompatibilities
 Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. 7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
• Additional information about design of technical facilities: No further data; see item 7.
 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional Occupational Exposure Limit Values for possible hazards during processing:

While curing the following substances are formed and released by a reaction with atmospheric humidity:

according to 1907/2006/EC, Article 31

Printing date 14.09.2018

Version number 18

Revision: 14.09.2018

Trade name: illbruck OS700 (coloured)

2-Pentanonoxime (CAS 623-40-5)

Cyclohexylamine (CAS 108-91-8) • Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Filter AX

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
 Nitrile rubber, NBR
 Butyl rubber, BR
- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection: Safety glasses
- · Body protection:



Protective work clothing

(Contd. on page 5)



(Contd. of page 3)

according to 1907/2006/EC, Article 31

Printing date 14.09.2018

Version number 18

Revision: 14.09.2018

Trade name: illbruck OS700 (coloured)

(Contd. of page 4)

bruck

SECTION 9: Physical and cher	mical properties
 9.1 Information on basic physical a General Information Appearance: Form: Colour: 	Pasty According to product specification
 Odour: Melting point/freezing point: Initial boiling point and boiling range 	Amine-like Undetermined. ge: Not applicable.
· Flash point:	>151 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Density at 20 °C:	1.37 g/cm ³
 Solubility in / Miscibility with water: 	Immiscible / difficult to mix.
 Solvent content: Organic solvents: VOC (EU) VOC (EC) 9.2 Other information 	0.0 % 0.5 g/l 0.03 % No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products:

None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 37859-55-5 2-Pentanone, O,O',O''-(methylsilylidyne)trioxime

Oral LD50 1,234 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

according to 1907/2006/EC, Article 31

Version number 18

Revision: 14.09.2018

(Contd. of page 5)

bruck

Trade name: illbruck OS700 (coloured)

Printing date 14.09.2018

· Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is not biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

· European waste catalogue	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
HP 4	Irritant - skin irritation and eye damage

· Uncleaned packaging:

· Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

Void

lillbruck

(Contd. of page 6)

according to 1907/2006/EC, Article 31

Printing date 14.09.2018

Version number 18

Revision: 14.09.2018

 Trade name: illbruck OS700 (coloured)

 • 14.2 UN proper shipping name

 • ADR, ADN, IMDG, IATA

 • 14.3 Transport hazard class(es)

 • ADR, ADN, IMDG, IATA

 • Class
 Void

 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Transport in bulk according to Annex II of		
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes

2008/98/EC on waste

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 14.09.2018

Version number 18

Revision: 14.09.2018

Trade name: illbruck OS700 (coloured)

· Department issuing SDS: Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A,

0.2.3.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 \cdot * Data compared to the previous version altered.

GB



(Contd. of page 7)