illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

Revision: 07.03.2014

n of the substance/mixtu esive e substance or mixture and uses ilable. e mixture Adhesives safety data sheet	
e substance or mixture and uses ilable. e mixture Adhesives	s advised against
e substance or mixture and uses ilable. e mixture Adhesives	s advised against
ilable. e mixture Adhesives	s advised against
safety data sheet	
83568100	
r om: igan, WN2 4HT 1942251410 @tremco-illbruck.com	
r: 42251400. At all other times please	e contact your national poisoning
ication	
ce or mixture lation (EC) No 1272/2008 tation. eye irritation.	
biratory irritation.	
n (EC) No 1272/2008 ed according to the CLP regulation.	
	rom: igan, WN2 4HT 1942251410 Detremco-illbruck.com r: 42251400. At all other times please ication ce or mixture lation (EC) No 1272/2008 tation. eye irritation. biratory irritation. n (EC) No 1272/2008

illbruck

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

Revision: 07.03.2014

Trade name: illbruck CY340 Adhesive

(Contd. of page 1)

· Precautionary statements Wear protective gloves/protective clothing/eve protection/face protection. P280 Use only outdoors or in a well-ventilated area. P271 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/ P501 international regulations. · Supplemental information: EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. EUH208 Contains 1,4-dihydroxybenzene. May produce an allergic reaction. · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 7085-85-0	ethyl 2-cyanoacrylate	75- <100%
EINECS: 230-391-5	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	1,4-dihydroxybenzene	0.1- <1%
EINECS: 204-617-8	Muta. 2, H341; Carc. 2, H351; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Skin Sens. 1, H317	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not pull solidified product off the skin.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Seek immediate medical advice.

• After swallowing: Do not induce vomiting; call for medical help immediately.

 \cdot 4.2 Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes. Irritating to eyes. Coughing Allergic reactions

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

GB

(Contd. on page 4)

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· Information for doctor: No further relevant information available.

SECTION 5: Firefighting measures

Hazards No further relevant information available.

· 5.1 Extinguishing media

Trade name: illbruck CY340 Adhesive

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

4.3 Indication of any immediate medical attention and special treatment needed

- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- \cdot 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Clean the affected area carefully; suitable cleaners are:

Warm water

• 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Protect from heat and direct sunlight.
- \cdot Further information about storage conditions:

Keep container tightly sealed. Store in dry conditions.



(Contd. of page 2)

Revision: 07.03.2014

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3



Revision: 07.03.2014

(Contd. of page 3)

Trade name: illbruck CY340 Adhesive

Storage temperature: +5 °C to +25 °C

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

WEL Short-term value: 1.5 mg/m³, 0.3 ppm

123-31-9 1,4-dihydroxybenzene

WEL Long-term value: 0.5 mg/m³

Additional information: The lists valid during the making were used as basis. EH40/2005 Workplace Exposure Limits (2nd edition, 2011)

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

PVC gloves

Plastic gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

Trade name: illbruck CY340 Adhesive

(Contd. of page 4)

bruck

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and General Information Appearance: 	I chemical properties
Form:	Liquid
Colour:	Colourless
· Odour:	Irritant
 Melting point/freezing point: 	Undetermined.
 Initial boiling point and boiling range 	: 100 °C
· Flash point:	81 °C
 Explosive properties: 	Product does not present an explosion hazard.
· Vapour pressure at 25 °C:	< 0.5 mm Hg
· Density at 20 °C:	1.1 g/cm ³
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
 Viscosity: Dynamic at 20 °C: 9.2 Other information 	200 mPas No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
- · 10.4 Conditions to avoid Keep away from heat.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Nitrogen oxides

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

Revision: 07.03.2014

illbruck

Trade name: illbruck CY340 Adhesive

Trade Hame. Inbluck C1540 Adhesive		
(Contd. of page 5)		
· LD/LC50 values relevant for classification:		
7085-85-0 ethyl 2-cyanoacrylate		
Oral LD50 > 5000 mg/kg (rat)		
Dermal LD50 > 2000 mg/kg (rabbit)		
123-31-9 1,4-dihydroxybenzene		
Oral LD50 320 mg/kg (rat)		
· Primary irritant effect:		
· Skin corrosion/irritation		
Causes skin irritation.		
· Serious eye damage/irritation		
Causes serious eye irritation.		
· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.		
· Additional toxicological information:		
Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.		
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) 		
Germ cell mutagenicity Based on available data, the classification criteria are not met.		
Carcinogenicity Based on available data, the classification criteria are not met.		
• Reproductive toxicity Based on available data, the classification criteria are not met.		
STOT-single exposure		
May cause respiratory irritation.		
• STOT-repeated exposure Based on available data, the classification criteria are not met.		
Aspiration hazard Based on available data, the classification criteria are not met.		
SECTION 12: Ecological information		
• 12.1 Toxicity		
Aquatic toxicity: No further relevant information available.		
 12.2 Persistence and degradability biodegradable 12.3 Bioaccumulative potential Does not accumulate in organisms 		
• 12.3 Bloaccumulative potential bloes not accumulate in organisms		
· Additional ecological information:		
· General notes:		
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage		
system.		
 12.5 Results of PBT and vPvB assessment 		
· PBT: Not applicable.		
· vPvB: Not applicable.		
 12.6 Other adverse effects No further relevant information available. 		
SECTION 13: Disposal considerations		
-		
· 13.1 Waste treatment methods		
• Recommendation		
Must not be disposed together with household garbage. Do not allow product to reach sewage		
system. Disposal must be made according to official regulations.		
• Waste disposal key: UK : H4		
(Contd. on page 7)		

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

Revision: 07.03.2014

Trade name: illbruck CY340 Adhesive

(Contd. of page 6)

lbruck

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

· Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
 14.6 Special precautions for user 	Not applicable.	
 · 14.7 Transport in bulk according to Annex II Marpol and the IBC Code 	of Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB

illbruck

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 3

Revision: 07.03.2014

Trade name: illbruck CY340 Adhesive

(Contd. of page 7)

GB

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 * Data compared to the previous version altered.