

Revision: 29.11.2022

# Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022

Version number 16 (replaces version 15)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: illbruck FA870

· MSDS code: T-I-FA870

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Adhesives

Spacings sealant

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Tremco CPG Germany GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Tel: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784 msds@cpg-europe.com

· Further information obtainable from:

Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com

· 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Supplemental information:

EUH208 Contains 2-octyl-2H-isothiazol-3-one, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)



Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 1)

· **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• Description: Polydimethylsiloxane with inorganic fillers and oximosilane as curing agent

· Dangerous components:		
CAS: 1170315-90-8 EC number: 700-833-6 Reg.nr.: 01-2120087364-51-0000	2-Pentanone, O,O',O"-(phenylsilylidyne)trioxime Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	1-<5%
CAS: 37859-55-5 ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76-xxxx	2-Pentanone, O,O',O"-(methylsilylidyne)trioxime Acute Tox. 4, H302; Eye Irrit. 2, H319	1-<5%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39-xxxx	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318; Skin Sens. 1, H317	0.1-<1%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071  ATE: LD50 oral: 125 mg/kg  LD50 dermal: 311 mg/kg  LC50/4 h inhalative: 0.27 mg/L  Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

#### · SVHC -

#### · Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity:

2-Pentanone oxime (CAS 623-40-5)

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Information for doctor: No further relevant information available.

(Contd. on page 3)

# illbruck

# Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

· 6.2 Environmental precautions:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

By a reaction with atmospheric humidity by-products are released. See chapter 8.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

GB

## illbruck

# Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 3)

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Ingredients with biological limit values:
- · Additional Occupational Exposure Limit Values for possible hazards during processing:

While curing the following substances are formed and released by a reaction with atmospheric humidity: 2-Pentanonoxime (CAS 623-40-5)

CAS: 67-56-1 methanol		
EL	Short-term value: 333 mg/m³, 250 ppm	
	Long-term value: 266 mg/m³, 200 ppm	
	EL	

Sk

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

Not necessary if room is well-ventilated.

Filter AX

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance.

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· Hand protection



Protective gloves

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

(Contd. on page 5)



Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 4)

Body protection:



Protective work clothing

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state

According to product specification · Colour:

Characteristic · Odour: Odour threshold: Not determined.

· Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

Not applicable. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: >151 °C

 Decomposition temperature: Not determined.

Mixture is non-polar/aprotic. · pH

· Viscosity:

· Kinematic viscosity Not determined.

· Solubility

· water: Immiscible / difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C: 1.02 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Pasty

· Important information on protection of health

and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. Explosive properties:

· Solvent content:

 Organic solvents: 0.0 %

(Contd. on page 6)



Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

Irade name: Illbruck FA870			
		(Contd. of page 5)	
· VOC (EU)	0.03 %		
	0.3 g/l		
· VOC (EC)	0.03 %		
Evaporation rate	Not determined.		
Information with regard to physical ha	zard		
classes			
Explosives	Void		
· Flammable gases	Void		
Aerosols	Void		
· Oxidising gases	Void		
Gases under pressure	Void		
· Flammable liquids	Void		
· Flammable solids	Void		
· Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
· Pyrophoric solids	Void		
· Self-heating substances and mixtures	Void		
Substances and mixtures, which emit flamm	nable		
gases in contact with water	Void		
· Oxidising liquids	Void		
· Oxidising solids	Void		
· Organic peroxides	Void		
· Corrosive to metals	Void		

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Desensitised explosives

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

Void

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

		(Contd. of page 6)
· LD/LC50 v	values rele	evant for classification:
CAS: 378	59-55-5 2-1	Pentanone, O,O',O"-(methylsilylidyne)trioxime
Oral	LD50	1,234 mg/kg (rat)
CAS: 1760	0-24-3 N-(3	3-(trimethoxysilyl)propyl)ethylenediamine
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	1.49-2.44 mg/L (unknown)
CAS: 265	30-20-1 2-0	octyl-2H-isothiazol-3-one
Oral	LD50	125 mg/kg (ATE)
	ATE	125 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
	ATE	311 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/L (ATE)
	ATE	0.27 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine dis	rupting properties	
CAS: 870-08-6	dioctyltin oxide	List II
CAS: 540-97-6	Dodecamethylcyclohexasiloxane (D6)	List II
CAS: 541-02-6	Decamethylcyclopentasiloxane (D5)	List II

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
CAS: 1760	CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine		
LC0/96 h	344 mg/L (brachydanio rerio)		
LC50/96 h	597 mg/L (brachydanio rerio)		
EC50/48 h	81 mg/L (daphnia magna)		
EC50/72 h	126 mg/L (scenedesmus subspicatus)		
EC50/96 h	8.8 mg/L (pseudokirchneriella subcapit.)		

(Contd. on page 8)

# **illbruck**

# Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 7)

- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is not biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

• 12.7 Other adverse effects No further relevant information available.

#### · Ecotoxical effects:

#### CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

NOEC 3.1 mg/L (pseudokirchneriella subcapit.)

20 mg/L (scenedesmus subspicatus)

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

### · European waste catalogue

2008/98/EC (UK WM3): n/a

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- Uncleaned packaging:
- · Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

### **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR	Void Void	
· ADN, IMDG, IATA	Void	

(Contd. on page 9)



Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 8) · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · UN "Model Regulation": Void

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

CAS: 108-88-3 toluene

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 108-88-3 toluene

3

- · National regulations:
- Other regulations, limitations and prohibitive regulations No further relevant information available.
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

(Contd. on page 10)



Printing date 29.11.2022 Version number 16 (replaces version 15) Revision: 29.11.2022

Trade name: illbruck FA870

(Contd. of page 9)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1: Skin corrosion/irritation - Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.