Page 1/9



# Safety data sheet acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Thinking date 14.01.2022		
SECTION 1: Identificati undertaking	on of the substance/mixture	e and of the company/
· 1.1 Product identifier		
• Trade name: <u>illbruck FA102</u>		
<ul> <li>MSDS code: A-I-FA102</li> <li>1.2 Relevant identified uses of t No further relevant information av</li> <li>Application of the substance / t</li> </ul>		vised against
<ul> <li>1.3 Details of the supplier of the Manufacturer/Supplier: Tremco CPG Netherlands B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) msds@cpg-europe.com</li> </ul>	-	
• <b>Further information obtainable</b> Tremco CPG UK Ltd Coupland Road, Hindley Green, V T: +44 (0) 1942251400, F: +44 (0 www.cpg-europe.com, info.uk@cp	Vigan, WN2 4HT ) 1942251410	
	e <b>r:</b> 1942251400. At all other times it is re local GP/pharmacist (NI), 01 809 2166 (	
SECTION 2: Hazards identi	fication	
<ul> <li>2.1 Classification of the substant</li> <li>Classification according to Reg</li> <li>Skin Sens. 1 H317 May cause and</li> </ul>	ulation (EC) No 1272/2008	
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulati</li> <li>The product is classified and labe</li> <li>• Hazard pictograms</li> </ul>	on (EC) No 1272/2008 lled according to the CLP regulation.	
GHS07		
· Signal word Warning		
<b>Contains:</b> trimethoxyvinylsilane 2-octyl-2H-isothiazol-3-one		
N-(3-(trimethoxysilyl)propyl)ethyle	nediamine	(Contd. on page 2)
		GB

P261

Safety data sheet



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Trade name: illbruck FA102

(Contd. of page 1)

## · Hazard statements

H317 May cause an allergic skin reaction.

#### Precautionary statements

Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· 2.3 Other hazards

#### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

Description: Polydimethylsiloxane with inorganic fillers and alkoxysilane as curing agent

<ul> <li>Dangerous components:</li> </ul>		
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-xxxx	trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	1-<5%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39-xxxx	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318; Acute Tox. 4, H332; Skin Sens. 1, H317	0.1-<1%
CAS: 67-56-1 EINECS: 200-659-6 Reg.nr.: 01-2119433307-44-xxxx	methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370	0.1-<1%

· SVHC -

#### · Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: Methanol (CAS 67-56-1)

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### General information:

Take affected persons out into the fresh air.

No special measures required.

Take affected persons out of danger area and lay down.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Trade name: illbruck FA102

(Contd. of page 2)

- After eye contact:
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- Information for doctor: No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- <sup>·</sup> 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- By a reaction with atmospheric humidity by-products are released. See chapter 8.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection:

The usual precautionary measures are to be adhered to when handling chemicals.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GR



Safety data sheet acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Trade name: illbruck FA102

(Contd. of page 3)

8.1 C	Control parameters		
	itional information about design of technical facilities: No further data; see item 7.		
Ingredients with limit values that require monitoring at the workplace:			
CAS:	: 67-56-1 methanol		
WEL	- Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk		
Addit	itional Occupational Exposure Limit Values for possible hazards during processing:		
CAS:	: 67-56-1 methanol		
WEL	- Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk		
Addit	itional information: The lists valid during the making were used as basis.		
Gene Do no The u Resp Not n Filter Use s For fu pleas Prote The g Due prepa Selec degra Mate	suitable respiratory protective device in case of insufficient ventilation. further guidance, se refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide". <b>ection of hands:</b> glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the aration/ the chemical mixture. ection of the glove material on consideration of the penetration times, rates of diffusion and the adation <b>erial of gloves</b>		
Nitrile The s qualit subst check <b>Pene</b> The e be ob	I rubber, BR e rubber, NBR selection of the suitable gloves does not only depend on the material, but also on further marks ity and varies from manufacturer to manufacturer. As the product is a preparation of sever stances, the resistance of the glove material can not be calculated in advance and has therefore to be ked prior to the application. <b>etration time of glove material</b> exact break through time has to be found out by the manufacturer of the protective gloves and has bserved. <b>protection:</b> Goggles recommended during refilling (Contd. on page		



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

#### Trade name: illbruck FA102

(Contd. of page 4)

# · Body protection:



Protective work clothing

# **SECTION 9: Physical and chemical properties**

mical properties ty ording to product specification bhol-like determined. determined. letermined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined. determined.
ording to product specification ohol-like determined. determined. determined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard.
ording to product specification ohol-like determined. determined. determined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard.
ording to product specification ohol-like determined. determined. determined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard.
bhol-like determined. determined. determined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
determined. determined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
determined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
letermined. applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
applicable. 0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
0 °C applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
applicable. °C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
°C determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
determined. duct is not selfigniting. duct does not present an explosion hazard. determined.
duct is not selfigniting. duct does not present an explosion hazard. determined.
duct does not present an explosion hazard. determined.
determined.
determined
determined.
hPa
2 g/cm³
determined.
determined.
determined.
niscible / difficult to mix.
determined.
determined.



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022 Version number 10 Revision: 17.11.2021 Trade name: illbruck FA102 (Contd. of page 5) · Solvent content: **Organic solvents:** 0.2 % 0.2 % VOC (EU) 2.5 g/l VOC (EC) 0.25 % 9.2 Other information No further relevant information available. SECTION 10: Stability and reactivity 10.1 Reactivity Stable · 10.2 Chemical stability • Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · 10.3 Possibility of hazardous reactions No dangerous reactions known. · 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: None if stored according to specifications. Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition. SECTION 11: Toxicological information 11.1 Information on toxicological effects • Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: CAS: 2768-02-7 trimethoxyvinylsilane Inhalative LC50/4 h 16.8 mg/L (rat) CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine Oral >2,000 mg/kg (rat) (OECD 401) LD50 Dermal LD50 >2,000 mg/kg (rat) Inhalative LC50/4 h 1.49-2.44 mg/L (unknown) CAS: 67-56-1 methanol Oral LD50 5,628 mg/kg (rat) LD50 15,800 mg/kg (rabbit) Dermal · Primary irritant effect: • Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation May cause an allergic skin reaction. (Contd. on page 7)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022 Version number 10 Revision: 17.11.2021 Trade name: illbruck FA102 (Contd. of page 6) · Additional toxicological information: • CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • **Reproductive toxicity** Based on available data, the classification criteria are not met. • **STOT-single exposure** Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** · 12.1 Toxicity · Aquatic toxicity: CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine 344 mg/L (brachydanio rerio) LC0/96 h LC50/96 h 597 mg/L (brachydanio rerio) EC50/48 h 81 mg/L (daphnia magna) EC50/72 h 126 mg/L (scenedesmus subspicatus) EC50/96 h 8.8 mg/L (pseudokirchneriella subcapit.) · 12.2 Persistence and degradability No further relevant information available. · Other information: The product is not biodegradable. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · Ecotoxical effects: CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine NOEC 3.1 mg/L (pseudokirchneriella subcapit.) 20 mg/L (scenedesmus subspicatus) 12.5 Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable. • **12.6 Other adverse effects** No further relevant information available. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods

#### Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Smaller quantities can be disposed of with household waste.

(Contd. on page 8)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Trade name: illbruck FA102

(Contd. of page 7)

#### · European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

#### · Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR	Void	
	Void	
ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** "EU-CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1)

"EU-REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments) COMMISSION REGULATION (EU) 2020/878 of 18 June 2020.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB-CLP" The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK-REACH" The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020

(Contd. on page 9)

- GB -



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Trade name: illbruck FA102

(Contd. of page 8)

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

- · Other regulations, limitations and prohibitive regulations No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H370 Causes damage to organs.

#### Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 \* \* Data compared to the previous version altered.