

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: illbruck CT600

MSDS code: A-I-CT600

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Adhesives

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Tremco CPG UK Ltd

tremco illbruck Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

msds@cpg-europe.com

#### Further information obtainable from:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.cpg-europe.com, info.uk@cpg-europe.com

### 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H336 May cause drowsiness or dizziness.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS02 GHS07 GHS08

(Contd. on page 2)

GB

# Safety data sheet

## acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 1)

- **Signal word** Danger

- **Contains:**

dichloromethane

- **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

- **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- **Information concerning particular hazards for human and environment:**

Danger of serious damage to health by prolonged exposure.

Danger of very serious irreversible effects.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:**

Aerosol

Active substance with propellant

- **Dangerous components:**

CAS: 68476-85-7	Petroleum gases, liquefied	30-<50%
EINECS: 270-704-2	Flam. Gas 1A, H220	
CAS: 75-09-2	dichloromethane	20-<30%
EINECS: 200-838-9	Carc. 2, H351; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H336	

- **SVHC -**

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

**Safety data sheet**  
**acc. to (EC) No 1907/2006, as amended by UK SI 2019/758**

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 2)

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Take affected persons out of danger area and lay down.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **Information for doctor:** No further relevant information available.

**4.2 Most important symptoms and effects, both acute and delayed**

Danger of serious damage to health by prolonged exposure.

Headache

Dizziness

Breathing difficulty

Vapours have narcotic effect.

Nausea

Irritating to eyes and skin.

· **Hazards** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Toxic: danger of very serious irreversible effects through inhalation.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Hydrogen chloride (HCl)

Phosgene gas

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

**Additional information**

Cool endangered receptacles with water spray.

Danger of bursting.

GB

(Contd. on page 4)

## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

Trade name: illbruck CT600

(Contd. of page 3)

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Ensure adequate ventilation.

#### · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to Section 13.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Do not breathe spray.

Open and handle receptacle with care.

Take note of emission threshold.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

#### · Handling:

HSE COSHH Essentials &gt; Working with dichloromethane (DCM) based products &gt; DCM0, DCM1, DCM2

#### · Information about fire - and explosion protection:

Extremely flammable aerosol.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

#### · 7.2 Conditions for safe storage, including any incompatibilities

#### · Storage:

#### · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

#### · Information about storage in one common storage facility:

Protect from heat and direct sunlight.

Store away from oxidising agents.

(Contd. on page 5)

GB

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 4)

- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Storage temperature: +5°C to +25°C
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

<b>CAS: 75-09-2 dichloromethane</b>	
WEL	Short-term value: 1060 (Sk) mg/m <sup>3</sup> Long-term value: 350 (Sk) mg/m <sup>3</sup>

- **Additional information:**

The lists valid during the making were used as basis.  
HSE EH40/2005 Workplace Exposure Limits (as amended)

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Avoid contact with the eyes and skin.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Do not eat, drink, smoke or sniff while working.

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Ensure good ventilation/exhaustion at the workplace.  
Take note of emission threshold.  
Suitable respiratory protective device recommended.



Self-contained respiratory protective device.

Use only in well-ventilated areas.

Fresh air mask

For further guidance,  
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

- **Protection of hands:**



Protective gloves

(Contd. on page 6)

GB

## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:**



Protective work clothing

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Aerosol

Colour: Colourless

- **Odour:** Solvent-like

- **Odour threshold:** CAS 75-09-2 : 160ppm

- **pH-value:**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 40 °C

- **Flash point:** -35 °C

- **Explosive properties:** Extremely flammable aerosol.  
70 psi  
In use, may form flammable/explosive vapour-air mixture.

- **Density at 20 °C:** 1.22 g/cm<sup>3</sup>

- **Solubility in / Miscibility with water:** Slightly soluble.

(Contd. on page 7)

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 6)

**· Solvent content:**

<b>VOC (EU)</b>	1037-1061 g/L
<b>VOC (EC)</b>	85-87 %

**· 9.2 Other information**

No further relevant information available.

**SECTION 10: Stability and reactivity****· 10.1 Reactivity** Stable**· 10.2 Chemical stability****· Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**· 10.3 Possibility of hazardous reactions**

Forms explosive gas mixture with air.

Danger of receptacles bursting because of high vapour pressure when heated.

Reacts with acids, alkalis and oxidising agents.

**· 10.4 Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**· 10.5 Incompatible materials:** No further relevant information available.**· 10.6 Hazardous decomposition products:**

Hydrogen chloride (HCl)

Phosgene

Carbon monoxide and carbon dioxide

Chlorine

Reacts with water forming hydrochloric acid (HCl)

**SECTION 11: Toxicological information****· 11.1 Information on toxicological effects****· Acute toxicity** Based on available data, the classification criteria are not met.**· LD/LC50 values relevant for classification:****CAS: 75-09-2 dichloromethane**

Oral	LD50	1,600 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

**· Primary irritant effect:****· Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

Causes skin irritation.

**· Serious eye damage/irritation**

Causes serious eye irritation.

**· Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**· Additional toxicological information:**

In addition to local irritant manifestations, there is a narcotic effect when inhaling high concentrations, with the danger of central respiratory arrest.

(Contd. on page 8)

## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 7)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
Limited evidence of a carcinogenic effect.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**  
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Not easily biodegradable
- **12.3 Bioaccumulative potential** Does not accumulate in organisms
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Other information:**  
This product contains no substances in Annex I to Directive EC 1005/2009 concerning ozone depleting substances
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

#### · European waste catalogue

14 06 02*	other halogenated solvents and solvent mixtures
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic

(Contd. on page 9)



## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6



Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 8)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |  |   |
|--|---|
| · <b>14.1 UN-Number</b>                              |   |
| · <b>ADR, IMDG, IATA</b>                             | UN1950  |
| · <b>14.2 UN proper shipping name</b>                |   |
| · <b>ADR</b>   | 1950 AEROSOLS   |
|  | 1950 AEROSOLS   |
| · <b>IMDG</b>  | AEROSOLS  |
| · <b>IATA</b>  | AEROSOLS, flammable   |
| · <b>14.3 Transport hazard class(es)</b>             |   |
| · <b>ADR</b>   |   |
|  |   |
| · <b>Class</b>                                       | 2 5F Gases.   |
| · <b>Label</b>                                       | 2.1   |
|  |   |
| · <b>IMDG, IATA</b>                                  |   |
|  |  |
| · <b>Class</b>                                       | 2.1 Gases.  |
| · <b>Label</b>                                       | 2.1   |
| · <b>14.4 Packing group</b>                          |   |
| · <b>ADR, IMDG, IATA</b>                             | Void  |
| · <b>14.5 Environmental hazards:</b>                 |   |
| · <b>Marine pollutant:</b>                           | No  |
| · <b>14.6 Special precautions for user</b>           | Warning: Gases.   |
| · <b>Hazard identification number (Kemler code):</b> | -   |
| · <b>EMS Number:</b>                                 | F-D,S-U   |

(Contd. on page 10)

GB

## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 9)

· <b>Stowage Code</b>	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· <b>Segregation Code</b>	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	UN 1950 AEROSOLS, 2.1

### \* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 "EU-CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1)  
 "EU-REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments)  
 COMMISSION REGULATION (EU) 2020/878 of 18 June 2020.  
 75/324/EEC relating to aerosol dispensers  
 HSE EH40/2005 Workplace Exposure Limits (as amended)  
 Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)  
 "GB-CLP" The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019  
 "UK-REACH" The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020

(Contd. on page 11)

## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 24.12.2021

Version number 6

Revision: 24.12.2021

**Trade name: illbruck CT600**

(Contd. of page 10)

HSE COSHH Essentials &gt; Working with dichloromethane (DCM) based products &gt; DCM0, DCM1, DCM2

- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.
- **Other regulations, limitations and prohibitive regulations** No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H220 Extremely flammable gas.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.
- **Department issuing SDS:**  
Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Flam. Gas 1A: Flammable gases – Category 1A  
Aerosol 1: Aerosols – Category 1  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Carc. 2: Carcinogenicity – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**