

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Date of issue: 01.03.2024

version: 1.0/EN

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PMR Sandpebble Fine Pastel Base

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: acrylic-based finish with Sandpebble grain size.

Uses advised against: not determined.

1.3 Details of the supplier of the safety data sheet

Manufacturer: **Dryvit Systems USA Europe Sp. z o.o.**

Address: Krze Duże 7, 96-325 Radziejowice, Poland

Telephone/Fax number: +48 (46) 857 72 51 – 54

E-mail address for a competent person responsible for SDS: aleksandra.matyjek@cpg-europe.com

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Sens. 1 H317, Aquatic Chronic 3 H412

May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard symbols and statements



WARNING

Dangerous components placed on the label:

Contains: tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione; 1,2-benzisothiazol-3(2H)-one; 2-methylisothiazol-3(2H)-one; octhilonone (ISO).

Hazard statement

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement

P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing. P302+P352 IF ON SKIN: Wash with plenty of water and soap. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container to properly labelled waste containers according to national law.

2.3 Other hazards

Components of the mixture do not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

quartz*

Range of percentages: < 35 %

CAS number: 14808-60-7

EC number: 238-878-4

Index number: —

Registration number: exempted in accordance with Annex V of the REACH Regulation

Classification: substance is not classified as hazardous

* contains < 1 % crystalline silica, respirable (Substance with occupational exposure limits defined on the European Union level)

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Range of percentages: < 0.2 %

CAS number: 5395-50-6

EC number: 226-408-0

Index number: —

Registration number: —

Classification: Skin Sens. 1B H317

1,2-benzisothiazol-3(2H)-one

Range of percentages: < 0.02 %

CAS number: 2634-33-5

EC number: 220-120-9

Index number: 613-088-00-6

Registration number: 01-2120761540-60-XXXX

Classification: Acute Tox. 4 H302, Skin Irrit. 2 H315, Skin Sens. 1A H317, Eye Dam. 1 H318, Acute Tox. 2 H330, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1)

Specific concentration limit:

Skin Sens. 1A H317: C ≥ 0.036 %

inhalation: ATE = 0,21 mg/L (dusts or mists)

oral: ATE = 450 mg/kg bw

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

2-methylisothiazol-3(2H)-one

Range of percentages: < 0.01 %
CAS number: 2682-20-4
List number: 220-239-6
Index number: 613-326-00-9
Registration number: 01-2120764690-50-XXXX
Classification: Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Skin Sens. 1A H317, Eye Dam. 1 H318, Acute Tox. 2 H330, Aquatic Acute 1 H400 (M=10), Aquatic Chronic 1 H410 (M=1), EUH071 *
Specific concentration limit:
Skin Sens. 1A H317: C ≥ 0.0015 %

* additional classification code indicating the hazard type

octhilinone (ISO)

Range of percentages: < 0.006 %
CAS number: 26530-20-1
EC number: 247-761-7
Index number: 613-112-00-5
Registration number: —
Classification: Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1 H314, Skin Sens. 1A H317, Eye Dam. 1 H318, Acute Tox. 2 H330, Aquatic Acute 1 H400 (M=100), Aquatic Chronic 1 H410 (M=100), EUH071*
inhalation: ATE = 0,27 mg/L (dusts or mists)
dermal: ATE = 311 mg/kg bw
oral: ATE = 125 mg/kg bw
Specific concentration limit:
Skin Sens. 1A H317: C ≥ 0.0015 %

* additional classification code indicating the hazard type

terbutryn

Range of percentages: < 0.005 %
CAS number: 886-50-0
EC number: 212-950-5
Index number: —
Registration number: —
Classification: Acute Tox. 4 H302, Skin Sens. 1B H317, Aquatic Acute 1 H400 (M=100), Aquatic Chronic 1 H410 (M=100)

acrylic acid

Range of percentages: < 0.001 %
CAS number: 79-10-7
EC number: 201-177-9
Index number: 607-061-00-8
Registration number: 01-2119452449-31-XXXX

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

Classification: Flam. Liq. 3 H226, Acute Tox. 4 H302, Acute Tox. 4 H312, Skin Corr. 1A H314, Acute Tox. 4 H332, Aquatic Acute 1 H400 (M=1)

Specific concentration limit:

STOT SE 3 H335: C \geq 1 %

Substance with occupational exposure limits defined on the European Union level.

acrylamide

Range of percentages: < 0.001 %

CAS number: 79-06-1

EC number: 201-173-7

Index number: 616-003-00-0

Registration number: —

Classification: Acute Tox. 3 H301, Acute Tox. 4 H312, Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319, Acute Tox. 4 H332, Muta. 1B H340, Carc. 1B H350, Repr. 2 H361f, STOT RE 1 H372

Substance with occupational exposure limits defined on the European Union level.

Full text of each relevant H phrase is given in section 16 of SDS.

Section 4: First aid measures

4.1 Description of first aid measures

Skin contact: take off contaminated clothing. Wash out the contaminated skin thoroughly with plenty of water and soap. If disturbing symptoms occur, consult a doctor.

Eye contact: protect non-irritated eye, remove contact lenses. Flush the contaminated eyes thoroughly with water for 10-15 minutes with eyelids wide open. Avoid powerful water stream – risk of cornea damage. If disturbing symptoms occur, consult an ophthalmologist.

Ingestion: do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a doctor – show the container or label.

Inhalation: remove casualty to fresh air, keep the victim warm and calm. If disturbing symptoms occur, consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: redness, dryness, allergic reactions.

Eye contact: redness, tearing, burning sensation, blurred vision.

Ingestion: stomach ache, nausea and vomiting.

Inhalation: adverse effects of exposure are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO₂, extinguishing powder, foam, water spray. Adapt extinguishing measures to the surrounding materials.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture

During the fire, may produce harmful gases containing carbon oxides and other hazardous products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Collect the used extinguishing agents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of release of large amounts of the product, isolate the exposed area. Ensure that only the trained personnel removes the effects of the accident. Use personal protective equipment. Avoid eyes and skin contamination. Ensure adequate ventilation. Do not breathe vapours.

6.2 Environmental precautions

In case of release of large amounts of the mixture, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Collect with liquid absorbing materials (e.g. sand, earth, vermiculite etc.) and place it in properly labeled waste containers. Treat the collected material as waste in accordance with the local legislation.

6.4 Reference to other sections

Appropriate conduct with waste product – section 13.
Personal protective equipment – section 8.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Before break and after work wash hands. Wear personal protective equipment. Avoid eyes and skin contamination. Use only in a well-ventilated area. Do not breathe product vapours.

7.2 Conditions for safe storage, including any incompatibilities

Store only in original, tightly closed containers, in a dry, cool and well-ventilated area. Do not store with food or feed for animals. Protect from damage, direct influence of atmospheric conditions and moisture. Opened containers should be resealed. Keep the unused containers tightly closed. Protect from frost.

7.3 Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Date of issue: 01.03.2024

version: 1.0/EN

Section 8: Exposure controls/personal protection

8.1 Control parameters

Specification	TWA 8 hour	STEL 15 min
silica crystalline, respirable	0.1 mg/m ³	-
acrylamide [CAS 79-06-1]*	0,1 mg/m ³	-
acrylic acid [CAS 79-10-7]	29 mg/m ³	59 mg/m ³

* can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

Please check also any national occupational exposure limit values in your country.

Legal Basis: 91/322/EEC as amended, 98/24/EC as amended, 2000/39/EC as amended, 2004/37/EC as amended.

Due to the form of the product and its physicochemical properties, there is no possibility of dust emission in the work environment, so monitoring of their concentrations is not applicable.

Recommended control procedures

Procedures for monitoring concentrations of hazardous components in the air and procedures for monitoring air purity in the workplace should be applied - if available and justified at a given position - in accordance with the relevant national or European Standards, taking into account the conditions at the site of exposure and the appropriate measurement methods adapted to the working conditions. The mode, type and frequency of tests and measurements should meet the requirements of the appropriate laws.

8.2 Exposure controls

Appropriate engineering controls

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke when handling the product. Before break and after work wash hands carefully. Avoid eyes and skin contamination. Effective general ventilation and/or local ventilation should be provided.

Individual protection measures, such as personal protective equipment

The necessity to use and selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

Hand and body protection

Use protective gloves (EN 374) suitable for the task being performed. In the case of short-term contact use protective gloves on the level of effectiveness of 2 or more (breakthrough time > 30 min.). For prolonged contact use protective gloves on the level of effectiveness of 6 (breakthrough time > 480 min.). Wear protective clothing.

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

Eye protection

Wear protective glasses or face protection (EN 166) if there is a risk of contamination.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

Respiratory protection

In case of sufficient ventilation is not required

Thermal hazards

Do not occur.

Environmental exposure controls

Do not allow the large amounts of the product to contaminate ground water, drains, canalization or soil. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state :	paste
Colour:	acc. to assortment
Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not applicable
Flammability:	product is not classified in terms of flammability
Lower and upper explosion limit:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH:	not determined
Kinematic viscosity:	not determined
Solubility:	not determined
Partition coefficient n-octanol/water (log value):	not determined
Vapour pressure:	not determined
Density and/or relative density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2 Other information

There are no further test results.

Section 10: Stability and reactivity

10.1 Reactivity

Product is feebly reactive. It does not undergo a hazardous polymerization. See also subsection: 10.3-10.5

10.2 Chemical stability

The product is stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

10.4 Conditions to avoid

Avoid sources of heat and direct exposure to sunlight. Protect from frost.

10.5 Incompatible materials

Strong oxidants.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Flowcrete

Nullifire

Vandex

TREMCO

Dryvit

Nudura

Date of issue: 01.03.2024

version: 1.0/EN

10.6 Hazardous decomposition products

Not known.

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The acute toxicity estimate (ATE_{mix}) was determined using the appropriate conversion value from Table 3.1.2 in Annex I to CLP as amended.

ATE_{mix} (dermal) > 2000 mg/kg

ATE_{mix} (oral) > 2000 mg/kg

ATE_{mix} (inhalation vapours) > 20 mg/l

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Routes of exposure: eye contact, skin contact, ingestion, inhalation. For more information on the impact of each possible route of exposure, see subsection 4.2.

Symptoms related to the physical, chemical and toxicological properties

See subsection 4.2.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

See subsection 4.2.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

Other information

No data.

Section 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data for components:

quartz [CAS 14808-60-7]

Inorganic substance, not biodegradable.

12.3 Bioaccumulative potential

Not expected to bioaccumulate.

12.4 Mobility in soil

Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5 Results of PBT and vPvB assessment

Substances contained in the mixture are not assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

12.7 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg. global warming potential).

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods for the mixture: disposal in accordance with the local legislation. Do not empty into drains, sewers, surface waters. Residues should be reused or disposal. Waste code should be given in the place of waste formation.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

Disposal methods for used packing: reuse/recycle/liquidate empty containers in accordance with the local legislation. Only completely empty containers can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

Section 14: Transport information

14.1 UN number or ID number

Not applicable. The product is not classified as dangerous during transport.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance) as amended.

Commission Regulation (EU) No 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended.

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (Text with EEA relevance).

Directive 2004/37/EC Of The European Parliament and Of The Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work (Sixth individual Directive within the meaning of Article 16(1) of Council Directive 89/391/EEC) as amended.

2000/39/EC COMMISSION DIRECTIVE of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work as amended.

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) as amended.

91/322/EEC Commission Directive of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work as amended.

ADR Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations

Annex XVII REACH:

acrylamide [CAS 79-06-1]

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

Section 16: Other information

Full text of indicated H phrases mentioned in section 3

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Clarification of aberrations and acronyms

Eye Dam. 1	Serious eye damage cat. 1
Skin Irrit. 2	Skin irritation cat. 2
Skin Sens. 1B	Skin sensitization cat. 1B
Skin Sens. 1A	Skin sensitization cat. 1A
Skin Corr. 1B	Skin corrosion cat. 1B
Acute Tox. 2	Acute toxicity cat. 2
Acute Tox. 3	Acute toxicity cat. 3
Acute Tox. 4	Acute toxicity cat. 4
Flam. Liq. 3	Flammable liquid cat. 3
Eye Irrit. 2	Serious eye irritation cat. 2
STOT SE 3	Specific target organ toxicity — single exposure cat. 3
STOT RE 1	Specific target organ toxicity — repeated exposure cat. 1
Carc. 1B	Carcinogenicity cat. 1B
Muta. 1B	Germ cell mutagenicity cat. 1B
Repr. 2	Reproductive toxicity cat. 2

SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]



Construction Products Group



Date of issue: 01.03.2024

version: 1.0/EN

Aquatic Acute 1 Toxicity for aquatic organisms – acute toxicity cat. 1
Aquatic Chronic 1 Toxicity for aquatic organisms – chronic toxicity cat. 1
PBT Persistent, Bioaccumulative and Toxic substance
vPvB very Persistent, very Bioaccumulative substance

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and data sources

This SDS was prepared on the basis of sheets of the individual components delivered by the manufacturer, literature data, online databases as well as our knowledge and experience, taking into account current legislation.

Methods of evaluating information which was used for the purpose of classification acc. Regulation (EC) No 1272/2008 as amended

Skin Sens. 1 H317 calculation method

Aquatic Chronic 3 H412 calculation method

Other data

Date of issue: 01.03.2024

Version: 1.0/EN

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.