

Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Nullifire SC802 Grey
- · MSDS code: W-N-SC802G
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Coating compound/ Surface coating/ paint

Fire retarding agent

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@cpg-europe.com

· Further information obtainable from:

Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com

· 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361f Suspected of damaging fertility.

STOT RE 2 H373 May cause damage to the urinary tract through prolonged or repeated exposure.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



(Contd. on page 2)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 1)

- · Signal word Warning
- · Contains:

melamine

Hazard statements

H351 Suspected of causing cancer.

H361f Suspected of damaging fertility.

H373 May cause damage to the urinary tract through prolonged or repeated exposure.

· Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

· Supplemental information:

EUH208 Contains CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · Regulation (EC) No 528/2012 on biocidal products Contains a biocidal product: C(M)IT/MIT (3:1)
- Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC

VOC 2004/42/CE & UK SI 2012/1715 (A / i) = <140 g/l

Nullifire SC802 Grey

= ≤16 g/l

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties

CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate

List II

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 108-78-1 melamine 10-<20% EINECS: 203-615-4 Carc. 2. H351: Repr. 2. H361f: STOT RE 2. H373

(Contd. on page 3)

— GB



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

	(Con	td. of page 2)
CAS: 1244733-77-4	tris(2-chloro-1-methylethyl)phosphate	1-<5%
EC number: 807-935-0	Acute Tox. 4, H302	
Reg.nr.: 01-2119486772-26-xxxx		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.1%
EINECS: 220-120-9	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9	CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)	<0.001%
Reg.nr.: 01-2120764691-48-xxxx	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 1, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10); Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1; H317: C ≥ 0.0015 %	
	Skin Sens. 1A; H317: 0.0015 % ≤ C < 0.0015 %	

- · EU SVHC see Section 15
- · **GB SVHC** see Section 15
- · Additional information:

For the wording of the listed hazard phrases refer to section 16.

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

· Regulation (EU) No 528/2012 Biocidal Products Regulation	
CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)	PT6

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

(Contd. on page 4)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 3)

- · Information for doctor: No further relevant information available.
- · 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Suspected of damaging fertility.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

- · Hazards No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 5)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 4)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Protect from heat and direct sunlight.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Storage temperature: +5°C to +35°C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

n	N	F	Iو
.,	ıw		-

CAS: 108-78-1 melamine

Inhalative DNEL 8.3 mg/m3 (workers) (systemic effects)

· PNECs

CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate

PNEC 0.64 mg/L (fresh water)

0.064 mg/L (marine)

PNEC 1.7 mg/kg dwt (soil)

1.34 mg/kg dwt (sediment (salt water))

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Do not breathe spray.

Avoid contact with the eyes and skin.

· Respiratory protection:

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Only during spraying without adequate removal by suction.

Filter A/P2

(Contd. on page 6)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 5)

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

PVC or PE gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

· Colour:

· Odour:

Light grey
Uncharacteristic.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling

range

100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

Flash point: Not applicable.

OH 8.0 - 9.5

(Contd. on page 7)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 6)

· Solubility

· water: Fully miscible.

· Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

Density and/or relative density

Density at 20 °C: 1.4 g/cm³

• 9.2 Other information

· Appearance:

· Form: Liquid

Important information on protection of health

and environment, and on safety.

• **Explosive properties:** Product does not present an explosion hazard.

· Solvent content:

· VOC (EU)· VOC (EC)≤16 g/l≤1 %

Information with regard to physical hazard

classes

 Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.

(Contd. on page 8)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 7)

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Possible in traces.

Carbon monoxide and carbon dioxide

Nitrogen oxides

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
CAS: 108-	CAS: 108-78-1 melamine		
Oral	LD50	3,161 mg/kg (rat)	
CAS: 1244	CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate		
Oral	LD50	632 mg/kg (rat)	
CAS: 2634	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Oral	LD50	1,193 mg/kg (rat)	
Dermal	LD50	4,115 mg/kg (rat)	
CAS: 5596	CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)		
Dermal	LD50	660 mg/kg (rabbit)	
Inhalative	LC50/4 h	2.36 mg/L (rat)	

- · Skin corrosion/irritation Slight irritation possible.
- · Serious eye damage/irritation Slight irritation possible.
- Respiratory or skin sensitisation Sensitising effect by skin contact is possible by prolonged exposure.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity

Suspected of causing cancer.

· Reproductive toxicity

Suspected of damaging fertility.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the urinary tract through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· 11.2 Information on other hazards

· Endocrine disrupting properties		
CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate	List II	



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 8)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
CAS: 1244	733-77-4 tris(2-chloro-1-methylethyl)phosphate		
LC50/96 h	51 mg/L (pimephales promelas)		
CAS: 2634	-33-5 1,2-benzisothiazol-3(2H)-one		
LC50/96 h	2.18 mg/L (oncorhynchus mykiss)		
EC50/48 h	2.94 mg/L (daphnia magna)		
EC50/72 h	0.11 mg/L (pseudokirchneriella subcapit.)		
CAS: 5596	5-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)		
LC50/96 h	0.19 mg/L (rainbow trout)		
EC50/48 h	0.16 mg/L (daphnia magna)		
EC50/72 h	0.027 mg/L (algae)		

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP7	Carcinogenic	
HP10	Toxic for reproduction	

(Contd. on page 10)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 9)

- Uncleaned packaging:
- · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) STATUTORY INSTRUMENTS 2012 No. 1715 ENVIRONMENTAL PROTECTION | The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012, and any subsequent amendments

"GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" ÚK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

(Contd. on page 11)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 10)

- The Endocrine Disruptor Lists I, II, III (www.edlists.org)
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- Other regulations, limitations and prohibitive regulations No further relevant information available.
- · Substances of very high concern (SVHC) according to EU REACH, Article 57

CAS: 108-78-1 melamine

- · Substances of very high concern (SVHC) according to UK REACH Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.

(Contd. on page 12)



Revision: 03.05.2023

Printing date 03.05.2023

Version number 5 (replaces version 4)

Trade name: Nullifire SC802 Grey

(Contd. of page 11)

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

Date of previous version: 14.12.2022

Version number of previous version: 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

GB