

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** TREMCO SX200
- **MSDS code:** W-T-SX200
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Floor screed - fast cement
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
tremco illbruck Ltd  
Coupland Road, Hindley Green, Wigan, WN2 4HT  
Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410  
msds@tremco-illbruck.com
- **Further information obtainable from:**  
tremco illbruck Ltd  
Coupland Road, Hindley Green, Wigan, WN2 4HT  
T: +44 (0) 1942251400, F: +44 (0) 1942251410  
www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com
- **1.4 Emergency telephone number:**  
During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre.

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Eye Dam. 1 H318 Causes serious eye damage.  
Skin Sens. 1 H317 May cause an allergic skin reaction.

---

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**  

  
 GHS05 GHS07
- **Signal word** Danger
- **Contains:**  
Cement, portland, chemicals
- **Hazard statements**  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.
- **Precautionary statements**  
P261 Avoid breathing dust.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

**Trade name: TREMCO SX200**

(Contd. of page 1)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- **Supplemental information:**

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous components:**

CAS: 1317-65-3 EINECS: 215-279-6	Marble/limestone (calcium carbonate) substance with a Community workplace exposure limit	50-<75%
CAS: 65997-15-1 EINECS: 266-043-4	Cement, portland, chemicals Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	5-<10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:**

Remove persons from danger area.

In case of accident or if you feel unwell, seek medical advice (show this safety data sheet if possible).

- **After inhalation:**

Supply fresh air.

If symptoms persist consult doctor.

- **After skin contact:**

Immediately remove all soiled and contaminated clothing

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- **After eye contact:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical advice.

- **After swallowing:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Give small amounts of water to drink.

Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed**

May cause an allergic skin reaction.

Causes serious eye damage.

Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

**Trade name: TREMCO SX200**

(Contd. of page 2)

- **Information for doctor:** No further relevant information available.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:**  
Water with full jet  
Alcohol based solutions
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Avoid contact with the eyes and skin.  
Avoid formation of dust.  
Ensure adequate ventilation.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Pick up mechanically.  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of dust.  
Wear suitable protective clothing and gloves.  
Ensure that washing facilities are available at the work place.  
Do not eat, drink, smoke or sniff while working.  
Avoid contact with the eyes and skin.
- **Information about fire - and explosion protection:** The product is not flammable.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

Trade name: TREMCO SX200

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:**  
Store away from water.  
Do not store together with acids.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from humidity and water.  
Storage temperature: +5°C to +35°C
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

#### 1317-65-3 Marble/limestone (calcium carbonate)

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable **respirable
-----	---

#### 65997-15-1 Cement, portland, chemicals

WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust
-----	---

- **Additional information:**  
The lists valid during the making were used as basis.  
HSE EH40/2005 Workplace Exposure Limits (as amended)
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Ensure that washing facilities are available at the work place.  
Wash contaminated clothing before reuse.  
Avoid contact with the eyes and skin.  
Do not eat, drink, smoke or sniff while working.  
Do not breathe dust.
- **Respiratory protection:**  
Ensure good ventilation/exhaustion at the workplace.



Dust/Particulate mask.

Filter P

(Contd. on page 5)

GB

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

**Trade name: TREMCO SX200**

(Contd. of page 4)

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**

Rubber gloves

Neoprene gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

EN 166

- **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Powder

Colour: Light grey

- **Odour:** Odourless

- **pH-value:** 13 (when mixed with water)

- **Melting point/freezing point:** Undetermined.

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** Product is not flammable.

- **Explosive properties:** Product does not present an explosion hazard.

- **Density:** Not determined.

- **Solubility in / Miscibility with water:** Not determined.

- **Solvent content:**

**Solids content:** 100 %

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

Trade name: TREMCO SX200

(Contd. of page 5)

- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids.
- **10.4 Conditions to avoid** Water / moisture.
- **10.5 Incompatible materials:** Reacts with acids.
- **10.6 Hazardous decomposition products:**  
Formation of toxic gases is possible during heating or in case of fire.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**1317-65-3 Marble/limestone (calcium carbonate)**

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
Chromium (VI) may cause allergic dermatitis by repeated and/or prolonged skin contact.  
Chromium (VI) content = <2ppm (0.0002%)  
May cause an allergic skin reaction.
- **Additional toxicological information:**  
There is a possibility that quartz dust may be created when sand-papering or grinding the dry, cured product.  
This product may contain respirable silica. Prolonged exposure can give rise to fibrosis of the lungs (silicosis).
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

Trade name: TREMCO SX200

(Contd. of page 6)

## SECTION 12: Ecological information

### · 12.1 Toxicity

#### · Aquatic toxicity:

#### 1317-65-3 Marble/limestone (calcium carbonate)

LC50/96 h | 10,000 mg/L (oncorhynchus mykiss)

EC50/48 h | &gt;1,000 mg/L (daphnia magna)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

#### · Additional ecological information:

#### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

High concentrations in water will cause the pH to rise which may cause harm to aquatic life.

#### · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

· **Recommendation** Disposal must be made according to official regulations.

· **Waste disposal key:** UK (WM3) : n/a

#### · European waste catalogue

08 02 01 | waste coating powders

15 01 10\* | packaging containing residues of or contaminated by hazardous substances

#### · Uncleaned packaging:

#### · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings may be recycled.

## SECTION 14: Transport information

### · 14.1 UN-Number

· **ADR, ADN, IMDG, IATA** Void

### · 14.2 UN proper shipping name

· **ADR, ADN, IMDG, IATA** Void

### · 14.3 Transport hazard class(es)

· **ADR, ADN, IMDG, IATA**

· **Class** Void

(Contd. on page 8)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

**Trade name: TREMCO SX200**

(Contd. of page 7)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b>	Not applicable.
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).  
"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).  
CEMBUREAU; The European Cement Association  
COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.  
HSE EH40/2005 Workplace Exposure Limits (as amended)
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 47
- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.  
HSE Construction Information Sheet No. 26 (Cement)
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 11.12.2017

Version number 1

Revision: 11.12.2017

**Trade name: TREMCO SX200**

(Contd. of page 8)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB