

Safety Data Sheet according to Regulation (EC) No. 2015/830

SECTION 1: Identification of the Substance/Mixture and the Company/Undertaking

| 1.1 | Product Identifier | MONDECO TZ/COVE & ESD TZ/ COVE HARDENER | Revision Date: | 19/01/2017 |
|-----|--------------------|--|------------------|------------|
| | Product Name: | Mondeco TZ/Cove & ESD TZ/ Cove Hardener | Supercedes Date: | 24/03/2016 |

1.2 Relevant identified uses of the substance or mixture and uses advised against
Coatings and paints, thinners, paint removers. Hand-mixing with intimate contact and only PPE available. Wide dispersive indoor use resulting in inclusion into or onto a matrix. For use by appropriately trained applicators. Roller application or brushing. Low energy spreading of coatings. Advised against: Home DIY applications, because of the health hazards and training required.

1.3 Details of the supplier of the safety data sheet

| | Supplier: | Flowcrete UK Ltd. The Flooring Technology Centre Booth Lane Moston, Sandbach, Cheshire. UK CW11 3QF |
|-----|-----------------------------|---|
| | | Tel: +44 (0)1270 753000 Fax: +44 (0)1270 753333 ehs.uk@flowcrete.com http://www.flowcrete.co.uk |
| | Datasheet Produced by: | ehs.uk@flowcrete.com |
| 1.4 | Emergency telephone number: | CHEMTREC +001 703 5273887 (Outside US) CHEMTREC 1-800-424-9300 (Inside US) |

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

| Other EU extensions | EUH204 |
|-----------------------------|--------|
| Skin Irritation, category 2 | H315 |
| Skin Sensitizer, category 1 | H317 |
| Eye Irritation, category 2 | H319 |

Acute Toxicity, Inhalation, category 4 Respiratory Sensitizer, category 1 STOT, single exposure, category 3, RTI Carcinogenicity, category 2 STOT, repeated exposure, category 2

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

4,4'-Methylenediphenyl diisocyanate, Diphenylmethane-2,4'-diisocyanate, Isocyanic acid, polymethylenepolyphenylene ester

HAZARD STATEMENTS

| Other EU extensions | EUH204 | Contains isocyanates. May produce an allergic reaction. |
|--|--------------|---|
| Skin Irritation, category 2 | H315 | Causes skin irritation. |
| Skin Sensitizer, category 1 | H317 | May cause an allergic skin reaction. |
| Eye Irritation, category 2 | H319 | Causes serious eye irritation. |
| Acute Toxicity, Inhalation, category 4 | H332 | Harmful if inhaled. |
| Respiratory Sensitizer, category 1 | H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| STOT, single exposure, category 3, RTI | H335 | May cause respiratory irritation. |
| Carcinogenicity, category 2 | H351 | Suspected of causing cancer. |
| STOT, repeated exposure, category 2 | H373 | May cause damage to organs through prolonged or repeated exposure. |
| PRECAUTION PHRASES | | |
| | P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| | P280 | Wear protective gloves/protective clothing/eye protection/ face protection. |
| | P284 | Wear respiratory protection. |
| | P285 | In case of inadequate ventilation wear respiratory protection. |
| | P302+352 | IF ON SKIN: Wash with plenty of soap and water. |
| | P304+340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| | P305+351+338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. |
| | P308+313 | IF exposed or concerned: Get medical advice/attention. |
| | P314 | Get medical advice/attention if you feel unwell. |
| | P333+313 | If skin irritation or rash occurs: Get medical advice/attention. |
| | P341 | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| | P342+311 | If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. |

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

| H332 |
|------|
| H334 |
| H335 |
| H351 |
| H373 |

SECTION 3: Composition/Information On Ingredients

3.2 Mixtures

Hazardous Ingredients

| CAS-No. | EINEC No. | Name According to EEC | <u>%</u> | |
|-----------|-----------------|--|----------------------------------|-----------|
| 9016-87-9 | - (Polymer) | Isocyanic acid, polymethylenepolyphenylene ester | 50-75 | |
| 5873-54-1 | 227-534-9 | Diphenylmethane-2,4'-diisocyanate | 10-25 | |
| 101-68-8 | 202-966-0 | 4,4'-Methylenediphenyl diisocyanate | 10-25 | |
| | | | | |
| CAS-No. | REACH Reg No. | <u>CLP Symbols</u> | CLP Hazard Statements | M-Factors |
| 9016-87-9 | Exempt | GHS07-GHS08 | H315-317-319-332-334-335-351-373 | |
| 5873-54-1 | 01-2119480143-4 | 45 GHS07-GHS08 | H315-317-319-332-334-335-351-373 | |
| 101-68-8 | 01-2119457014-4 | 47 GHS07-GHS08 | H315-317-319-332-334-335-351-373 | |

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and shoes.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

AFTER EYE CONTACT: Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10).

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Refer to protective measures listed in sections 7 and 8.

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Use only in well-ventilated areas. Do not breathe vapours or spray mist.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Do not freeze. Direct sources of heat.

STORAGE CONDITIONS: Do not freeze. Store in original container. Store at room temperature in the original container. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(UK WELS)

| Name | CAS-No. | LTEL ppm | STEL ppm | STEL mg/m3 | LTEL mg/m3 |
|--|------------------|----------|----------|------------|------------|
| Isocyanic acid, polymethylenepolyphenyl ester | ene9016-87-9 | | | 0.07 | 0.02 |
| Diphenylmethane-2,4'-diisocyanate | 5873-54-1 | | | 0.07 | 0.02 |
| 4,4'-Methylenediphenyl diisocyanate | 101-68-8 | | | 0.07 | 0.02 |
| Name | <u>CAS-No.</u> 0 | EL Note | | | |

| Isocyanic acid, | 9016-87-9 | Isocyanates, all (as |
|----------------------------------|-----------|----------------------|
| polymethylenepolyphenylene ester | | NCO) |

Diphenylmethane-2,4'-diisocyanate

5873-54-1 Isocyanates, all (as -NCO)

4,4'-Methylenediphenyl diisocyanate

101-68-8 Isocyanates, all (as -NCO)

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor.

EYE PROTECTION: Eye wash bottle with pure water. Tightly fitting safety goggles. Face-shield.

HAND PROTECTION: Rubber or plastic gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use. Rubber or plastic apron.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

Chemical Name:

Diphenylmethane-2,4'-diisocyanate

| EC No.: | CAS-No.: |
|-----------|-----------|
| 227-534-9 | 5873-54-1 |

DNELs - Derived no effect level

| | Workers | | | | Consumers | | | |
|------------|-------------------------|-----------------------|------------------------|------------------------|-------------------------|------------------------|-------------------------|-------------------------|
| Route of | Acute effect | Acute effects | Chronic | Chronic effects | Acute effect | Acute effects | Chronic | Chronic effects |
| Exposure | local | systemic | effects local | systemic | local | systemic | effects local | systemic |
| Oral | | Not | required | | | 20 mg/kg bw/d | | |
| Inhalation | 0.1 mg/m ³ | 0.1 mg/m ³ | 0.05 mg/m ³ | 0.05 mg/m ³ | 0.05 mg/m ³ | 0.05 mg/m ³ | 0.025 mg/m ³ | 0.025 mg/m ³ |
| Dermal | 28.7 mg/cm ² | 50 mg/kg bw/d | | | 17.2 mg/cm ² | 25 mg/kg bw/d | | |

PNEC's - Predicted no effect concentration

| Environmental protection target | PNEC |
|------------------------------------|-----------|
| Fresh water | >1 mg/l |
| Fresh water sediments | |
| Marine water | >0.1 mg/l |
| Marine sediments | |
| Food chain | |
| Microorganisms in sewage treatment | >1 mg/l |
| soil (agricultural) | >1 mg/kg |
| Air | |

Chemical Name:

4,4'-Methylenediphenyl diisocyanate

| EC No.: | CAS-No.: |
|-----------|----------|
| 202-966-0 | 101-68-8 |

DNELs - Derived no effect level

| | Workers | | | | Consumers | | | |
|------------|--|-----------------------|------------------------|------------------------|-------------------------|------------------------|-------------------------|-------------------------|
| Route of | Acute effect Acute effects Chronic Chronic effects | | | Acute effect | Acute effects | Chronic | Chronic effects | |
| Exposure | local | systemic | effects local | systemic | local | systemic | effects local | systemic |
| Oral | Not required | | | | 20 mg/kg bw/d | | | |
| Inhalation | 0.1 mg/m ³ | 0.1 mg/m ³ | 0.05 mg/m ³ | 0.05 mg/m ³ | 0.05 mg/m ³ | 0.05 mg/m ³ | 0.025 mg/m ³ | 0.025 mg/m ³ |
| Dermal | 28.7 mg/cm ² | 50 mg/kg bw/c | 1 | - | 17.2 mg/cm ² | 25 mg/kg bw/d | | |

PNEC's - Predicted no effect concentration

| Environmental protection target | PNEC |
|------------------------------------|-----------|
| Fresh water | >1 mg/l |
| Fresh water sediments | |
| Marine water | >0.1 mg/l |
| Marine sediments | |
| Food chain | |
| Microorganisms in sewage treatment | >1 mg/l |
| soil (agricultural) | >1 mg/kg |
| Air | |

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Appearance: Brown liquid

| Appearance. | Brown liquid |
|--|------------------|
| Physical State | Liquid |
| Odor | Earthy |
| Odor threshold | Not determined |
| рН | Not determined |
| Melting point / freezing point (°C) | Not determined |
| Boiling point/range (°C) | N.D N.D. |
| Flash Point, (°C) | >200 |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | Not determined |
| Upper/lower flammability or explosive limits | Not determined |
| Vapour Pressure | Not determined |
| Vapour density | Not determined |
| Relative density | 1.23 at 20°C |
| Solubility in / Miscibility with water | Immiscible |
| Partition coefficient: n-octanol/water | Not determined |
| Auto-ignition temperature (°C) | >500°C |
| Decomposition temperature (°C) | Not determined |
| Viscosity | 84 mPa's at 25°C |
| Explosive properties | |
| | |

Not determined

Oxidising properties

Not Applicable

9.2 Other information

VOC Content g/l:

<10

This is a calculated maximum VOC content for the mixed ready to use product (to Directive 2004/42/EC).

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur. Hazardous polymerisation may occur.

10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Do not freeze. Direct sources of heat.

10.5 Incompatible materials

Acids. Strong oxidizing agents.

10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

| Acute Toxicity: | |
|----------------------------|---------------------------|
| Oral LD50: | No Information |
| Inhalation LC50: | No Information |
| Irritation: | No information available. |
| Corrosivity: | No information available. |
| - | |
| Sensitization: | No information available. |
| Repeated dose toxicity: | No information available. |
| Carcinogenicity: | No information available. |
| Mutagenicity: | No information available. |
| Toxicity for reproduction: | No information available. |
| STOT-single exposure: | No information available. |
| STOT-repeated exposure: | No information available. |
| Aspiration hazard: | No information available. |

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

| CAS-No. | Name According to EEC | <u>Oral LD50</u> | Dermal LD50 | Vapor LC50 |
|-----------|--|-----------------------------------|-------------------------------------|------------|
| 9016-87-9 | Isocyanic acid, polymethylenepolyphenylene ester | >10000 mg/kg (rat) OECD TG 401 | >9400 mg/kg (rabbit) OECD TG 402 | |
| 5873-54-1 | Diphenylmethane-2,4'-diisocyanate | >2000 mg/kg (rat) | >9400 mg/kg (rabbit) OECD 402 | |
| 101-68-8 | 4,4'-Methylenediphenyl diisocyanate | 15000 mg/kg | > 9400 mg/kg (rabbit) OECD 402 | |

Additional Information:

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

| SE | SECTION 12: Ecological Information | | | | | | |
|--|------------------------------------|--|----------------|-------------------------------|----------------------|---------------------------------------|--|
| 12.1 | Toxic | ty: | | | | | |
| | EC50 48hr (Daphnia): | | No info | ormation | | | |
| | IC5 | 0 72hr (Algae): | No inf | ormation | | | |
| | LC | 50 96hr (fish): | No inf | ormation | | | |
| 12.2 Persistence and degradability: | | No inf | ormation | | | | |
| 12.3 | 12.3 Bioaccumulative potential: | | No information | | | | |
| 12.4 | 12.4 Mobility in soil: | | No information | | | | |
| 12.5 Results of PBT and vPvB assessment: | | The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. | | | | | |
| 12.6 | Other | adverse effects: | No inf | ormation | | | |
| CAS- | No. | Name According to EEC | | <u>EC50 48hr</u> | <u>IC50 72hr</u> | <u>LC50 96hr</u> | |
| 9016- | -87-9 | Isocyanic acid, polymethylenepolypher ester | iylene | >1000 mg/l (24 h) OECD 202 | >1640 mg/l OECD 201 | >1000 mg/l (Danio rerio) OECD 203 | |
| 5873- | -54-1 | Diphenylmethane-2,4'-diisocyanate | | >1000 mg/I OECD 202 | >1640 mg/l OECD 201 | >1000 mg/l (danio rerio) OECD 203 | |
| 101-6 | 68-8 | 4,4'-Methylenediphenyl diisocyanate | | > 1000 mg/l (24h) OECD 202 | > 1640 mg/l OECD 201 | > 1000 mg/l (danio rerio) OECD 203 | |

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

| European Waste Code: | 080501* |
|-----------------------|---------|
| Packaging Waste Code: | 150110 |

SECTION 14: Transport Information

| 14.1 | UN number | Not applicable |
|------|---|---|
| 14.2 | UN proper shipping name | Not regulated for transport according to ADR/RID, IMDG, and IATA regulations. |
| | Technical name | Not applicable |
| 14.3 | Transport hazard class(es) | Not applicable |
| | Subsidiary shipping hazard | Not applicable |
| 14.4 | Packing group | Not applicable |
| 14.5 | Environmental hazards | Not applicable |
| 14.6 | Special precautions for user | Not applicable |
| | EmS-No.: | Not applicable |
| 14.7 | Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code | Not applicable |

SECTION 15: Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

| National Regulations: | |
|--------------------------------------|---------------|
| Denmark Product Registration Number: | Not available |
| Danish MAL Code: | Not available |
| Danish MAL Code - Mixture: | Not available |
| Sweden Product Registration Number: | Not available |
| Norway Product Registration Number: | Not available |
| WGK Class: | Not available |

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

| H315 | Causes skin irritation. |
|------|--|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Reasons for revision

Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review

each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830; European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

Acronym & Abbreviation Key:

| DefinitionDescriptionECEuropean CommissionEUEuropean UnionUSUnited StatesCASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesRRACHRegistration, Evaluation, Authorization of Chemicals RegulationGRSGlobally Harmonized System of Classification and Labeling of ChemicalsITELLong term exposure limitOELOccupational exposure limitOELOccupational exposure limitmg/m3Milligrams per cubic meterTVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal dose at 50%ECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRDInternational Transport of Dangerous Goods by RoadRDInternational Transport of Angerous Goods by RoadRDInternational Air Transport AssociationMARDInternational Air Transport Association | CLP | Classification, Labeling & Packaging Regulation |
|--|--------------------|---|
| EUEuropean UnionUSUnited StatesCASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOCcupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per kilogramN/ANot applicableLD50Lethal concentration at 50%LC50Half maximal effective concentrationC50Half maximal inbibory concentrationPBTPersistent bioaccumulative toxic chemicalvvvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Transport associationMARPOLInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RoadRIDInternational Air Transport of Pervention of Pollution From Ships, 1973 asMOGGIInternational Air Tra | | |
| USUnited StatesCASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsITELLong term exposure limitOELOccupational exposure limitDBLOccupational exposure limitMMParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSEAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPFMVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RoadRIDInternational Air Transport of Dangerous Goods by RoadRIDInternational Maritime Dangero | | - |
| CASChemical Abstract ServiceEINECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGTHAmerican Conference of Governmental Industrial HygienistsOSCHOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per kilogramN/ANot applicableLD50Lethal does at 50%LC50Half maximal effective concentrationTC50Half maximal inhibitory concentrationPFTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Transport associationMARPOLInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRIIRespiratory Tract Irritation | | - |
| ENECSEuropean Inventory of Existing Chemical SubstancesREACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOCLOccupational exposure limitDpmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationICS0Half maximal inhibitory concentrationPFTPersistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Bulk Container | | |
| REACHRegistration, Evaluation, Authorization of Chemicals RegulationGHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per literm/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Half maximal effective concentrationPETPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadINDInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk Contai | | |
| GHSGlobally Harmonized System of Classification and Labeling of ChemicalsLTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Subk ContainerRTIRespiratory Tract | | |
| LTELLong term exposure limitSTELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACCIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal concentration at 50%LC50Lethal concentration at 50%LC50Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978International Bulk ContainerRTIRespiratory Tract Irritation | GHS | |
| STELShort term exposure limitOELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSRAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLC50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Transport associationMARPOLInternational Air Transport for the Prevention of Pollution From Ships, 1973 asmdified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | LTEL | |
| OELOccupational exposure limitppmParts per millionmg/m3Milligrams per cubic meterTIVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract Irritation | STEL | |
| ppmParts per millionmg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPETPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract Irritation | OEL | |
| mg/m3Milligrams per cubic meterTLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLDS0Lethal dose at 50%ECS0Half maximal effective concentrationICS0Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978BCInternational Bulk ContainerRTIRespiratory Tract Irritation | mqq | · · |
| TLVThreshold Limit ValueACGIHAmerican Conference of Governmental Industrial HygienistsOSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationTC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalVPVBVery persistent and very bioaccumulativeECCEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCRTIRespiratory Tract Irritation | •• | * |
| OSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCRTIRespiratory Tract Irritation | 2 | |
| OSHAOccupational Safety & Health AdministrationPELPermissible Exposure LimitsVOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCRTIRespiratory Tract Irritation | ACGIH | American Conference of Governmental Industrial Hygienists |
| VOCVolatile organic compoundsg/1Grams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978International Bulk ContainerRTIRespiratory Tract Irritation | OSHA | |
| g/lGrams per litermg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract Irritation | PEL | Permissible Exposure Limits |
| mg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978International Bulk ContainerRTIRespiratory Tract Irritation | VOC | Volatile organic compounds |
| N/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCIBCInternational Bulk ContainerRTIRespiratory Tract Irritation | g/l | Grams per liter |
| LD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCIBCInternational Bulk ContainerRTIRespiratory Tract Irritation | mg/kg | Milligrams per kilogram |
| LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCIBCInternational Bulk ContainerRTIRespiratory Tract Irritation | N/A | Not applicable |
| EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | LD50 | Lethal dose at 50% |
| IC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | LC50 | Lethal concentration at 50% |
| PBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | EC50 | Half maximal effective concentration |
| vPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | IC50 | Half maximal inhibitory concentration |
| EECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | PBT | Persistent bioaccumulative toxic chemical |
| ADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | vPvB | Very persistent and very bioaccumulative |
| RIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | EEC | European Economic Community |
| UNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | ADR | International Transport of Dangerous Goods by Road |
| IMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | RID | International Transport of Dangerous Goods by Rail |
| IATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | UN | United Nations |
| MARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation | IMDG | International Maritime Dangerous Goods Code |
| modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation | IATA | International Air Transport Association |
| IBC International Bulk Container RTI Respiratory Tract Irritation | | |
| RTI Respiratory Tract Irritation | modified by the Pr | |
| | | |
| NE Narcotic Effects | | |
| | NE | Narcotic Effects |

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the

product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.