Page 1/9

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: illbruck SP150
- · MSDS code: T-I-SP150
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Spacings sealant Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Tremco CPG Germany GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Tel: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784 msds@cpg-europe.com

· Further information obtainable from:

Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com

· 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Supplemental information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction. EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

llbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

(Contd. of page 1)

Trade name: illbruck SP150

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Silane-terminated, hydrocarbon-based polymer with inorganic fillers

| · Dangerous components: | | |
|--------------------------------|--|---------|
| CAS: 28553-12-0 | di-"isononyl" phthalate | 10-<20% |
| EINECS: 249-079-5 | substance with a Community workplace exposure limit | |
| Reg.nr.: 01-2119430798-28-xxxx | | |
| CAS: 2768-02-7 | trimethoxyvinylsilane | 0.1-<1% |
| EINECS: 220-449-8 | Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, | |
| Reg.nr.: 01-2119513215-52-xxxx | H317 | |
| • EU SVHC see Section 15 | | |

• **GB SVHC** see Section 15

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: Methanol (CAS 67-56-1)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- Information for doctor: No further relevant information available.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

(Contd. of page 2) • 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. SECTION 6: Accidental release measures · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away. · 6.2 Environmental precautions: No special measures required. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. 6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8. SECTION 7: Handling and storage • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. · Information about fire - and explosion protection: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: No special requirements. · Information about storage in one common storage facility: Not required. • Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. • 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: CAS: 28553-12-0 di-"isononyl" phthalate WEL Long-term value: 5 mg/m³ · Ingredients with biological limit values: · Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity: Methanol (CAS 67-56-1) (Contd. on page 4) - GB

Page 4/9



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

| | (Contd. of page 3) | | | |
|---|---|--|--|--|
| CAS: 67-56-1 methanol | | | | |
| WEL Short-term value: 333 mg/m ³ , 250 ppm | | | | |
| Long-term value: 266 mg/m ³ , 200 ppm | | | | |
| Sk | | | | |
| Additional information: The lists valid during the n | naking were used as basis. | | | |
| · 8.2 Exposure controls | | | | |
| · Appropriate engineering controls No further data | : see item 7. | | | |
| Individual protection measures, such as person | | | | |
| General protective and hygienic measures: | | | | |
| The usual precautionary measures are to be adhered | ed to when handling chemicals. | | | |
| Keep away from foodstuffs, beverages and feed. | | | | |
| Wash hands before breaks and at the end of work. | | | | |
| Avoid contact with the eyes and skin. | | | | |
| Do not eat, drink, smoke or sniff while working. | | | | |
| • Respiratory protection: | | | | |
| Not necessary if room is well-ventilated. Filter AX | | | | |
| Use suitable respiratory protective device in case of | insufficient ventilation | | | |
| For further guidance, | | | | |
| please refer to HSE HSG53 "Respiratory Protective | Equipment at work - A Practical Guide". | | | |
| • Hand protection Not required. • Material of gloves Not applicable. | | | | |
| | | | | |
| Eye/face protection Safety glasses | | | | |
| · Body protection: | | | | |
| Protective work clothing | | | | |
| SECTION 9: Physical and chemical properties | | | | |
| • 9.1 Information on basic physical and chemical | properties | | | |
| · General Information | | | | |
| · Physical state | Fluid | | | |
| · Colour: | According to product specification | | | |
| · Odour: · Odour threshold: | Characteristic | | | |
| | Not determined. Undetermined. | | | |
| Melting point/freezing point: Boiling point or initial boiling point and boiling | | | | |
| range | Not applicable. | | | |
| · Flammability | Not applicable. | | | |
| | | | | |
| | (Contd. on page 5) | | | |

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

| | (Contd. of page | |
|---|--|--|
| Lower and upper explosion limit | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | >151 °C | |
| Decomposition temperature: | Not determined. | |
| рН | Mixture is non-polar/aprotic. | |
| Viscosity: | | |
| Kinematic viscosity | Not determined. | |
| Solubility | | |
| water: | Immiscible / difficult to mix. | |
| Partition coefficient n-octanol/water (log value) | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density and/or relative density | | |
| Density at 20 °C: | 1.6 g/cm ³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| | | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Pasty | |
| Important information on protection of health | 1 | |
| and environment, and on safety. | | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Solvent content: | | |
| Organic solvents: | 0.0 % | |
| VOC (EU) | 0.01 % | |
| | 0.2 g/l | |
| VOC (EC) | 0.01 % | |
| Evaporation rate | | |
| | Not determined. | |
| | | |
| Information with regard to physical hazard | | |
| Information with regard to physical hazard classes | 1 | |
| Information with regard to physical hazard classes Explosives | l Void | |
| Information with regard to physical hazard classes Explosives Flammable gases | l Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols | Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases | Void Void Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure | Void Void Void Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids | Void Void Void Void Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids | Void Void Void Void Void Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures | Void Void Void Void Void Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids | Void Void Void Void Void Void Void Void | |
| Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures | Void Void Void Void Void Void Void Void | |

(Contd. on page 6) – GB -



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

| | | (Contd. of page 5 |
|-------------------------------------|-----------|-------------------|
| Substances and mixtures, which emit | flammable | |
| gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:

None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 2768-02-7 trimethoxyvinylsilane

Inhalative LC50/4 h 16.8 mg/L (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

GB -

(Contd. on page 7)

Page 7/9

Safety data sheet

lillbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is not biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

• European waste catalogue 2008/98/EC (UK WM3) : n/a

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

| SECTION 14: Transport information | on | |
|--|------|--------------------|
| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| | | (Contd. on page 8) |



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

| | | (Contd. of page 7 |
|---|------------------------------------|-------------------|
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according instruments | j to IMO Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 • **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 52a

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations No further relevant information available.

• Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.

• Substances of very high concern (SVHC) according to UK REACH Not applicable.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GR



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 15.12.2022

Version number 7 (replaces version 6)

Revision: 15.12.2022

Trade name: illbruck SP150

(Contd. of page 8)

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H226 Flammable liquid and vapour. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. Department issuing SDS: Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Sens. 1B: Skin sensitisation - Category 1B ** Data compared to the previous version altered. GB