lillbruck

according to 1907/2006/EC, Article 31

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: illbruck AA200 · MSDS code: A-I-AA200-DIY 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Cleaning agent / Cleaner · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: tremco illbruck Productie B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 183568100 msds@tremco-illbruck.com · Further information obtainable from: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com · 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 · Signal word Danger · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. · Precautionary statements If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. (Contd. on page 2) GB

according to 1907/2006/EC, Article 31

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

Trade name: illbruck AA200

(Contd. of page 1)

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Active substance with propellant

 Dangerous components: 		
CAS: 115-10-6	dimethyl ether	50-<75%
EINECS: 204-065-8	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119472128-37-xxxx		

· SVHC -

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If symptoms persist consult doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Not applicable.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

GB



according to 1907/2006/EC, Article 31

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

Trade name: illbruck AA200

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Open and handle receptacle with care.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions:
- Protect from frost.
- Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m³, 500 ppm

Long-term value: 766 mg/m³, 400 ppm

· DNELs

Long term effects CAS: 115-10-6 dimethyl ether

Inhalative industrial 1,894 mg/m3 (workers) (systemic effects)

consumer 471 mg/m3 (general public) (systemic effects)

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

illbruck

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

Trade name: illbruck AA200

DUEO	(Contd. of pag
PNEC	
	15-10-6 dimethyl ether
PNEC	0.155 mg/L (fresh water)
	160 mg/L (sewage treatment plant)
	1.549 mg/L (intermittent release)
	0.016 mg/L (salt water)
PNEC	0.045 mg/kg (soil)
	0.069 mg/kg (sediment (salt water))
Additio	onal information: The lists valid during the making were used as basis.
For fur please Protec Materi Penetr	itable respiratory protective device in case of insufficient ventilation. ther guidance, refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide". tion of hands: Not required. al of gloves Not applicable. ation time of glove material Not applicable. otection: Not required.
	OTECTION. NOT LEGITIES
	Protective work clothing

 9.1 Information on basic physical General Information 	and chemical properties	
· Appearance:		
Form:	Aerosol	
Colour:	According to product specification	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rai	nge: 100 °C	
· Flash point:	-42 °C	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
		(Contd. on page s

GB

Safety data sheet according to 1907/2006/EC, Article 31



Revision: 04.04.2019

Printing date 04.04.2019

Version number 3

Trade name: illbruck AA200

	(Contd. of page 4)	
· Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	1.5 Vol %	
Upper:	10.9 Vol %	
· Vapour pressure at 20 °C:	8300 hPa	
· Density at 20 °C:	0.84 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
 Evaporation rate 	Not applicable.	
· Solubility in / Miscibility with		
water:	Immiscible / difficult to mix.	
· Partition coefficient: n-octanol/water:	· Partition coefficient: n-octanol/water: Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC (EU)	724.1 g/l	
VOC (EC)	50.00 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

lillbruck

(Contd. of page 5)

according to 1907/2006/EC, Article 31

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

Trade name: illbruck AA200

- Reproductive toxicity Based on available data, the classification criteria are not met.
 STOT-single exposure Based on available data, the classification criteria are not met.
 STOT-repeated exposure Based on available data, the classification criteria are not met.
 Aspiration hazard Based on available data, the classification criteria are not met.
 SECTION 12: Ecological information

 12.1 Toxicity
 Aquatic toxicity: No further relevant information available.
 12.2 Persistence and degradability No further relevant information available.
 12.3 Bioaccumulative potential No further relevant information available.
 - \cdot 12.4 Mobility in soil No further relevant information available.
 - · Ecotoxical effects:
 - · Other information:

This product contains no substances in Annex I to Directive EC 1005/2009 concerning ozone depleting substances

- · Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation** Disposal must be made according to official regulations.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

- HP 3 Flammable
- · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN1950	
 14.2 UN proper shipping name 		
ADR	1950 AEROSOLS	
· IMDG	AEROSOLS	
· IATA	AEROSOLS, flammable	
		(Contd. on page 7)

GB –



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2019	Version number 3	Revision: 04.04.201
Frade name: illbruck AA200		
		(Contd. of page
· 14.3 Transport hazard class(es	5)	
· ADR		
· Class	2 5F Gases.	
· Label	2.1	
· IMDG, IATA		
	2.1	
· Label	2.1	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
 14.6 Special precautions for us Danger code (Kemler): EMS Number: Stowage Code 	F-D,S-U SW1 Protected fro SW22 For AEROS of 1 litre: Catego capacity above 1 AEROSOLS: Cate SG69 For AEROS 1 litre: Segregation from" class 1 e AEROSOLS wit Segregation as fo class 2. For WAS for the appropriate	m sources of heat. SOLS with a maximum capacit ory A. For AEROSOLS with litre: Category B. For WAST gory C, Clear of living quarters. OLS with a maximum capacity on as for class 9. Stow "separate except for division 1.4. For h a capacity above 1 litre r the appropriate subdivision of FE AEROSOLS: Segregation a subdivision of class 2.
 14.7 Transport in bulk according Marpol and the IBC Code 	ng to Annex II of Not applicable.	
· Transport/Additional informati	on:	
· ADR		
Limited quantities (LQ)	1L October 50	
 Excepted quantities (EQ) 	Code: E0 Not permitted as E	vcented Quantity
· Transport category	2	noopieu Quantity
· Tunnel restriction code	_ D	

GB

according to 1907/2006/EC, Article 31

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

bruck

Trade name: illbruck AA200

	(Contd. of page 7)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

\cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes 2008/98/EC on waste

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

· Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

· Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

 Abbreviations and acronyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PNEC: Predicted No-Effect Concentration (REACH)
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern



(Contd. of page 8)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.04.2019

Version number 3

Revision: 04.04.2019

Trade name: illbruck AA200

vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas

• * Data compared to the previous version altered.