

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Finding date 29.09.2022		TEVISION. 25.07.2022
SECTION 1: Identificat undertaking	ion of the substance/mixture	e and of the company/
· 1.1 Product identifier		
<ul> <li>Trade name: <u>illbruck GS123</u></li> </ul>		
<ul> <li>MSDS code: A-I-GS123</li> <li>1.2 Relevant identified uses of No further relevant information a</li> <li>Application of the substance / Adhesives Silicone sealant</li> </ul>		vised against
<ul> <li>1.3 Details of the supplier of the Manufacturer/Supplier: Tremco CPG Netherlands B.V.</li> <li>Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) msds@cpg-europe.com</li> </ul>	-	
Further information obtainable Tremco CPG UK Ltd Coupland Road, Hindley Green, T: +44 (0) 1942251400, F: +44 (0) www.cpg-europe.com, info.uk@c	Wigan, WN2 4HT 0) 1942251410	
	<b>ber:</b> ) 1942251400. At all other times it is r local GP/pharmacist (NI), 01 809 2166 (	
SECTION 2: Hazards ident	tification	
• 2.1 Classification of the substa • Classification according to Re The product is not classified, acc	gulation (EC) No 1272/2008	
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulat</li> <li>Hazard pictograms Void</li> <li>Signal word Void</li> <li>Hazard statements Void</li> <li>Supplemental information: EUH208 Contains 4,5-dichloro-2 EUH210 Safety data sheet availa</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB asse</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	-octyl-2H-isothiazol-3-one. May produce a able on request.	
		GB

llbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Trade name: illbruck GS123

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Polydimethylsiloxane with inorganic fillers and acetoxysilane as curing agent

· Dangerous components:		
CAS: 64742-46-7	Distillates (petroleum), hydrotreated middle	5-<10%
EINECS: 265-148-2	Asp. Tox. 1, H304	
Reg.nr.: 01-2119552497-29-xxxx		
CAS: 17689-77-9	triacetoxyethylsilane	1-<5%
EINECS: 241-677-4	Skin Corr. 1B, H314; Eye Dam. 1, H318	
Reg.nr.: 01-2119881778-15-xxxx		
	oligomer ethyl- and methyl acetoxysilanes	1-<5%
	Skin Corr. 1B, H314; Eye Dam. 1, H318	

#### · SVHC -

#### • Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: acetic acid (CAS 64-19-7)

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### General information:

Take affected persons out into the fresh air.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

- · Information for doctor: No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

<sup>-</sup> GB ·



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Trade name: illbruck GS123

(Contd. of page 2)

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

By a reaction with atmospheric humidity by-products are released. See chapter 8.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity:

(Contd. on page 4)

# Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Trade name: illbruck GS123

	(Contd. of page 3)			
CAS: 64-19-7 acetic acid				
WEL Short-term value: 50 mg/m³, 20 ppn Long-term value: 25 mg/m³, 10 ppm	1			
<ul> <li>Additional information: The lists valid du</li> </ul>	uring the making were used as basis.			
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measure The usual precautionary measures are to Keep away from foodstuffs, beverages an Wash hands before breaks and at the end Do not eat, drink, smoke or sniff while wor</li> <li>Respiratory protection: Not necessary if room is well-ventilated. Filter ABEK</li> <li>Use suitable respiratory protective device For further guidance, please refer to HSE HSG53 "Respiratory I</li> </ul>	be adhered to when handling chemicals. Id feed. d of work. rking.			
Protective gloves				
<ul> <li>Material of gloves Fluorocarbon rubber (</li> <li>Penetration time of glove material The exact break through time has to be for be observed.</li> <li>Eye protection: Safety glasses</li> <li>Body protection:</li> </ul>	Viton) ound out by the manufacturer of the protective gloves and has to			
Protective work clothing				
SECTION 9: Physical and chemical properties				
<ul> <li>9.1 Information on basic physical and c</li> <li>General Information</li> <li>Appearance:</li> <li>Form:</li> <li>Colour:</li> </ul>	Pasty According to product specification			
· Odour:	acetic acid			
<ul> <li>pH-value: Melting point/freezing point:</li> </ul>	Undetermined.			



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Trade name: illbruck GS123

		(Contd. of page 4)
Initial boiling point and boiling range: Not applicable.		
· Flash point:	>151 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.02 g/cm <sup>3</sup>	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Immiscible / difficult to mix.	
<ul> <li>Solvent content:</li> <li>VOC (EU)</li> <li>VOC (EC)</li> </ul>	0.0 g/l 0.00 %	
• 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Water / moisture.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:

None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

CAS: 64742-46-7 Distillates (petroleum), hydrotreated middle

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

## Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

 $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Trade name: illbruck GS123

(Contd. of page 5)

- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

#### • Aquatic toxicity:

#### CAS: 64742-46-7 Distillates (petroleum), hydrotreated middle

- LC50/96 h >100 mg/L (fish)
- **12.2 Persistence and degradability** No further relevant information available.
- Other information: The product is not biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### - Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

#### European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

#### · Uncleaned packaging:

#### • Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

#### **SECTION 14: Transport information**

#### · 14.1 UN-Number

#### · ADR, ADN, IMDG, IATA

Void

GB



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022	Version number 7	Revision: 25.07.2022
Trade name: illbruck GS123		
		(Contd. of page 6)
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to A</li> <li>Marpol and the IBC Code</li> </ul>	Annex II of Not applicable.	
· Transport/Additional information:		
· IATA · Remarks:	Not restricted under IAT	A regulations
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended)
 Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)
 "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019
 "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

· Directive 2012/18/EU

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 29.09.2022

Version number 7

Revision: 25.07.2022

Trade name: illbruck GS123

(Contd. of page 7)

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations No further relevant information available.

• Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### · Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

#### • Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 \* \* Data compared to the previous version altered. GB