



Construction
Products Group
Europe

Joinery & Fit Out Accessories

—
DISCOVER THE POTENTIAL IN
CONSTRUCTION SOLUTIONS



JOINERY & FIT OUT SOLUTIONS

OFFERING COMPATIBLE AND VERSATILE SOLUTIONS

As a leading manufacturer for the construction industry, CPG has a strong focus on joinery and fit out solutions. Our extensive range offers fully compatible solutions and can be supported by our in-house team of technical experts.

Our brands are designed to meet our customers' requirements and will always conform to the latest industry standards.

Our products are suitable for workshop assembly and for on-site fit-out projects. Designed to achieve the best solution every time and reduce possible construction times, here at CPG we are able to offer you a solution for all requirements.

CPG solutions also offer one key benefit, we can supply you with your complete solution from one source, meaning when you work with CPG you can be assured that you have chosen an established and trusted partner.

WHY USE CPG?



Reassurance

Work with trusted construction brands.



Performance

Products specifically formulated for compatibility.



One Contact

One point of contact for a wide range of solutions.



Technical Support

Advice in planning and on-site.



Training & Workshops

Develop your product knowledge through our CPG Training Academy.



Our Network

A UK network of trusted specialist distributors.



ILLBRUCK CT600 SPRAYABLE CONTACT ADHESIVE

CT600 is a high strength contact adhesive ideal for quick and simple bonding of many common materials. CT600 comes with a variable nozzle which allows different coating weights. Ideal for use in furniture manufacture.

- Excellent coverage - up to 5m² of bonded area from a single canister
- Versatile formulation - can be used as a one-way, contact or temporary tacking adhesive
- Dries rapidly to form a high strength bond with porous and non-porous materials



ILLBRUCK PU010 PANEL ADHESIVE

PU010 is a rapid curing gun grade polyurethane adhesive. A modern alternative to dot and dab adhesives, it is ideal for the rapid installation of plasterboard, insulation or acoustic panels, EIFS, roof decking and similar sheet materials.

- An easy to use alternative to mortars and dry wall adhesives
- Expands to fill gaps, cavities and uneven surfaces
- Compatible with a wide range of common substrates



ILLBRUCK CT704 INDUSTRIAL CONTACT ADHESIVE

CT704 is a versatile multi-purpose contact adhesive, used in a wide variety of construction & industrial applications. It is simple to apply by brush or comb and dries to form a high strength bond with many materials.

- Easy to apply using brush or adhesive spreader
- Excellent resistance to water, mild acids and alkalis
- Final bond will withstand intermittent temperatures up to +70°C (after 7 days)



ILLBRUCK PU012 PU WOOD ADHESIVE

PU012 is a liquid PU adhesive designed for bonding wood to wood. Suitable for full water immersion, even in seawater. Will bond many different types of foam and insulation materials to a wide variety of rigid and flexible facing panel types.

- Gap filling action achieves a high strength bond with irregular/ uneven substrates
- Ideal for the manufacturer and lamination of composite panels
- Longer open time allows for accurate placement
- Meets the requirements of EN 204 (D4)



ILLBRUCK CY340 MITRE KIT

CY340 is ideal for the rapid bonding of mitred MDF and wood joints during the assembly of valances, elements and decorative trims in the installation of kitchen units and fitted bedroom and office furniture.

- 2 part kit for instant bonding (<10 seconds) of wood and wood composite mitre joints
- High viscosity formulation has excellent gap filling properties for irregular or uneven materials



ILLBRUCK PU220 POLYURETHANE WOOD ADHESIVE

PU220 is a low viscosity, rapid curing, polyurethane wood adhesive. Highly water-resistant and can be used in applications where regular wetting and/or high humidity is anticipated.

- Water resistant adhesive suitable - meets the requirements of EN 204 (D4)
- Once cured it is fully submersible and suitable for exterior use
- Gap filling action achieves a high strength bond with irregular or uneven substrates



ILLBRUCK PU230 WOOD ADHESIVE

PU230 is a rapid set adhesive paste for use in all types of joinery, construction & repair applications where a permanent bond is required.

- Rapid curing formulation bonds in as little as 5 minutes
- Waterproof and immersion proof adhesive - meets the requirements of EN 204 (D4)
- Gap filling action achieves a high strength bond with irregular or uneven substrates



ILLBRUCK SP350 FIX AND SEAL HIGH TACK

SP350 has been developed to bond materials to floor, wall and ceiling, where the extremely high initial strength of the product is very useful for this high performance adhesive.

- High initial grab and rapid development of final bond
- Instant grab can minimise the need for additional clamping or other mechanical supports
- Good resistance to light, weather and ageing - suitable for internal and external applications



ILLBRUCK PU700 MULTI-USE CONSTRUCTION ADHESIVE

PU700 is a high-strength adhesive in an innovative delivery system which allows for more accurate application & prevents premature curing. Suitable for bonding a wide variety of materials.

- Rapid curing – joint can be handled / manoeuvred within 10 minutes, and cures fully within 24 hours
- Easy to use: no mixing, no water, no dust, no specialist tools or equipment required
- Excellent long-term resistance to seawater, limewater, dilute acids and caustic solutions



ILLBRUCK GS360 MULTI-PURPOSE SILICONE

GS360 is suitable for a wide range of sealing applications, such as: perimeter sealing of door and window frames, sealing and draught proofing of glass and metal assemblies, general construction joints throughout the building.

- Bonds to many common construction materials
- Rapid curing
- Permanently flexible
- Excellent external weathering properties



ILLBRUCK SP045 MULTI ADHESIVE

SP045 is an easy to apply adhesive for use where a quick initial fix and a lasting strong flexible bond is required. Suitable for a wide range of construction fixing and mounting applications such as bonding skirtings, architraves and lightweight coving.

- Easy to extrude with no sag for a controlled application with less adhesive waste
- Good UV resistance
- Low VOC formulation, isocyanate and solvent free with low odour



ILLBRUCK FA880 PREMIUM NATURAL STONE SILICONE MATT

FA880 is a one component, low slump silicone guaranteed not to cause migratory staining on natural stone. It is neutral curing for safe sealing of stonework and has a matt finish.

- High performance silicone for the sealing of natural stone with no migratory staining
- Superb matt finish
- Good resistance to UV light, ageing and weathering
- Contains fungicide to prevent mould growth
- Rapid curing formulation - skins within 10 - 20 minutes



ILLBRUCK TN150 HIGH PERFORMANCE BONDING TAPE

TN150 is a high-performance, double-sided bonding tape used for permanent mounting of signage, fixtures and panels, and industrial fabrication/assembly applications.

- High tack pressure sensitive adhesive gives high instant grab and a strong permanent bond
- A non-invasive alternative to mechanical fixings, avoiding penetration or damage of mounting surfaces
- Quick and efficient to use – no odour, no drilling, no mixing, no waste materials



NULLIFIRE FF197 GUN GRADE FIRE RATED PU FOAM

FF197 is a moisture-curing foam particularly suited to fire doors and linear gaps. Suitable for use in gaps from 5mm up to 35 mm, around services, doors, and window frames.

- Tested to BS EN 1634-1 (fire door): suitable for FD30, FD60, and FD120
- Tested to BS EN 1366-4 (linear gaps): up to 4 hours fire resistance
- Tack free in 10 minutes
- Gives 30 minutes on softwood stud wall door sets



NULLIFIRE FS702 INTUMASTIC FIRE RESISTANT ACRYLIC SEALANT

A water-based acrylic sealant which cures to give a firm but flexible fire seal. Suitable for use in various construction joints offering up to 30% movement capability whilst providing an excellent acoustic and air seal.

- FS702 to flexible wall/rigid wall/rigid floor
- FS702 is also suitable for service movement joints (consult CPG UK)
- Static & movement linear joints (masonry/ flexible wall to masonry/ rigid wall/ rigid floor/ flexible wall)



NULLIFIRE FS703 HP INTUMESCENT SEALANT

FS703 is a low modulus, neutral cure, silicone sealant, suitable for linear gaps sealing in order to reinstate the fire performance in compartment walls and floors.

- Up to 4 hours fire resistance - Tested to EN 1366-4
- Excellent tooling properties
- Tested in gaps 10-220 mm
- Airtight up to 600 Pa



NULLIFIRE FS709 HP INTUMESCENT SEALANT

FS709 expands when exposed to fire, reinstating the fire performance of compartment walls and floors which have been penetrated with services.

- Up to 4 hours fire resistance - Tested to EN 1366-3 and EN 1366-4
- Versatile & easy to apply
- Tested in openings up to 600 x 600 mm
- Tested for use in linear gaps up to 25 mm



TREMCO CS190 GRITTY PRIMER

CS190 Gritty Primer is a ready mixed, ready to use rapid drying primer that can be used on both absorbent and non-absorbent substrates.

- Provides an excellent key and extra grip surface
- Rapid drying – in as little as 15 minutes
- Ready mixed and ready to use; apply straight from the re-sealable tub
- Significantly improves adhesion and bond strength of tile adhesives and smoothing compounds



TREMCO ES600 MOISTURE VAPOUR SUPPRESSANT

ES600 is a ready for use, one part, water-based moisture vapour suppressant. A surface moisture vapour suppressant developed to suppress residual construction moisture in cementitious sub-floors including power floated concrete and sand/cement screeds.

- Easy to apply – primerless application and single component, no mixing required
- Rapid drying - approximately 1 hour at 20°C
- Water based, low VOC compliant



TREMCO SF108 PRESSURE SENSITIVE ACRYLIC ADHESIVE

SF108 is a pressure sensitive adhesive for bonding most rubber and vinyl floor coverings as well as vinyl wall coverings.

- Solvent free and non-flammable
- Faster application; quicker installation
- Meets existing low VOC requirements
- Permanent tack



TREMCO SX302 MOISTURE TOLERANT LATEX UNDERLAYMENT

SX302 has been developed for use in domestic, light commercial and light industrial environments as an underlayment, prior to application of carpet, wood and vinyl flooring.

- May accept foot traffic after approximately 90 minutes
- Moisture tolerant for use under surface damp proof membranes
- Easy to mix and apply and a smooth surface is produced



TREMCO SX600^{NA} HIGH PERFORMANCE RAPID SET SMOOTHING COMPOUND - NO AMMONIA

SX600NA is a protein free, moisture tolerant smoothing underlayment that can be used over old adhesive residue in interior applications. Additionally, there is no need to prime if being applied to a TREMCO DPM.

- Walk on after 2 hours, install floor coverings after 4 hours
- Moisture tolerant – can be used under a DPM
- Suitable for use over most adhesive residues materials



TREMCO TF448 HIGH PERFORMANCE BONDING TAPE

TF448 double sided bonding tape. TF448 has been specially developed for the bonding of skirting, capping's and cove formers used in the installation of commercial floor coverings.

- Strong initial tack and permanent bond
- Low toxicity
- No waste
- Speed up installations



TREMCO AW421 INDUSTRIAL CLEANER

AW421 is a powerful solvent-based cleaning solution for dissolving and removing mastics, adhesives and sealants.

- Removes most adhesives and sealants
- Cleaner for tools & equipment
- Thinner for solvent-based adhesives
- Degreaser for substrates prior to bonding



OUR SERVICES

GOING THE EXTRA MILE WITH CPG UK

Our range of products are only one piece of the jigsaw puzzle when it comes to CPG joinery and fit out solutions. The systems provided by CPG UK provide long-term protection for simple, detailed, or intricate details.

Our support extends far beyond keeping buildings dry, safe, and sustainable. By earning the trust of building owners and contractors, we are able to help all parties involved maximise the return on their facility investments through a comprehensive approach that includes project planning and long-term asset management.

Our experienced team is on hand to help with project and specification needs – ensuring that joinery and fit out products are selected and installed with confidence. For more information, please contact hello@cpg-europe.com



PRODUCT RANGE

Our product range is unique, in terms of its performance levels, its range of application and its extent. Equally unique is the inter-compatibility of our range: this extends from adhesive to tape, to membrane, to fire resistant foam.



CUSTOMER SERVICE

Our full range of services are centred around providing solutions to specific onsite and offsite construction requirements. We provide technical support for your project, and offer online tools to support in every day tasks.



DISTRIBUTION


Depending on your business and market, we offer direct purchase or via our distribution partners.



PARTNERSHIPS

At CPG Europe, our goal is to build long term relationships with high added value.





CPG Europe manufactures high performance building materials in order to solve the complex challenges faced by today's construction industry. With over 1,400 employees across Europe, we are committed to shaping a world where buildings and structures save energy, last longer and exceed sustainability benchmarks.

Delivering World-Class Construction Product Solutions.

The product brands housed within CPG Europe cover a wide array of different construction needs and provide a wealth of complex services, support and systems that are rarely found together under one roof.



Window Insulation, Façade Construction, Exterior Insulation & EIFS, Structural & Inplant Glazing



Intumescent Coatings, Fire Stopping



Seamless Resin Flooring, Subfloor Preparation, Car Parking Structures



Potable & Waste Water Industry, Balconies, Podia & Terraces, Basements & Foundations



Liquid Applied Systems, Felt Systems, Vegetated Roofing

Europe's leading construction products brands...



trusted brands

COLLABORATING FOR SUCCESS

Tremco CPG UK Ltd
Coupland Road, Hindley Green
Wigan WN2 4HT UK

www.cpg-europe.com
+44 (0) 1942 251400
hello@cpg-europe.com

