

Revision: 21.07.2023

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 24.08.2023

Version number 9 (replaces version 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: illbruck ME901
- · MSDS code: B-I-ME901
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Priming
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Tremco CPG Germany GmbH

Werner-Haepp-Straße 1, D - 92439 Bodenwöhr

T: +49 (0) 9434 2080, F: +49 (0) 9434 208230

msds@cpg-europe.com

· Further information obtainable from:

Tremco CPG UK Ltd

Torrington Avenue, Coventry, CV4 9TJ

T: +44 (0) 2476855000, F: +44 (0) 2476469547

www.cpg-europe.com, protect@cpg-europe.com

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.cpg-europe.com, info.uk@cpg-europe.com

· 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 1)

Hazard pictograms









GHS02 GHS07 GHS08 GHS09

· Signal word Danger

· Contains:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics butanone

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P260 Do not breathe vapors.

Avoid release to the environment. P273

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB:** Not applicable.

Determination of endocrine-disrupting properties

CAS: 78-93-3 butanone

List II

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description**: Mixture of substances listed below with non-hazardous additions.

Dangerous	compone	ents:
-----------	---------	-------

EC number: 927-510-4 Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 30-<50% Reg.nr.: 01-2119475515-33-xxxx

Flam. Lig. 2, H225; Asp. Tox. 1, H304; Aguatic Chronic 2,

H411; Skin Irrit. 2, H315; STOT SE 3, H336

(Contd. on page 3)

illbruck

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

	(Con	td. of page 2)
CAS: 78-93-3	butanone	5-<10%
EINECS: 201-159-0	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336,	
Reg.nr.: 01-2119457290-43-xxxx	EUH066	
EC number: 919-446-0	Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-	1-<5%
Reg.nr.: 01-2119458049-33-xxxx		
	STOT RE 1, H372; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336, EUH066	

- **EU SVHC** see Section 15 **GB SVHC** see Section 15
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · **General information:** Take affected persons out of danger area and lay down.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · Information for doctor: No further relevant information available.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · **Hazards** No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

(Contd. on page 4)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 3)

5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm

Sk, BMGV

(Contd. on page 5)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

			(Contd. of page
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics			
OES Lon	g-term valu	e: 600 mg/m³	
· Long terr	n effects		
	• •	ı-alkanes, isoalkanes, cyclics	
Oral	consumer	149 mg/kg/24h (consumers) (systemic effects)	
Dermal		300 mg/kg/24h (workers) (systemic effects)	
	consumer	149 mg/kg/24h (consumers) (systemic effects)	
Inhalative	industrial	2,085 mg/m3 (workers) (systemic effects)	
	consumer	499 mg/m3 (consumers) (systemic effects)	
CAS: 78-9	93-3 butano	one	
Oral	consumer	31 mg/kg (human)	
Dermal	industrial	1,116 mg/kg (human)	
	consumer	412 mg/kg (human)	
Inhalative	industrial	600 mg/m3 (human)	
	consumer	106 mg/m3 (human)	
PNECs			
CAS: 78-9	93-3 butano	ne	
PNEC 55	5.8 mg/L (fre	sh water)	
70	9 mg/L (sev	vage treatment plant)	
55	5.8 mg/L (sp	oradic release)	
55	5.8 mg/L (sa	lt water)	
PNEC 22	.5 mg/kg (s	oil)	
28	284.7 mg/kg (sediment (salt water))		
284.7 mg/kg (sediment (fresh water))			
Ingredients with biological limit values:			
CAS: 78-9	93-3 butano	ne	
BMGV 70			
	edium: urine		
	Sampling time: post shift Parameter: butan-2-one		
	Additional information: The lists valid during the making were used as basis		

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

(Contd. on page 6)

illbruck

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 5)

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· Hand protection



Protective gloves

Material of gloves

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

Recommended thickness of the material: > 0.4 mm

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves

· Eye/face protection



Tightly sealed goggles

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state

Fluid

· Colour:

According to product specification

· Odour:

Characteristic

Odour threshold:

Not determined.

(Contd. on page 7)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 6)

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range · Flammability

Lower and upper explosion limit

· Lower: 0.9 Vol % (Hydrocarbons, C7, n-alkanes,

isoalkanes, cyclics)

Highly flammable.

79-80.5 °C (CAS: 78-93-3 butanone)

11.5 Vol % (CAS: 78-93-3 butanone) · Upper:

· Flash point: -1 °C

· Auto-ignition temperature: >200 °C (Hydrocarbons, C7, n-alkanes, isoalkanes,

cyclics)

 Decomposition temperature: Not determined.

Hq· Mixture is non-polar/aprotic.

· Viscosity:

· Kinematic viscosity Not determined. Dynamic at 20 °C: 650 mPas

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log value) Not determined. 16.3 hPa

· Vapour pressure at 20 °C: · Vapour pressure at 50 °C: 78 hPa

· Density and/or relative density

· Density at 20 °C: 0.83 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

Product is not explosive. However, formation of Explosive properties:

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EU) 52.01 %

431.7 g/l 52.00 %

 VOC (EC) · Solids content: 0.0 %

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void

(Contd. on page 8)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

		(Contd. of page 7)	
· Aerosols	Void		
· Oxidising gases	Void		
Gases under pressure	Void		
· Flammable liquids	Highly flammable liquid and vapour.		
· Flammable solids	Void		
 Self-reactive substances and mixtures 	Void		
· Pyrophoric liquids	Void		
· Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
· Substances and mixtures, which emit flamr	· Substances and mixtures, which emit flammable		
gases in contact with water	Void		
· Oxidising liquids	Void		
· Oxidising solids	Void		
· Organic peroxides	Void		
· Corrosive to metals	Void		
Desensitised explosives	Void		

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Violent reactions with strong alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
Hydrocar	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
Oral	LD50	>10,000 mg/kg (rat)	
Dermal	LD50	>3,000 mg/kg (rat)	
Inhalative	LC50/4 h	21 mg/L (rat)	
CAS: 78-9	CAS: 78-93-3 butanone		
Oral	LD50	3,300 mg/kg (rat)	
Dermal	LD50	5,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	34 mg/L (rat)	

(Contd. on page 9)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

		(Contd. of page 8)	
Hydrocar	Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	3,400 mg/kg (rabbit)	
Inhalative	LC50/4 h	13.1 mg/L (rat)	

· Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine di	srupting properties	
CAS: 78-93-3	butanone	List II

SECTION 12: Ecological information

· 12.1 Toxicity

i			
· Aquatic to	· Aquatic toxicity:		
Hydrocarb	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
EC50	3 mg/L (daphnia magna)		
CAS: 78-9	CAS: 78-93-3 butanone		
LC0/96 h	2,993 mg/L (pimephales promelas)		
EC50/48 h	308 mg/L (daphnia magna)		
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics			
EC50/48 h	10-22 mg/L (daphnia magna)		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish

(Contd. on page 10)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 9)

- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	· European waste catalogue		
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances		
HP3	Flammable		
HP4	Irritant - skin irritation and eye damage		
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		
HP14	Ecotoxic		

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1133
· 14.2 UN proper shipping name	
ADR	1133 ADHESIVES, ENVIRONMENTALLY HAZARDOUS
	1133 ADHESIVES, ENVIRONMENTALLY HAZARDOUS
· IMDG	ADHESIVES, MARINE POLLUTANT
· IATA	ADHESIVES

- · 14.3 Transport hazard class(es)
- · ADR





· Class 3 (F1) Flammable liquids.

(Contd. on page 11)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

	(Contd. of page 10)
· Label	3
· IMDG	
· Class · Label	3 Flammable liquids.
IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Yes
· Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Warning: Flammable liquids F-E,S-D A
· 14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E
Tunner restriction code	(Contd. on page 12)
	(Conid. on page 12)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 11)

· IMDG

· Limited quantities (LQ)

Excepted quantities (EQ)

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 1133 ADHESIVES, 3, III, ENVIRONMENTALLY

HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 The Endocrine Disruptor Lists I, II, III (www.edlists.org)

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

CAS: 78-93-3 butanone

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 78-93-3 butanone

3

- National regulations:
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- Other regulations, limitations and prohibitive regulations No further relevant information available.
- Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.

(Contd. on page 13)



Printing date 24.08.2023 Version number 9 (replaces version 8) Revision: 21.07.2023

Trade name: illbruck ME901

(Contd. of page 12)

- Substances of very high concern (SVHC) according to UK REACH Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

- Version number of previous version: 8
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.