

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

SECTION 1: Identification undertaking	on of the substance/mixtur	e and of the company/
• 1.1 Product identifier		
Trade name: illbruck GS222		
 MSDS code: A-I-GS222 1.2 Relevant identified uses of the No further relevant information avain the substance / the Adhesives Silicone sealant 		lvised against
 1.3 Details of the supplier of the Manufacturer/Supplier: Tremco CPG Netherlands B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 1 msds@cpg-europe.com 		
 Further information obtainable f Tremco CPG UK Ltd Coupland Road, Hindley Green, W T: +44 (0) 1942251400, F: +44 (0) www.cpg-europe.com, info.uk@cp 	/igan, WN2 4HT 1942251410	
3	er: 1942251400. At all other times it is i ocal GP/pharmacist (NI), 01 809 2166	
SECTION 2: Hazards identif	fication	
 • 2.1 Classification of the substant • Classification according to Regulation • The product is not classified, account 	ulation (EC) No 1272/2008	
 2.2 Label elements Labelling according to Regulation Hazard pictograms Void Signal word Void Hazard statements Void Hazard statements Void Supplemental information: EUH208 Contains 2-octyl-2H-isoth EUH210 Safety data sheet availab 2.3 Other hazards Results of PBT and vPvB assess PBT: Not applicable. vPvB: Not applicable. 	iazol-3-one. May produce an allergic re le on request.	action.
		GB

illbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

Trade name: illbruck GS222

(Contd. of page 1) **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures • Description: Polydimethylsiloxane with inorganic fillers and acetoxysilane as curing agent · Dangerous components: CAS: 17689-77-9 triacetoxyethylsilane 1-<5% EINECS: 241-677-4 Skin Corr. 1B, H314; Eye Dam. 1, H318 Reg.nr.: 01-2119881778-15-xxxx · SVHC -· Additional information: For the wording of the listed hazard phrases refer to section 16. While curing the following substances are formed and released by a reaction with atmospheric humidity: acetic acid (CAS 64-19-7) SECTION 4: First aid measures 4.1 Description of first aid measures · General information: Take affected persons out into the fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). • After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Remove from the skin using a cloth or paper. Then clean with water and soap. If skin irritation continues, consult a doctor. • After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Give small amounts of water to drink. Seek immediate medical advice. · Information for doctor: No further relevant information available. · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Irritating to eyes and skin. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media - Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

Trade name: illbruck GS222	
 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO) Carbon dioxide (CO2) Hydrocarbons 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system. 	(Contd. of page 2)
SECTION 6: Accidental release measures	
 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away. Avoid contact with the eyes and skin. Keep away from ignition sources. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of contaminated material as waste according to Section 13. 6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
 SECTION 7: Handling and storage 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapours/spray. Avoid contact with the eyes and skin. Keep away from sources of ignition - No smoking. Use only in well-ventilated areas. Information about fire - and explosion protection: Can form explosive gas-air mixtures. Protect against electrostatic charges. Keep ignition sources away - Do not smoke. 	
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water. 	(Contd. on page 4)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

Trade name: illbruck GS222

(Contd. of page 3) • Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Protect from humidity and water. Store receptacle in a well ventilated area. · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** 8.1 Control parameters • Additional information about design of technical facilities: No further data; see item 7. · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity: acetic acid (CAS 64-19-7) CAS: 64-19-7 acetic acid WEL Short-term value: 50 mg/m³, 20 ppm Long-term value: 25 mg/m³, 10 ppm • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not eat, drink, smoke or sniff while working. Do not breathe vapour. Avoid contact with the eyes and skin. **Respiratory protection:** Not necessary if room is well-ventilated. Filter ABEK Use suitable respiratory protective device in case of insufficient ventilation. For further guidance, please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide". Protection of hands: Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

- GB



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

(Contd. of page 4)

```
Trade name: illbruck GS222
    Selection of the glove material on consideration of the penetration times, rates of diffusion and the
    degradation
   Material of gloves
    Butyl rubber, BR
    Recommended thickness of the material: \geq 0.3 mm
    Nitrile rubber, NBR
    Recommended thickness of the material: \geq 0.1 \text{ mm}
   · Penetration time of glove material
    The exact break through time has to be found out by the manufacturer of the protective gloves and has to
    be observed.
   Eye protection:
            Tightly sealed goggles
   · Body protection:
             Protective work clothing
   SECTION 9: Physical and chemical properties
```

 9.1 Information on basic physical and chemical properties General Information 		
· Appearance:		
Form:	Pasty	
Colour:	Transparent	
· Odour:	Pungent	
· pH-value:		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Not applicable.	
· Flash point:	>151 °C	
 Decomposition temperature: 	Not determined.	
• Auto-ignition temperature:	Not determined. 400° C	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	4 Vol % (64-19-7)	
Upper:	17 Vol % (64-19-7)	
		(Contd. on page 6)



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

Trade name: illbruck GS222

		(Contd. of page
· Density at 20 °C:	1.01 g/cm³ (ISO 1183-1 A)	
· Solubility in / Miscibility with		
water:	Immiscible / difficult to mix.	
· Viscosity:		
Dynamic:	800000 mPas	
· Solvent content:		
VOC (EU)	0.0 g/l	
VOC (EC)	0.00 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Water / moisture.
- 10.5 Incompatible materials:
- Reacts with water.

Reacts with strong alkali.

Reacts with alcohols.

10.6 Hazardous decomposition products:

None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Dermal LD50 >2,009 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Slight irritation possible.
- Serious eye damage/irritation Slight irritation possible.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

- GB -



acc. (EC) 1907/2006, as amended by UK SI 2019/758 Version number 8

Revision: 18.03.2022

Printing date 18.03.2022

Trade name: illbruck GS222

(Contd. of page 6)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

LC50/96 h >10-<100 mg/L (oncorhynchus mykiss)

EC50/48 h >10-<100 mg/L (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

- · Other information: The product is not biodegradable.
- 12.3 Bioaccumulative potential Does not accumulate in organisms
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

⁻ Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

Disposal must be made according to official regulations.

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred. Dispose of packaging according to regulations on the disposal of packagings.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA

Void



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022	Version number 8	Revision: 18.03.2022
Trade name: illbruck GS222		
		(Contd. of page 7)
 · 14.2 UN proper shipping name · ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to An Marpol and the IBC Code 	nex II of Not applicable.	
· Transport/Additional information:		
· IATA · Remarks:	Not restricted under I/	ATA regulations
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** "EU-CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1)

"EU-REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments) COMMISSION REGULATION (EU) 2020/878 of 18 June 2020.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB-CLP" The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK-REACH" The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020

• National regulations:

- Other regulations, limitations and prohibitive regulations No further relevant information available.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage.



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 18.03.2022

Version number 8

Revision: 18.03.2022

Trade name: illbruck GS222 (Contd. of page 8) H318 Causes serious eye damage. Department issuing SDS: Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3. · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 * * Data compared to the previous version altered. GB