

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

· Trade name: illbruck FA120

· MSDS code: A-I-FA120

### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Spacings sealant

### · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

Tremco CPG Netherlands B.V.

Vlietskade 1032, 4241 WC Arkel

T: +31 (0) 183568000, F: +31 (0) 183568100

msds@cpg-europe.com

#### · Further information obtainable from:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.cpg-europe.com, info.uk@cpg-europe.com

### · 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms



GHS07

#### · Signal word Warning

#### · Contains:

trimethoxyvinylsilane

2-octyl-2H-isothiazol-3-one

N-(3-(trimethoxysilyl)propyl)ethylenediamine

(Contd. on page 2)

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 1)

- **Hazard statements**

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P261 Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Polydimethylsiloxane with inorganic fillers and alkoxysilane as curing agent

- **Dangerous components:**

CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-xxxx	trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	1-<5%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39-xxxx	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318; Acute Tox. 4, H332; Skin Sens. 1, H317	0.1-<1%
CAS: 67-56-1 EINECS: 200-659-6 Reg.nr.: 01-2119433307-44-xxxx	methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370	0.1-<1%

- **SVHC -**

- **Additional information:**

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:**

Take affected persons out into the fresh air.

No special measures required.

Take affected persons out of danger area and lay down.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:**

Remove from the skin using a cloth or paper. Then clean with water and soap.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 2)

- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:** No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
By a reaction with atmospheric humidity by-products are released. See chapter 8.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

Trade name: illbruck FA120

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

· <b>Ingredients with limit values that require monitoring at the workplace:</b>	
--	--

<b>CAS: 67-56-1 methanol</b>	
------------------------------	--

WEL	Short-term value: 333 mg/m <sup>3</sup> , 250 ppm Long-term value: 266 mg/m <sup>3</sup> , 200 ppm Sk
-----	---

· <b>Additional Occupational Exposure Limit Values for possible hazards during processing:</b>	
--	--

<b>CAS: 67-56-1 methanol</b>	
------------------------------	--

WEL	Short-term value: 333 mg/m <sup>3</sup> , 250 ppm Long-term value: 266 mg/m <sup>3</sup> , 200 ppm Sk
-----	---

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Do not eat, drink, smoke or sniff while working.  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:**  
Not necessary if room is well-ventilated.  
Filter AX  
Use suitable respiratory protective device in case of insufficient ventilation.  
For further guidance,  
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
Butyl rubber, BR  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

(Contd. on page 5)

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 4)

· **Body protection:**

Protective work clothing

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Pasty
Colour:	According to product specification
Odour:	Alcohol-like
Odour threshold:	Not determined.

· **pH-value:** Not determined.· **Melting point/freezing point:** Undetermined.· **Initial boiling point and boiling range:** Not applicable.· **Flash point:** >150 °C· **Flammability (solid, gas):** Not applicable.· **Ignition temperature:** 430 °C· **Decomposition temperature:** Not determined.· **Auto-ignition temperature:** Product is not selfigniting.· **Explosive properties:** Product does not present an explosion hazard.· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure at 20 °C:** 0.1 hPa· **Density at 20 °C:** 1.02 g/cm<sup>3</sup>· **Relative density** Not determined.· **Vapour density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with water:**

Immiscible / difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.· **Viscosity:**

Kinematic: Not determined.

(Contd. on page 6)

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 5)

<b>Solvent content:</b>	
<b>Organic solvents:</b>	0.2 %
<b>VOC (EU)</b>	0.2 %
	2.5 g/l
<b>VOC (EC)</b>	0.25 %

<b>9.2 Other information</b>	No further relevant information available.
------------------------------	--

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** Stable
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
None if stored according to specifications.  
Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:****CAS: 2768-02-7 trimethoxyvinylsilane**

Inhalative	LC50/4 h	16.8 mg/L (rat)
------------	----------	-----------------

**CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
------	------	-------------------------------

Dermal	LD50	>2,000 mg/kg (rat)
--------	------	--------------------

Inhalative	LC50/4 h	1.49-2.44 mg/L (unknown)
------------	----------	--------------------------

**CAS: 67-56-1 methanol**

Oral	LD50	5,628 mg/kg (rat)
------	------	-------------------

Dermal	LD50	15,800 mg/kg (rabbit)
--------	------	-----------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.

(Contd. on page 7)

GB

## Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 6)

- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · **Aquatic toxicity:**

##### **CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

LC0/96 h	344 mg/L (brachydanio rerio)
LC50/96 h	597 mg/L (brachydanio rerio)
EC50/48 h	81 mg/L (daphnia magna)
EC50/72 h	126 mg/L (scenedesmus subspicatus)
EC50/96 h	8.8 mg/L (pseudokirchneriella subcapit.)

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The product is not biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

##### · **Ecotoxicological effects:**

##### **CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine**

NOEC	3.1 mg/L (pseudokirchneriella subcapit.)
	20 mg/L (scenedesmus subspicatus)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Smaller quantities can be disposed of with household waste.

(Contd. on page 8)

GB

# Safety data sheet

acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 7)

- **European waste catalogue**

08 04 10 | waste adhesives and sealants other than those mentioned in 08 04 09

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

## SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, ADN, IMDG, IATA**

Void

- **14.2 UN proper shipping name**

- **ADR**

Void

Void

- **ADN, IMDG, IATA**

Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class**

Void

- **14.4 Packing group**

- **ADR, IMDG, IATA**

Void

- **14.5 Environmental hazards:**

- **Marine pollutant:**

No

- **14.6 Special precautions for user**

Not applicable.

- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

- **UN "Model Regulation":**

Void

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

"EU-CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1)

"EU-REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments)

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)

"GB-CLP" The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK-REACH" The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020

(Contd. on page 9)

GB



# Safety data sheet

## acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 14.01.2022

Version number 10

Revision: 17.11.2021

**Trade name: illbruck FA120**

(Contd. of page 8)

- **National regulations:**
- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
- **Other regulations, limitations and prohibitive regulations** No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H370 Causes damage to organs.

- **Department issuing SDS:**

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

- **\* Data compared to the previous version altered.**