

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

· Trade name: illbruck CT113

· MSDS code: A-I-CT113

### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Adhesives

Not suitable for direct application onto polystyrene, PVC, asphalt or bitumen

· Application of the substance / the mixture Adhesives

### · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

tremco illbruck Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

msds@tremco-illbruck.com

#### · Further information obtainable from:

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

### · 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor.

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms



GHS02 GHS07

#### · Signal word Danger

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

**Trade name: illbruck CT113**

(Contd. of page 1)

- **Contains:**

ethyl acetate  
Phenol, methylstyrenated

- **Hazard statements**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H336 May cause drowsiness or dizziness.

- **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves / eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

- **Supplemental information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous components:**

CAS: 141-78-6 EINECS: 205-500-4 Reg.nr.: 01-2119475103-46-xxxx	ethyl acetate Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	50-<75%
CAS: 68512-30-1 EINECS: 270-966-8 Reg.nr.: 01-2119555274-38-xxxx	Phenol, methylstyrenated Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	1-<5%

- **SVHC -**

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:** Take affected persons out of danger area and lay down.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

**Trade name: illbruck CT113**

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

Allergic reactions

· **Information for doctor:** No further relevant information available.

· **Hazards** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Ensure adequate ventilation.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of contaminated material as waste according to Section 13.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

Trade name: illbruck CT113

(Contd. of page 3)

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.  
Avoid contact with the eyes and skin.

### Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Protect from heat and direct sunlight.

#### Further information about storage conditions:

Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Store receptacle in a well ventilated area.

### 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

**CAS: 141-78-6 ethyl acetate**

WEL	Short-term value: 1468 mg/m <sup>3</sup> , 400 ppm Long-term value: 734 mg/m <sup>3</sup> , 200 ppm
-----	--

#### Additional information:

The lists valid during the making were used as basis.  
HSE EH40/2005 Workplace Exposure Limits (as amended)

### 8.2 Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not eat, drink, smoke or sniff while working.  
Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

**Trade name: illbruck CT113**

(Contd. of page 4)

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

For the mixture of chemicals mentioned below the penetration time has to be at least 240 minutes (Permeation according to EN 16523-1:2015: Level 5).

CAS 141-78-6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

PVA gloves

Fluorocarbon rubber (Viton)

**Not suitable are gloves made of the following materials:**

Strong material gloves

Leather gloves

**Eye protection:**

Tightly sealed goggles

**Body protection:**

Protective work clothing

GB

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

Trade name: illbruck CT113

(Contd. of page 5)

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Liquid

Colour: Black

· Odour: Sweetish

· Melting point/freezing point: Undetermined.

· Initial boiling point and boiling range: Undetermined.

· Flash point: &lt;-10 °C (IP523 Seta)

· Ignition temperature: &gt;200 °C

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· Density at 20 °C: 0.94 g/cm<sup>3</sup>

· Solubility in / Miscibility with water: Immiscible / difficult to mix.

#### · Viscosity:

Dynamic at 20 °C: 4500 mPas

#### · Solvent content:

VOC (EU) 478.1 g/l

VOC (EC) 50.87 %

· 9.2 Other information No further relevant information available.

## SECTION 10: Stability and reactivity

### · 10.1 Reactivity Stable

### · 10.2 Chemical stability

#### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

#### · 10.6 Hazardous decomposition products:

Possible in traces.

Nitrogen oxides

Carbon monoxide and carbon dioxide

## SECTION 11: Toxicological information

### · 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

**Trade name: illbruck CT113**

(Contd. of page 6)

· **LD/LC50 values relevant for classification:**

**CAS: 141-78-6 ethyl acetate**

Oral	LD50	5,620 mg/kg (rabbit)
Inhalative	LC0/4 h	8,000 ppm (rat)
	LC50/4 h	70.56 mg/L (rabbit)
		1,600 mg/L (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Irritating effect.  
Repeated exposure may cause skin dryness or cracking.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
The product contains materials that are harmful to the environment.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

—GB—

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

Trade name: illbruck CT113

(Contd. of page 7)

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Disposal must be made according to official regulations.

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product.

#### · European waste catalogue

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

#### · Uncleaned packaging:

##### · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Non contaminated packagings may be recycled.

### SECTION 14: Transport information

#### · 14.1 UN-Number

##### · ADR, ADN, IMDG, IATA

UN1133

#### · 14.2 UN proper shipping name

##### · ADR

1133 ADHESIVES

1133 ADHESIVES

##### · IMDG, IATA

ADHESIVES

#### · 14.3 Transport hazard class(es)

##### · ADR



##### · Class

3 (F1) Flammable liquids.

##### · Label

3

##### · IMDG, IATA



##### · Class

3 Flammable liquids.

(Contd. on page 9)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

**Trade name: illbruck CT113**

(Contd. of page 8)

· <b>Label</b>	3
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b> · <b>Hazard identification number (Kemler code):</b> · <b>EMS Number:</b> · <b>Stowage Category</b>	Warning: Flammable liquids. - F-E, S-D B
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b> · <b>Tunnel restriction code</b> · <b>Remarks:</b>	3 E 14.4 : PG III; ADR 2.2.3.1.4
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Remarks:</b>	14.4 : PG III; IMDG 2.3.2.2 - 2.3.2.3
· <b>IATA</b> · <b>Remarks:</b>	14.4 : PG III; IATA 3.3.3
· <b>UN "Model Regulation":</b>	UN 1133 ADHESIVES, 3, III

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).  
 "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).  
 COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.  
 HSE EH40/2005 Workplace Exposure Limits (as amended)  
 Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)  
 2001/118/EC as regards the list of wastes  
 2008/98/EC on waste

(Contd. on page 10)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 17.02.2020

Version number 6

Revision: 17.02.2020

**Trade name: illbruck CT113**

(Contd. of page 9)

- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations:**
- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H225 Highly flammable liquid and vapour.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H319 Causes serious eye irritation.
  - H336 May cause drowsiness or dizziness.
  - H412 Harmful to aquatic life with long lasting effects.
- **Department issuing SDS:**

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - Flam. Liq. 2: Flammable liquids – Category 2
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - Skin Sens. 1: Skin sensitisation – Category 1
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
  - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3