Page 1/10



Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

-
SECTION 1: Identification of the substance/mixture and of the company undertaking
· 1.1 Product identifier
· Trade name: <u>illbruck PU012</u>
 MSDS code: A-I-PU012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Glue/ Sising agent
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Tremco CPG Netherlands B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 183568100 msds@cpg-europe.com
 Further information obtainable from: Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.cpg-europe.com, info.uk@cpg-europe.com
 • 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 11 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.
SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT SE 3 H335 May cause respiratory irritation.
STOT RE 2 H373 May cause damage to the respiratory system through prolonged or repeated exposure.
· 2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the CLP regulation. (Contd. on page 2 GB
68



Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

· Hazard pictograms	(Contd. of page 1)
GHS07 GHS08	
· Signal word Danger	
Hazard statementsH315 Causes skin irritaH319 Causes serious eH319 Causes serious eH319 Causes serious eH317 May cause allergH317 May cause allergH317 May cause an alleH351 Suspected of cauH335 May cause respirH373 May cause damaPrecautionary statemP261P280P304+P340P305+P351+P338 IF INrif proP308+P313F eP342+P311If exSupplemental informaEUH204 Contains isocy	ye irritation. y or asthma symptoms or breathing difficulties if inhaled. ergic skin reaction. sing cancer. atory irritation. ge to the respiratory system through prolonged or repeated exposure. ents d breathing vapours. ar protective gloves. UHALED: Remove person to fresh air and keep comfortable for breathing. N EYES: Rinse cautiously with water for several minutes. Remove contact lenses, esent and easy to do. Continue rinsing. kposed or concerned: Get medical advice/attention. periencing respiratory symptoms: Call a POISON CENTER/doctor. tion: vanates. May produce an allergic reaction. 3 adequate training is required before industrial or professional use.
SECTION 3: Comp	osition/information on ingredients
• Description: Mixture o	f substances listed below with non-hazardous additions.
Dangerous componer	
CAS: 9016-87-9 EC number: 618-498-9	diphenylmethanediisocyanate, isomers and homologues30-<50%Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox.4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317;STOT SE 3, H335
· SVHC -	(Contd. on page 3)

Safety data sheet

llbruck

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

Trade name: illbruck PU012

(Contd. of page 2)

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: Carbon dioxide (CO2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Information for doctor: No further relevant information available.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

Carbon dioxide (CO2) Fire-extinguishing powder

Water spray

· For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Carbon monoxide (CO) Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Hydrogen cyanide (HCN) 5.3 Advice for firefighters

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.

(Contd. on page 4)



Version number 11

Revision: 30.01.2022

Trade name: illbruck PU012

Printing date 30.01.2022

(Contd. of page 3)

Ensure adequate ventilation. Use respiratory protective device against the effects of fumes/dust/aerosol. **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water. - 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Do not seal receptacles gas-tight. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. · Information about fire - and explosion protection: No special measures required. 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in the original receptacle. Provide ventilation for receptacles. • Information about storage in one common storage facility: Not required. · Further information about storage conditions: Keep container tightly sealed. Protect from humidity and water. 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters • Additional information about design of technical facilities: No further data; see item 7. · Ingredients with limit values that require monitoring at the workplace: CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen: as -NCO · PNECs CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues PNEC 1 mg/L (fresh water) 10 mg/L (intermittent release)

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

Trade name: illbruck PU012

(Contd. of page 4) 0.1 mg/L (salt water) · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Clean skin thoroughly immediately after handling the product. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Do not eat or drink while working. Avoid contact with the eyes and skin. **Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A Short term filter device: Suitable respiratory protective device recommended. Filter P For further guidance, please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide". Protection of hands: Protective gloves • Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm Butyl rubber, BR Recommended thickness of the material: ≥ 0.7 mm · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

(Contd. on page 6)



Version number 11

Revision: 30.01.2022

Printing date 30.01.2022

version numbe

Trade name: illbruck PU012

(Contd. of page 5)

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

General Information	
Appearance: Form: Colour: Odour: Odour threshold:	Liquid According to product specification Light Not determined.
pH-value: Melting point/freezing point: Initial boiling point and boiling range:	Not determined. Undetermined. >200 °C
Flash point:	>150 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	> 140 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Vapour pressure:	Not determined.
Density at 20 °C: Relative density Vapour density Evaporation rate	1.13 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Immiscible / difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic at 20 °C: Kinematic:	10000 mPas Not determined.
9.2 Other information	No further relevant information available.

(Contd. on page 7)

Page 7/10

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

Trade name: illbruck PU012

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with alcohols, amines, aqueous acids and alkalis.
- · 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

Oral LD50 >10,000 mg/kg (rat)

Dermal LD50 >10,000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to the respiratory system through prolonged or repeated exposure.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)

GB

Safety data sheet



acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

Trade name: illbruck PU012

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

LC0/96 h >1,000 mg/L (brachydanio rerio)

EC50/24 h >1,000 mg/L (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

NOEC/21 d >10 mg/L (daphnia magna)

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

Earopean	haoto oddaloguo
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic
HP13	Sensitising

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
	Volu	
• 14.2 UN proper shipping name		
· ADR	Void	
	Void	
		(Contd. on page 9)



Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

Trade name: illbruck PU012

		(Contd. of page 8)
· ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Transport in bulk according to Anne	x II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "EU-CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1)
- "EU-REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments) COMMISSION REGULATION (EU) 2020/878 of 18 June 2020.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB-CLP" The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

"UK-REACH" The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020

· National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

• Other regulations, limitations and prohibitive regulations No further relevant information available. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carri

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.H332 Harmful if inhaled.

(Contd. on page 10)



Printing date 30.01.2022

Version number 11

Revision: 30.01.2022

ade na	me: illbruck PU012
	(Contd. of page
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	May cause respiratory irritation.
	Suspected of causing cancer.
	May cause damage to organs through prolonged or repeated exposure.
· Depa	rtment issuing SDS:
-	ared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part
0.2.3	
	eviations and acronyms:
	Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning t
	ational Carriage of Dangerous Goods by Road)
	International Maritime Code for Dangerous Goods
	International Air Transport Association
	Globally Harmonised System of Classification and Labelling of Chemicals
	S: European Inventory of Existing Commercial Chemical Substances
	S: European List of Notified Chemical Substances Chemical Abstracts Service (division of the American Chemical Society)
	: Predicted No-Effect Concentration (REACH)
	Lethal concentration, 50 percent
	Lethal dose, 50 percent
	Persistent, Bioaccumulative and Toxic
	: Substances of Very High Concern
	very Persistent and very Bioaccumulative
	Tox. 4: Acute toxicity – Category 4
	rit. 2: Skin corrosion/irritation – Category 2 it. 2: Serious eye damage/eye irritation – Category 2
	Sens. 1: Respiratory sensitisation – Category 1
	ens. 1: Skin sensitisation – Category 1
Carc.	2: Carcinogenicity – Category 2
STOT	SE 3: Specific target organ toxicity (single exposure) – Category 3
	RE 2: Specific target organ toxicity (repeated exposure) – Category 2
· * Dat	a compared to the previous version altered.