Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758



Revision: 22.12.2023

Printing date 22.12.2023

Version number 8 (replaces version 7)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: TREMCO CS175 A
- · MSDS code: W-T-CS175A
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Epoxy resin

Primer / Subcoating

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@tremcocpg.com

· Further information obtainable from:

Tremco CPG UK Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremcocpg.eu, info.uk@tremcocpg.com

· 1.4 Emergency telephone number:

During office hours (Mon-Fri 08:30-17:00 GMT) Tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 1)

· Hazard pictograms





GHS07 GHS09

· Signal word Warning

· Contains:

bis[4-(2,3-epoxypropoxy)phenyl]propane oxirane, mono[(C12-14-alkyloxy)methyl] derivs Bisphenol F diglycidyl ether, reaction mass of isomers

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

· Supplemental information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 1675-54-3 EINECS: 216-823-5 Reg.nr.: 01-2119456619-26-xxxx	bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %	20-<30%
CAS: 68609-97-2 EINECS: 271-846-8 Reg.nr.: 01-2119485289-22-xxxx	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Skin Irrit. 2, H315; Skin Sens. 1, H317	3-<10%
EC number: 701-263-0 Reg.nr.: 01-2119454392-40-xxxx	Bisphenol F diglycidyl ether, reaction mass of isomers Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1A, H317	3-<10%

(Contd. on page 3)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 2)

- **EU SVHC** see Section 15
- · GB SVHC see Section 15
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · **After swallowing:** Do not induce vomiting; call for medical help immediately.
- · Information for doctor: No further relevant information available.
- · 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Irritating to eyes and skin.

- · Hazards No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Carbon dioxide (CO2)

- 5.3 Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 3)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes and skin.

Ensure adequate ventilation.

- For non-emergency personnel No further relevant information available.
- For emergency responders No further relevant information available.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

- Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility:

Protect from heat and direct sunlight.

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

Store away from reducing agents.

Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep indoors.

Storage temperature: +10°C to +35°C

· 7.3 Specific end use(s) No further relevant information available.

- GB

(Contd. on page 5)

Lasti

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

For further guidance.

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

PVA gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 6)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 5)

Body protection:



Protective work clothing

• 9.1 Information on basic p	physical and	l chemical	properties
------------------------------	--------------	------------	------------

· General Information

· Colour: White

· Odour: Characteristic

• Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C · Flash point: >100 °C

· Viscosity:

Dynamic at 20 °C: 2400 mPas

· Solubility

· water: Fully miscible.

· Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

Density and/or relative density

Density at 20 °C: 1.03 g/cm³

• 9.2 Other information No further relevant information available.

· Appearance:

· Form: Liquid

Important information on protection of health

and environment, and on safety.

• **Explosive properties:** Product does not present an explosion hazard.

Information with regard to physical hazard

classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Void
Void

· Gases under pressure Void
· Flammable liquids Void
· Flammable solids Void

Self-reactive substances and mixtures Void

Pyrophoric liquidsPyrophoric solidsVoid

(Contd. on page 7)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

		(Contd. of page 6)
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flam	mable	
gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Information on likely routes of exposure No further relevant information available.
- Symptoms related to the physical, chemical and toxicological characteristics No further relevant information available.
- Delayed and immediate effects as well as chronic effects from short and long-term exposure
 No further relevant information available.

(Contd. on page 8)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 7)

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic to aquatic life with long lasting effects.
- 12.2 Persistence and degradability The product is not easily, but potentially biodegradable.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

· European waste catalogue		
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances	
HP4	Irritant - skin irritation and eye damage	
HP13	Sensitising	
HP14	Ecotoxic	

Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 9)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758



Revision: 22.12.2023

Trade name: TREMCO CS175 A

Printing date 22.12.2023

Version number 8 (replaces version 7)

(Contd. of page 8)

Non contaminated packagings may be recycled.		
SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3082	
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin)	
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin), MARINE POLLUTANT	
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin)	
· 14.3 Transport hazard class(es)		
· ADR		
· Class	9 (M6) Miscellaneous dangerous substances and articles.	
· IMDG, IATA		
· Class · Label	9 Miscellaneous dangerous substances and articles.9	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards: · Marine pollutant:	Yes Symbol (fish and tree)	
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)	
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.	
· Hazard identification number (Kemler code): · EMS Number:	90 F-A,S-F	
	(Contd. on page 10)	

(Contd. on page 10)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 9) Stowage Category Α 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category · Tunnel restriction code (-) · Remarks: SP375 · IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IATA · Remarks: A197 UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN), 9,

SECTION 15: Regulatory information

· **15.1 Safety**, health and environmental regulations/legislation specific for the substance or mixture HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019

- "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 The Endocrine Disruptor Lists I, II, III (www.edlists.org)
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 22.12.2023 Version number 8 (replaces version 7) Revision: 22.12.2023

Trade name: TREMCO CS175 A

(Contd. of page 10)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Other regulations, limitations and prohibitive regulations No further relevant information available.
- · Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.
- · Substances of very high concern (SVHC) according to UK REACH Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Department issuing SDS:

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

- Date of previous version: 09.02.2023
- · Version number of previous version: 7
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.