



TremTrim GRP Design Guide

Product Range Overview



Our TremTrim range has been carefully designed to complete a watertight finish running upto upstands and brickwork on flat roof system installations.

This document is a guide to help understand the quantities required when ordering products for the installation of TremTrim system accessories including edge trims, internal/external corners, termination bars and hard edges.


The Range

SYSTEM TYPE AND TRIM	PAGE
Reinforced Bitumen Membrane Systems (65mm Trims)	4
Reinforced Bitumen Membrane Systems (100mm Trims)	5
Reinforced Bitumen Membrane Systems (150mm Trims)	6
Liquid Applied Membrane Systems (65mm Non-watershed Trims)	8
Liquid Applied Membrane Systems (100mm Non-watershed Trims)	9
Liquid Applied Membrane Systems (150mm Non-watershed Trims)	10
Liquid Applied Membrane Systems (70mm Watershed Trims)	11
Liquid Applied Membrane Systems (100mm Watershed Trims)	12
Liquid Applied Membrane Systems (150mm Watershed Trims)	13
Termination Bars	14
Application	15

Reinforced Bitumen Membrane Systems




PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Reinforced Bitumen Membrane Systems (65mm Trims)				
TremTrim 65mm RBM 2.5m	RW160511351	2.5m Linear meters	65mm face, 65mm leg, 2.5m length	Black *
TremTrim 65mm RBM Ext Corner	RW160511353	N/A	65mm face, 65mm leg, 200mm x 200mm	Black
TremTrim 65mm RBM Int Corner	RW160511354	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 65mm RBM 2.5m	RW160511361	2.5m Linear meters	65mm face, 65mm leg, 2.5m length	Anthracite
TremTrim 65mm RBM Ext Corner	RW160511362	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Anthracite
TremTrim 65mm RBM Int Corner	RW160511363	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Anthracite




*Bespoke trim colours are available upon request and subject to a minimum order quantity.

PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Reinforced Bitumen Membrane Systems (100mm Trims)				
TremTrim 100mm RBM 2.5m	RW160511355	2.5m Linear meters	100mm face, 65mm leg, 2.5m length	Black
TremTrim 100mm RBM Ext Corner	RW160511356	N/A	100mm face, 65mm leg, 200mm x 200mm	Black
TremTrim 100mm RBM Int Corner	RW160511357	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 100mm RBM 2.5m	RW160511364	2.5m Linear meters	100mm face, 65mm leg, 2.5m length	Anthracite
TremTrim 100mm RBM Ext Corner	RW160511365	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Anthracite
TremTrim 100mm RBM Int Corner	RW160511366	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Anthracite



*Bespoke trim colours are available upon request and subject to a minimum order quantity.

PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Reinforced Bitumen Membrane Systems (150mm Trims)				
TremTrim 150mm RBM 2.5m	RW160511358	2.5m Linear meters	150mm face, 65mm leg, 2.5m length	Black
TremTrim 150mm RBM Ext Corner	RW160511359	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 150mm RBM Int Corner	RW160511360	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 150mm RBM 2.5m	RW160511367	2.5m Linear meters	150mm face, 65mm leg, 2.5m length	Anthracite
TremTrim 150mm RBM Ext Corner	RW160511368	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Anthracite
TremTrim 150mm RBM Int Corner	RW160511369	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Anthracite




*Bespoke trim colours are available upon request and subject to a minimum order quantity.

Liquid Applied Membrane Systems




PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Liquid Applied Membrane Systems (65mm Non-watershed Trims)				
TremTrim 65mm LQD 2.5m	RW161511352	2.5m Linear meters	65mm face, 65mm leg, 2.5m length	Black
TremTrim 65mm LQD Ext Corner	RW161511370	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 65mm LQD Int Corner	RW161511371	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 65mm LQD 2.5m	RW161511378	2.5m Linear meters	65mm face, 65mm leg, 2.5m length	Anthracite
TremTrim 65mm LQD Ext Corner	RW161511379	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Anthracite
TremTrim 65mm LQD Int Corner	RW161511380	N/A	65mm face, 65mm leg, 200mm x 200mm returns	Anthracite




*Bespoke trim colours are available upon request and subject to a minimum order quantity.

PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Liquid Applied Membrane Systems (100mm Non-watershed Trims)				
TremTrim 100mm LQD 2.5m	RW161511372	2.5m Linear meters	100mm face, 65mm leg, 2.5m length	Black
TremTrim 100mm LQD Ext Corner	RW161511373	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 100mm LQD Int Corner	RW161511374	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 100mm LQD 2.5m	RW161511381	2.5m Linear meters	100mm face, 65mm leg, 2.5m length	Anthracite
TremTrim 100mm LQD Ext Corner	RW161511382	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Anthracite
TremTrim 100mm LQD Int Corner	RW161511383	N/A	100mm face, 65mm leg, 200mm x 200mm returns	Anthracite




*Bespoke trim colours are available upon request and subject to a minimum order quantity.

PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Liquid Applied Membrane Systems (150mm Non-watershed Trims)				
TremTrim 150mm LQD 2.5m	RW161511375	2.5m Linear meters	150mm face, 65mm leg, 2.5m length	Black
TremTrim 150mm LQD Ext Corner	RW161511376	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 150mm LQD Int Corner	RW161511377	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Black
TremTrim 150mm LQD 2.5m	RW161511384	2.5m Linear meters	150mm face, 65mm leg, 2.5m length	Anthracite
TremTrim 150mm LQD Ext Corner	RW161511385	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Anthracite
TremTrim 150mm LQD Int Corner	RW161511386	N/A	150mm face, 65mm leg, 200mm x 200mm returns	Anthracite




*Bespoke trim colours are available upon request and subject to a minimum order quantity.


PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR
Liquid Applied Membrane Systems (70mm Watershed Trims)				
TremTrim 70mm LQD Drip Trim 2.5m	RW162511387	2.5m Linear meters	70mm Face, 75mm Leg, 2.5m length	Black
TremTrim 70mm LQD Drip Trim Ext Corner	RW162511388	N/A	70mm face, 75mm leg, 200mm x 200mm returns	Black
TremTrim 70mm LQD Drip Trim Int Corner	RW162511389	N/A	70mm face, 75mm leg, 200mm x 200mm returns	Black



PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR
Liquid Applied Membrane Systems (100mm Watershed Trims)				
TremTrim 100mm LQD Drip Trim 2.5m	RW162511390	2.5m Linear meters	100mm Face, 75mm Leg, 2.5m length	Black
TremTrim 100mm LQD Drip Trim Ext Corner	RW162511391	N/A	100mm face, 75mm leg, 200mm x 200mm returns	Black
TremTrim 100mm LQD Drip Trim Int Corner	RW162511392	N/A	100mm face, 75mm leg, 200mm x 200mm returns	Black




PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR
Liquid Applied Membrane Systems (150mm Watershed Trims)				
TremTrim 150mm LQD Drip Trim 2.5m	RW162511393	2.5m Linear meters	150mm Face, 75mm Leg, 2.5m length	Black
TremTrim 150mm LQD Drip Trim Ext Corner	RW162511394	N/A	150mm face, 75mm leg, 200mm x 200mm returns	Black
TremTrim 150mm LQD Drip Trim Int Corner	RW162511395	N/A	150mm face, 100mm leg, 200mm x 200mm returns	Black



Termination Bars


PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Termination Bars				
TremTrim Term Bar 2.5m	RW165511396	2.5m Linear meters	53mm Face, 2.5m length	Black
TremTrim Dual Term Bar 2.5m	RW165511397	2.5m Linear meters	75mm Face, 2.5m length	Black

TremTrim Term Bar 2.5mm



*Bespoke trim colours are available upon request and subject to a minimum order quantity.

TremTrim Dual Term Bar 2.5mm



PRODUCT TITLE	PRODUCT NO	COVERAGE M ²	UNIT SIZE	COLOUR*
Hard Edge				
Trem Hard Edge 3.0m	RW170511349	2.5m Linear meters	0.7mm thick, 50mm x 50mm returns, 3m length	Metal

Application | TremTrim

All TremTrim accessory products should be suitably clean and cut to size before installation.

GRP Trims

Mechanically fix TremTrim GRP edge trims to roof perimeters at approx. 200-300 mm centres (subject to wind load calculations) using substrate specific fasteners. Clouts nails are not recommended.

At the end of each trim joint, install strengthening cleats and ensure the trims are hooked into position. Position trims so that a slight gap is maintained between the vertical leg of the trim and external façade avoiding any type of capillary action.

Before applying waterproofing membranes directly to the trim, ensure the bonding area is clean and prepared with a system specific primer as stated within the project specific specification.

Termination Bars

Mechanically fix TremTrim termination bars to all required vertical details at approx. 300 mm centres using substrate specific fasteners. Clouts nails are not recommended. Termination bar ends should be lightly butted and used to pin waterproofing membranes in place. Point the projecting lip with Tremco approved Illbruck SP510 mastic using a bucket handle pointing technique.

Trem Hard Edge

All exposed insulation edges, such as gutter steps or changes in level, must be suitably protected with a hard-edge batten or metal angle. Metal angle hard edges can be spot bonded to vulnerable insulation edges with TremStik polyurethane adhesive.



Tremco CPG UK Limited
Coupland Road
Hindley Green
Wigan WN2 4HT UK

www.tremco-europe.com

+44 (0) 1942 251400
Sales and marketing: roofing.uk@tremcocpg.com
Orders and aftercare: tremcoroofing@tremcocpg.com