# Safety Data Sheet according to Regulation (EC) 'No. 2020/878



















# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

MONDECO TZ FILLER C **Revision Date:** 05/06/2023 **Product Identifier** 

**Supersedes Date:** 21/09/2018 Mondeco TZ Filler C **Product Name:** 

> 1 **Version Number:**

**UFI Code:** XCN0-V0X3-H00X-KXAS

Nanoform:

Relevant identified uses of the substance or mixture and uses

advised against

Manual activities involving hand contact. Widespread use leading to inclusion into/ onto article (indoor). For use by appropriately trained applicators. Roller application or brushing. Low energy spreading of coatings. Advised against: Home DIY applications, because of the health hazards and training required. Filler. Advised against: others

than recommended

1.3 Details of the supplier of the safety data sheet

> Tremco CPG UK Limited Supplier:

Coupland Road Hindley Green WN2 4HT, UK

Tel: +44 (0)1942 251400

ehs.uk@flowcrete.com **Datasheet Produced by:** 

CHEMTREC +001 703 5273887 (Outside US) 1.4 Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US)

## **SECTION 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

**HAZARD STATEMENTS** 

H315 Skin Irritation, category 2 H318 Serious Eye Damage, category 1

## 2.2 Label elements

## Symbol(s) of Product



## Signal Word

Danger

#### Named Chemicals on Label

Calcium dihydroxide, Cement, portland, chemicals

## **HAZARD STATEMENTS**

Skin Irritation, category 2 H315 Causes skin irritation.
Serious Eye Damage, category 1 H318 Causes serious eye damage.

PRECAUTION PHRASES

P280 Wear protective gloves/protective clothing/eye protection/

face protection.

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do so.

Continue rinsing.

P332+313 If skin irritation occurs: Get medical advice/attention.

#### 2.3 Other hazards

No Information

## Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

**Endocrine disrupting properties - Toxicity** 

Name According to EEC CAS-No.

No Information

**Endocrine disrupting properties - Ecotoxicity** 

Name According to EEC CAS-No.

No Information

# **SECTION 3: Composition/Information On Ingredients**

#### 3.1 Substances

Not applicable

3.2 Mixtures

#### Hazardous ingredients

Name According to EEC  EINEC No.  CAS-No.  REACH Reg No.	<u>%</u>	<u>Classifications</u>	,	SCL Value: ATE Value: M-Factor:
Cement, portland, chemicals 266-043-4 65997-15-1	2.5 - <10	H315-318-335	SCL Value:	-
exempt		Eye Dam. 1, Skin Irrit. 2, STOT SE 3 RTI	M-Factor:	-
Calcium dihydroxide 215-137-3 1305-62-0	2.5 - <10	H315-318-335	SCL Value:	-
01-2119475151-45		Eye Dam. 1, Skin Irrit. 2, STOT SE 3 RTI	ATE Value: M-Factor:	-

Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

## **SECTION 4: First-aid Measures**

## 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and shoes

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to skin.

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# **SECTION 5: Firefighting Measures**

### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

#### 5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. Dry powderCarbon dioxide (CO2). HalonsCollect contaminated fire extinguishing water separately. This must not be discharged into drains.

## **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

## 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

#### 6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

# 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). After cleaning, flush away traces with water. Refer to protective measures listed in sections 7 and 8.

## 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

#### SECTION 7: Handling and Storage

# 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid prolonged contact with eyes, skin and clothing.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing. Wash hands and face before breaks and immediately after handling the product.

## 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Avoid dust accumulation in enclosed space.

**STORAGE CONDITIONS:** Do not freeze. Store at room temperature in the original container. Keep tightly closed in a dry and cool place. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

## 7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets.

# **SECTION 8: Exposure Controls/Personal Protection**

## 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (UK WELS)

<u>Name</u>	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Cement, portland, chemicals	65997-15-1				10 4
Calcium dihydroxide	1305-62-0			4	5 1
<u>Name</u>	CAS-No. OEL N	<u>ote</u>			

Cement, portland, chemicals 65997-15-1
Calcium dihydroxide 1305-62-0

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

**Chemical Name:** 

EC No.: CAS-No.:

#### **DNELs - Derived no effect level**

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation								
Dermal								

## PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

## 8.2 Exposure controls

#### **Personal Protection**

**RESPIRATORY PROTECTION:** Breathing apparatus with filter. In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor.

EYE PROTECTION: Eye wash bottle with pure water. Tightly fitting safety goggles. Face-shield.

**HAND PROTECTION:** Rubber or plastic gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact

with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

# **SECTION 9: Physical and Chemical Properties**

#### 9.1 Information on basic physical and chemical properties

Colour: Granules/Powder

Physical State Solid
Odor None

Odor threshold Not determined

**pH** ~13

Melting point / freezing point (°C)

Not determined

Boiling point or initial boiling point and

N.D. - N.D.

boiling range (°C)

Llower and upper explosive limit

Flash Point, (°C)

Evaporation rate

Not determined

Flammability (solid, gas)

Not determined

Vapour Pressure

Relative vapour density

Not determined

Density and/or relative density

Not determined

Solubility in / Miscibility with water Insoluble

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Kinematic viscosity

Not determined

Particle characteristics Not applicable to liquids

#### 9.2 Other information

VOC Content g/l: <10

This is a calculated maximum VOC content for the mixed ready to use product (to Directive 2004/42/EC).

Not determined

# **SECTION 10: Stability and Reactivity**

# 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Avoid dust accumulation in enclosed space.

# 10.5 Incompatible materials

Acids. Strong oxidizing agents.

#### 10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO),

oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

**Acute Toxicity:** 

Oral LD50: No Information
Inhalation LC50: No Information
Dermal LD50: No Information

Irritation: Irritating to skin.

Corrosivity: Causes serious eye damage.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
1305-62-0	Calcium dihydroxide	7340 mg/kg (rat)	>2500 mg/kg (rabbit)		0.000	0.000

#### **Additional Information:**

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

# 11.2 Information on other hazards

**Endocrine disrupting properties - Toxicity** 

Name According to EEC CAS-No.

No Information

# **SECTION 12: Ecological Information**

## 12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Endocrine disrupting properties

**Endocrine disrupting properties - Ecotoxicity** 

Name According to EEC CAS-No.

No Information

12.7 Other adverse effects: No information

CAS-No.	Name According to EEC	EC50 48hr	<u>IC50 72hr</u>	LC50 96hr
65997-15-1	Cement, portland, chemicals	No information	No information	
1305-62-0	Calcium dihydroxide	49.1 mg/l	No information	50.6 mg/l

# **SECTION 13: Disposal Considerations**

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

**European Waste Code:** 160304 **Packaging Waste Code:** 150110

# **SECTION 14: Transport Information**

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	No Information	No Information	No Information	No Information
14.2	UN proper shipping name	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to ADR/RID, IMDG, and IATA regulations.
14.3	Transport Hazard Class(es)	No Information	No Information	No Information	No Information
14.4	Packing Group	No Information	No Information	No Information	No Information
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6 Special precautions for user Not applicable EmS-No.: Not applicable 14.7 Maritime transport in bulk according to IMO Not applicable intruments

# **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

**National Regulations:** 

**Denmark Product Registration Number:** Not available Danish MAL Code: Not available Danish MAL Code - Mixture: Not available Sweden Product Registration Number: Not available **Norway Product Registration Number:** Not available

Germany WGK Class: Not available

Directive 2004/42/CE: <10

Not applicable Covered by Directive 2012/18/EC (Seveso III):

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# SECTION 16: Other Information

#### Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H315 Causes skin irritation. H318 Causes serious eye dan

H318 Causes serious eye damage. H335 May cause respiratory irritation.

#### Reasons for revision

Substance and/or Product Properties Changed in Section(s):

01 - Identification

02 - Hazard Identification

03 - Composition/Information On Ingredients
08 - Exposure Controls/Personal Protection

09 - Physical and Chemical Properties

11 - Toxicological Information

14 - Transportation Information

15 - Regulatory Information

Substance CAS Number Changed

Revision Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union

US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road
RID International Transport of Dangerous Goods by Rail

United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu m$ .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.