illbruck

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.04.2018

Version number 1

Revision: 26.04.2018

SECTION 1: Identification of the substance/mixture and of undertaking	the company/
· 1.1 Product identifier	
· Trade name: <u>illbruck FA107</u>	
<ul> <li>MSDS code: A-I-FA107</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised aga</li> <li>Application of the substance / the mixture Adhesives Silicone sealant</li> </ul>	ainst -
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: tremco illbruck Productie B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 183568100 msds@tremco-illbruck.com</li> </ul>	
<ul> <li>Further information obtainable from: tremco illbruck Ltd</li> <li>Coupland Road, Hindley Green, Wigan, WN2 4HT</li> <li>T: +44 (0) 1942251400, F: +44 (0) 1942251410</li> <li>www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com</li> </ul>	
<ul> <li>• 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times please contact your centre.</li> </ul>	national poisoning
SECTION 2: Hazards identification	
<ul> <li>• 2.1 Classification of the substance or mixture</li> <li>• Classification according to Regulation (EC) No 1272/2008</li> <li>The product is not classified, according to the CLP regulation.</li> </ul>	
<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 Void</li> <li>Hazard pictograms Void</li> <li>Signal word Void</li> <li>Hazard statements Void</li> <li>Supplemental information: EUH208 Contains 3-aminopropyltriethoxysilane. May produce an allergic reaction. EUH210 Safety data sheet available on request.</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	
SECTION 3: Composition/information on ingredients <ul> <li>3.2 Mixtures</li> <li>Description: Mixture of substances listed below with non-hazardous additions.</li> </ul>	
	(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 26.04.2018

Version number 1

Revision: 26.04.2018

(Contd. of page 1)

bruck

### · Dangerous components:

128446-60-6 3-Aminopropyl(methyl)silsesquioxane, ethoxy-terminated 1-<5% Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319

## · SVHC -

#### · Additional information:

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Ethanol (CAS 64-17-5)

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · Information for doctor: No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
   Use fire extinguishing methods suitable to surrounding conditions.
   CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

illbruck

Revision: 26.04.2018

Trade	name:	illbruck	<b>FA107</b>

Printing date 26.04.2018

<ul> <li>6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations.</li> <li>6.4 Reference to other sections By a reaction with atmospheric humidity by-products are released. See chapter 8.</li> </ul>	
<ul> <li>SECTION 7: Handling and storage</li> <li>7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.</li> <li>Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.</li> </ul>	
<ul> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: No special requirements.</li> <li>Information about storage in one common storage facility: Not required.</li> <li>Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.</li> </ul>	
Protect from heat and direct sunlight. • 7.3 Specific end use(s) No further relevant information available.	
<ul> <li>SECTION 8: Exposure controls/personal protection</li> <li>8.1 Control parameters</li> <li>Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.</li> <li>Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity:</li> </ul>	
64-17-5 ethanol	
WEL Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm  • Additional information: The lists valid during the making were used as basis.	
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.</li> <li>Respiratory protection: Not necessary if room is well-ventilated. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used. Filter ABEK</li> </ul>	
(Contd. on page 4)	

lillbruck

according to 1907/2006/EC, Article 31

Printing date 26.04.2018

Version number 1

Revision: 26.04.2018

Trade name: illbruck FA107

(Contd. of page 3)

· Protection of hands:



Protective gloves

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.1 \text{ mm}$ 

Butyl rubber, BR Recommended thickness of the material:  $\geq 0.3$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Recommendation:

 $\geq$  8 hours

- · Eye protection: Safety glasses
- Body protection:



Protective work clothing

# **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> </ul>		
· Appearance:		
Form:	Pasty	
Colour:	According to product specification	
· Odour:	Characteristic	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
$\cdot$ Initial boiling point and boiling rang	ge: Undetermined.	
· Flash point:	Not applicable.	
· Ignition temperature:	>400 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
<ul> <li>Explosive properties:</li> </ul>	Product does not present an explosion hazard.	
· Density at 20 °C:	1.02 g/cm <sup>3</sup>	
· Solubility in / Miscibility with		
water:	Insoluble.	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

(Contd. on page 5)

GR

lillbruck

according to 1907/2006/EC, Article 31

Printing date 26.04.2018

Version number 1

Revision: 26.04.2018

Trade name: illbruck FA107

(Contd. of page 4)

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Decomposes with water, acids and alkalis.
- · 10.4 Conditions to avoid Water / moisture.
- **10.5 Incompatible materials:** No further relevant information available.
- $\cdot$  10.6 Hazardous decomposition products:
- Ethanol

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Slight irritation possible.
- Serious eye damage/irritation Slight irritation possible.
- Respiratory or skin sensitisation May cause allergic skin disorders in sensitive individuals.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Not easily biodegradable
- · Other information: The product is not biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil Insoluble.
- · Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

· Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is

illbruck

according to 1907/2006/EC, Article 31

Printing date 26.04.2018

Version number 1

Revision: 26.04.2018

### Trade name: illbruck FA107 (Contd. of page 5) finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities. · European waste catalogue 2008/98/EC (UK WM3) : n/a 08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances · Uncleaned packaging: · Recommendation: Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred. **SECTION 14: Transport information** · 14.1 UN-Number · ADR. ADN. IMDG. IATA Void 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · UN "Model Regulation": Void

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes 2008/98/EC on waste

(Contd. on page 7)

GB –

according to 1907/2006/EC, Article 31

Printing date 26.04.2018

Version number 1

Revision: 26.04.2018

Trade name: illbruck FA107

(Contd. of page 6)

bruck

- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II: No further relevant information available.
- · Information about limitation of use: No further relevant information available.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

