# Safety Data Sheet according to Regulation (EC) 'No. 2020/878



**illbruck** Flowcrete, Nullifire Vandex TREMCO Tryvit TNudura

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	KRISTAL SEALER PART B Kristal Sealer Part B	Revision Date: Supersedes Date: Version Number:	08/08/2023 New SDS 1
1.2	UFI Code: Nanoform: Relevant identified uses of the substance or mixture and uses advised against	DKPM-R1WP-H00G-CY1F No Coatings and paints, thinners, paint re contact. Widespread use leading to ir appropriately trained applicators. Roll of coatings. Advised against: Home D and training required. Advised agains	nclusion into/onto article (indoor). F ler application or brushing. Low ene NY applications, because of the hea	or use by rgy spreading
1.3	Details of the supplier of the safety	data sheet		
	Manufacturer:	Tremco CPG Poland Sp. z o. o. Ul. Marywilska 34 03-228 Warszawa Polska		

Tel: +48 22 879 8907 Fax: +48 22 879 8918 ehs.uk@flowcrete.com www.flowcrete.com.pl/

- ehs.uk@flowcrete.com Datasheet Produced by:
- CHEMTREC +1 703 5273887 (Outside US) 1.4 Emergency telephone number:

# **SECTION 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

#### HAZARD STATEMENTS

H290
H302
H314-1
H317
H332
H412

#### 2.2 Label elements

#### Symbol(s) of Product



# Signal Word

Danger

# Named Chemicals on Label

Salicylic acid, Benzyl alcohol, m-Phenylenebis(methylamine), 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine., 3-Aminomethyl-3,5,5-trimethylcyclohexylamine

# HAZARD STATEMENTS

Corrosive to Metals, category 1	H290	May be corrosive to metals.
Acute Toxicity, Oral, category 4	H302	Harmful if swallowed.
Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Hazardous to the aquatic environment,	H412	Harmful to aquatic life with long lasting effects.
Chronic, category 3		
PRECAUTION PHRASES		

P260 P264	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling.
P270	Do no eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/ face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant/ container with a resistant inner liner.

# 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

No Information

Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

No Information

# **SECTION 3: Composition/Information On Ingredients**

# 3.1 Substances

Not applicable

# 3.2 Mixtures

# Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>		SCL Value: ATE Value: M-Factor:
Benzyl alcohol 202-859-9 100-51-6 01-2119492630-38	50 - <75	H302-319-332 Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Eye Irrit. 2	SCL Value: ATE Value: M-Factor:	-
3-Aminomethyl-3,5,5- trimethylcyclohexylamine 220-666-8 2855-13-2 01-2119514687-32	25 - <50	H302-314-317-412 Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohexylamine. 500-101-4 38294-64-3 01-2119965165-33	2.5 - <10	H314-317-412 Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-
Salicylic acid 200-712-3 69-72-7 01-2119486984-17	1.0 - <2.5	H302-318-361d Acute Tox. 4 Oral, Eye Dam. 1, Repr. 2	SCL Value: ATE Value: M-Factor:	-
m-Phenylenebis(methylamine) 216-032-5 1477-55-0 01-2119480150-50	1.0 - <2.5	H302-314-317-332-412 Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1B	SCL Value: ATE Value: M-Factor:	-

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

# **SECTION 4: First-aid Measures**

# 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice. Show this safety data sheet to the doctor in attendance. Risk of product entering the lungs on vomiting after ingestion. Remove contaminated clothing and shoes.

**AFTER INHALATION:** Move to fresh air. Consult a physician after significant exposure. Keep respiratory tract clear. Remove person to fresh air. If signs/symptoms continue, get medical attention.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Keep eye wide open while rinsing. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### SECTION 5: Firefighting Measures

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

#### 5.3 Advice for firefighters

Keep containers and surroundings cool with water spray. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Fire will produce dense black smoke containing hazardous combustion products (see section 10). In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.

#### 6.1.2 For emergency responders

See Section 7, 8 and 10 for further information.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. May cause long-term adverse effects in the aquatic environment.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Refer to protective measures listed in sections 7 and 8.

#### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

#### SECTION 7: Handling and Storage

#### 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Use only in well-ventilated areas. Do not breathe vapours or spray mist.

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Handle in accordance with good industrial hygiene and safety practice. Keep working clothes separately. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Wash hands and face before breaks and immediately after handling the product.

# 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Direct sources of heat. Do not freeze.

**STORAGE CONDITIONS:** Do not freeze. Store in original container. Store at room temperature in the original container. Keep locked up or in an area accessible only to qualified or authorised persons. Keep container closed when not in use. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

#### 7.3 Specific end use(s)

Component of a resin flooring product. The mixing and application to be in accordance with the technical data sheets. Component of Mondéco Classic, Mondéco Crystal Ice, Mondéco Exotic, and their variants.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (UK WELS)

Name	CAS-No.		LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Benzyl alcohol	100-51-6					
3-Aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2					
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohexylamine.	38294-64-3					
Salicylic acid	69-72-7					
m-Phenylenebis(methylamine)	1477-55-0					
Name	CAS-No.	OEL Note				
Benzyl alcohol	100-51-6					
3-Aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2					
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohexylamine.	38294-64-3					
Salicylic acid	69-72-7					
m-Phenylenebis(methylamine)	1477-55-0					

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

# Chemical Name: Benzyl alcohol EC No.: CAS-No.: 202-859-9 100-51-6

#### **DNELs - Derived no effect level**

		Wo	rkers		Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required			20 mg/kg bw/d		4 mg/kg bw/d
Inhalation	-	110 mg/m <sup>3</sup>	-	22 mg/m <sup>3</sup>	-	27 mg/m <sup>3</sup>	-	5.4 mg/m <sup>3</sup>
Dermal	-	40 mg/kg bw/d	-	8 mg/kg bw/d	-	20 mg/kg bw/d	-	4 mg/kg bw/d

# PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	1 mg/l
Fresh water sediments	5.27 mg/kg
Marine water	0.1 mg/l
Marine sediments	0.527 mg/kg
Food chain	
Microorganisms in sewage treatment	39 mg/l
soil (agricultural)	0.456 mg/kg
Air	

# **Chemical Name:**

Dermal

3-Aminomethyl-3,5,5-trimethylcyclohexylamine

EC No.:	CAS-No.:
220-666-8	2855-13-2

# DNELs - Derived no effect level

		Wo	orkers			Con	sumers	
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required						0.526 mg/kg bw/	
								d
Inhalation	0.073 ma/m <sup>3</sup>		0.073 ma/m <sup>3</sup>					

# PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.06 mg/l
Fresh water sediments	5.784 mg/kg (sediment dw)
Marine water	0.006 mg/l
Marine sediments	0.578 mg/kg (sediment dw)
Food chain	Not expected to be bioaccumulative.
Microorganisms in sewage treatment	3.18 mg/l
soil (agricultural)	1.121 mg/kg (soil dw)
Air	

#### **Chemical Name:**

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine.

EC No.:	CAS-No.:
500-101-4	38294-64-3

#### **DNELs - Derived no effect level**

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required					·	0.050 mg/kg	
Inhalation			0.496 mg/m <sup>3</sup>				0.074 mg/m <sup>3</sup>	
Dermal				0.14 mg/kg				0.050 mg/kg

#### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.011 mg/l
Fresh water sediments	4320 mg/kg
Marine water	0.001 mg/l
Marine sediments	432 mg/kg
Food chain	
Microorganisms in sewage treatment	10 mg/l
soil (agricultural)	864 mg/kg
Air	No hazard identified

# Chemical Name:

m-Phenylenebis(methylamine)	
EC No.:	CAS-No.:
216-032-5	1477-55-0

#### **DNELs - Derived no effect level**

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation	0.2 mg/m <sup>3</sup> 1.		1.2 mg/m <sup>3</sup>					
Dermal				0.33 mg/kg bw/d				

#### PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.094 mg/l
Fresh water sediments	0.43 mg/kg
Marine water	0.0094 mg/l
Marine sediments	0.043 mg/kg
Food chain	
Microorganisms in sewage treatment	10 mg/l
soil (agricultural)	0.045 mg/kg
Air	

#### 8.2 Exposure controls

#### Personal Protection

**RESPIRATORY PROTECTION:** In case of insufficient ventilation wear suitable respiratory equipment. Respirator with filter for organic vapor.

**EYE PROTECTION:** Eye wash bottle with pure water. Tightly fitting safety goggles. Face-shield.

**HAND PROTECTION:** Impervious gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Long sleeved clothing. Remove and wash contaminated clothing before re-use. Rubber or plastic apron.

#### **OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** As a rule, at least 5 air changes per hour are recommended at the workplace. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

# **SECTION 9: Physical and Chemical Properties**

# 9.1 Information on basic physical and chemical properties Colour: Clear

	Colour.	Clear
	Physical State	Liquid
	Odor	Slight
	Odor threshold	Not determined
	pН	Not determined
	Melting point / freezing point (°C)	Not determined
	Boiling point or initial boiling point and boiling range (°C)	205 - N.D.
	Flash Point, (°C)	Not measured
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Llower and upper explosive limit	Not determined
	Vapour Pressure	Not determined
	Relative vapour density	Not determined
	Density and/or relative density	1.16 g/cm <sup>3</sup> .
	Solubility in / Miscibility with water	Insoluble
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Kinematic viscosity	Not determined
	Particle characteristics	Not applicable to liquids
2	Other information VOC Content g/I:	<250

#### **SECTION 10: Stability and Reactivity**

Specific Gravity (g/cm3)

#### 10.1 Reactivity

9.2

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed. Stable under normal conditions.

0.120

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur. Hazardous polymerisation may occur.

#### 10.4 Conditions to avoid

Avoid temperatures above 40 °C, direct sunlight and contact with sources of heat. Direct sources of heat. Do not freeze.

#### 10.5 Incompatible materials

Acids. Strong oxidizing agents.

#### 10.6 Hazardous decomposition products

In case of fire **hazardous decomposition products** may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:	
Oral LD50:	No Information
Inhalation LC50:	No Information
Dermal LD50:	No Information
Irritation:	No information available.
Corrosivity:	Corrosive to eyes and skin.
Sensitization:	May cause an allergic skin reaction.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
100-51-6	Benzyl alcohol	1620 mg/kg (rat)	2001 mg/kg (rabbit)			> 4.178 mg/l (4 h, rat)
2855-13-2	3-Aminomethyl-3,5,5- trimethylcyclohexylamine	1030 mg/kg (rat)	>2000 mg/kg (rat)	Not determined	Not determined	> 5.01 mg/l (rat, 4h)
38294-64-3	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohexylamine.		> 2000 mg/kg (rat)	Not determined	Not determined	> 5.01 mg/l (rat)
69-72-7	Salicylic acid		>2000 mg/kg (rat)		0.000	0.000
1477-55-0	m-Phenylenebis (methylamine)		>2000 mg/kg (rabbit)	Not determined	Not determined	1.34 mg/l (rat)

# Additional Information:

In the case of sensitisation to any of the ingredients, it is inadvisable to work with the product. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Corrosive - causes irreversible eye damage.

# 11.2 Information on other hazards

# Endocrine disrupting properties - Toxicity

Name According to EEC

CAS-No.

No Information

# SECTION 12: Ecological Information

#### 12.1 Toxicity:

	EC	50 48hr (Daphnia):	No information		
	IC5	0 72hr (Algae):	No information		
	LC5	50 96hr (fish):	No information		
12.2	Persis	tence and degradability:	No information		
12.3	Bioaco	cumulative potential:	No information		
12.4	Mobili	ty in soil:	No information		
		ts of PBT and vPvB sment:	The product does not mee	et the criteria for PBT/VPvB	in accordance with Annex XIII.
12.6	Endoc	rine disrupting properties			
	Endo	ocrine disrupting properties - Ecotoxic	city		
	Nam	e According to EEC	CAS-No.		
	No li	nformation			
12.7	Other	adverse effects:	No information		
<u>CAS-N</u>	<u>ło.</u>	Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
100-51	1-6	Benzyl alcohol	230 mg/l	770 mg/l (Pseudokirchneriella)	460 mg/l (Pimephales promelas)
2855-1	13-2	3-Aminomethyl-3,5,5- trimethylcyclohexylamine	23 mg/l (Daphnia magna)	No information	110 mg/l (Leuciscus idus)
38294	-64-3	4,4'-Isopropylidenediphenol, oligome reaction products with 1-chloro-2,3- epoxypropane, reaction products wit aminomethyl-3,5,5-trimethylcyclohex	h 3- magna)	79.4 mg/l (P. subcapitata)	70.7 mg/l (Oncorhynchus mykiss)
			870 mg/l	> 100 mg/l (Desmodesmus	1380 mg/l (pimephales
69-72-	.7	Salicylic acid	ovo mg/r	subspicatus) OECD 20	promelas)

# **SECTION 13: Disposal Considerations**

**13.1** WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Container hazardous when empty. Empty containers should be taken to an approved waste handling site for recycling or disposal. The product should not be allowed to enter drains, water courses or the soil.

European Waste Code:	080111*
Packaging Waste Code:	150110

# **SECTION 14: Transport Information**

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	UN 2735	UN 2735	UN 2735	UN 2735
14.2	UN proper shipping name	Polyamines, liquid, corrosive, N.O.S.,(3- aminomethyl-3,5,5- trimethylcohexylamine, 4,4'-Isopropylidiphenol, oligomeric reaction products with 1- chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohextlamin e))	Polyamines, liquid, corrosive, N.O.S., (3- aminomethyl-3,5,5- trimethylcohexylami ne, 4,4'- Isopropylidiphenol, oligomeric reaction products with 1- chloro-2,3- epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohextla mine))	Polyamines, liquid, corrosive, N.O.S.,(3- aminomethyl-3,5,5- trimethylcohexylamine, 4,4'-lsopropylidiphenol, oligomeric reaction products with 1- chloro-2,3- epoxypropane, reaction products with 3-aminomethyl-3,5,5- trimethylcyclohextlamin e))	Polyamines, liquid, corrosive, N.O.S.,(3- aminomethyl-3,5,5- trimethylcohexylamine, 4,4'-Isopropylidiphenol, oligomeric reaction products with 1-chloro-2,3 epoxypropane, reaction products with 3- aminomethyl-3,5,5- trimethylcyclohextlamine))
14.3	Transport Hazard Class(es)	8	8	8	8
14.4	Packing Group	II	II	II	II
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user
	EmS-No.:
147	Maritima transport in bulk apparding to IMO

# Not applicable Not applicable

#### 14.7 Maritime transport in bulk according to IMO intruments

# **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number:	Not available	
Danish MAL Code:	00-5 (1993)	
Danish MAL Code - Mixture:	Not available	
Sweden Product Registration Number:	Not available	
Norway Product Registration Number:	170842	
Germany WGK Class:	Not available	

Covered by Directive 2012/18/EC (Seveso III):

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

#### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

<250

Not applicable

# SECTION 16: Other Information

#### Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H412	Harmful to aquatic life with long lasting effects.

#### **Reasons for revision**

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.

- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification,	Labeling &	¿ Packaging	Regulation

- EC European Commission
- EU European Union US United States
- CAS Chemical Abstract Service
- CAS CHEMICAL ADSURACT SERVICE

Date Printed: 08/08/2023

EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter $\leq$ 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.