

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN

SDS.048.A34.0EN.1807

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### STUCCO BUILD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: leveling and renovation plaster.

<u>Uses advised against:</u> not determined.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer: DRYVIT SYSTEMS USA (EUROPE) Sp. z o.o.

Zakład Produkcyjny Radziejowice

Address: Krze Duże, 96-325 Radziejowice, Poland

Telephone/Fax number: +48 (46) 857 72 51 – 54

E-mail address for a competent person responsible for SDS: aleksandra.matyjek@dryvit.pl

Distributor: Dryvit UK Ltd

Address: Unit 4 Wren Park, Shefford, Bedfordshire SG17 5JD, United Kingdom

Telephone/Fax number: Tel: 01462 819555 Fax: 01462 819556

E-mail: <u>ukenquiries@dryvit.com</u>

## 1.4 Emergency telephone number

UK - Tel: 01462 819555 (office hours 9.00 to 17.00 hours Mon to Fri)

### **Section 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam. 1 H318, STOT SE 3 H335

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

#### 2.2 Label elements

Hazard pictograms and signal words





### **DANGER**

#### Hazardous components placed on the label

Contains: portland cement; calcium dihydroxide; flue dust, portland cement.

#### Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

#### Precautionary statements

P260 Do not breathe dust.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

#### 2.3 Other hazards

Product does not contain ingredients, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

## Section 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

portland cement

Range of percentages: < 19 %
CAS number: 65997-15-1
EC number: 266-043-4

Index numer: — Registration number: —

Classification: Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam. 1 H318,

STOT SE 3 H335

calcium dihydroxide

Range of percentages:  $\leq 5 \%$  CAS number: 1305-62-0 EC number: 215-137-3

Index numer: —

Registration number: 01-2119475151-45-XXXX

Classification: Skin Irrit. 2 H315, Eye Dam. 1 H318, STOT SE 3 H335

Substance with occupational exposure limits defined on the European Union level.

flue dust, portland cement

Range of percentages: < 1 %
CAS number: 68475-76-3
EC number: 270-659-9

Index numer: —

Registration number: 01-2119486767-17-XXXX

Classification: Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Dam. 1 H318,

STOT SE 3 H335

calcium diformate

Range of percentages:  $\leq 0.3 \%$  CAS number: 544-17-2 EC number: 208-863-7

Index numer: —
Registration number: —

Classification: Eye Dam. 1 H318

Full text of each relevant H phrases is given in section 16 of SDS.



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

## **Section 4: First aid measures**

#### 4.1 Description of first aid measures

<u>Skin contact</u>: take off contaminated clothes. Wash out the contaminated skin with plenty of water and soap. Consult a doctor if disturbing symptoms occur.

<u>Eye contact</u>: remove contact lenses. Rinse contaminated eyes with running water for 15 minutes with eyelids wide open. Avoid strong stream of water – risk of damage of the cornea. Apply a sterile dressing. Get medical attention immediately.

<u>Ingestion:</u> do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a doctor, show the container or label.

<u>Inhalation:</u> remove the victim to fresh air, keep warm and calm. Consult a doctor if disturbing symptoms appear.

#### 4.2 Most import ant symptoms and effects, both acute and delayed

Skin contact: redness, irritation, dryness, degreasing, itching, allergic reactions.

Eye contact: redness, tearing, burning sensation, blurred vision, pain, serious eye damage.

<u>Ingestion:</u> possible stomachache, nausea, vomiting, ingestion of the product may cause intestinal obstruction.

Inhalation: mechanical respiratory irritation, coughing.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

## **Section 5: Firefighting measures**

#### 5.1 Extinguishing media

<u>Suitable extinguishing media:</u> product is not flammable. Adapt the extinguishing media to surroundings materials.

<u>Unsuitable extinguishing media:</u> water jet – risk of the propagation of the flame.

#### 5.2 Special hazards arising from the substance or mixture

During the fire, the product may produce harmful gases containing e.g. carbon oxides and other dangerous products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

## 5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. In case of fire cool endangered containers with water spray from safe distance. Collect used extinguishing agents.

## Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area. Ensure that effects of the breakdown are removed by a trained personnel only. In case of large releases, isolate the exposed area. Use personal protective equipment. Avoid eyes and skin contamination. Avoid inhalation of dusts. Ensure adequate ventilation.



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

#### 6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

#### 6.3 Methods and material for containment and cleaning up

#### **Dry product**

Collect mechanically if it is possible. Use dry cleaning methods such as vacuuming (industrial equipment with highly effective filtration) that do not cause dusting. Never use compressed air. Do not breathe dust. Transfer the product to containers. Clean and ventilate the contamination place.

#### Wet product

The product binds water and becomes hardened. The hardened product collect mechanically. The waste can be treated as building rubble.

#### 6.4 Reference to other sections

Appropriate conduct with waste product – section 13. Personal protection equipment – section 8.

## Section 7: Handling and storage

#### 7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke when handling the product. Before break and after work wash hands carefully. Work only in well-ventilated place. Avoid formation and inhalation dusts of product. Avoid eyes and skin contamination. Wear personal protective equipment. Use as intended.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original, tightly closed containers in a dry and well-ventilated area. Do not store with food or feed for animals. Protect the product against damage, direct influence of weather conditions and moisture. Keep unused containers tightly closed. Opened containers should be resealed. Recommended storage temperature: 4-38 °C. The maximum shelf life: 12 months from the date of production stated on the packaging.

### 7.3 Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

## Section 8: Exposure controls/personal protection

#### 8.1 Control parameters

Specification	TWA 8 hour	STEL 15 min	Notation
calcium dihydroxide [CAS 1305-62-0]	1 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>	-

Please check also any national occupational exposure limit values in your country.

Legal Basis: Commission Directive 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU.

#### Recommended control procedures

Procedures concerning the control over the dangerous components concentrations in the air and control over the air quality in the workplace – if they are available and justified for the position – in accordance with the European Standards, with the conditions within the exposure place and a proper test methodology adapted to the working conditions.



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

## 8.2 Exposure controls

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke when handling the product. Avoid eyes and skin contamination. Wear personal protective equipment. Do not breathe dust. Provide general and / or local ventilation in the workplace in order to maintain concentrations of pollutants in the air below the established limit values. It is recommended to instal eyewashes in the vicinity of a workplace.

### Hand and body protection

Use protective gloves adeaquate to the performed task. Choose the material for gloves individually at the workplace. Wear protective clothes.

The material that the gloves are made of must be impenetrable and resistant to the product's effects. The selection of material must be performed with consideration of breakthrough time, penetration speed and degradation. Moreover, the selection of proper gloves depends not only on the material, but also on other quality features and changes depending on the manufacturer. The producer should provide detailed informat ion regarding the exact breakthrough time. This information should be followed.

#### Eye protection

Use tightly fitting safety goggles.

#### Respiratory protection

In case of air pollution with dust in concentrations exceeding their normative values or in emergency situations, use a dust mask.

Applied personal protective equipment must comply with the requirements of the Regulation 2016/425/EU. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning.

#### Environmental exposure controls

Do not allow to enter large amounts of product to reach ground water, sewage, waste water or soil. Possible emissions form the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

### Section 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

physical state: solid/powder

colour: gray

odour: characteristic
odour threshold not determined
pH: not applicable
melting point/freezing point: not determined
initial boiling point and boiling range: not applicable
flash point: not applicable
evaporation rate: not applicable

flammability (solid, gas): not applicable, product is not flammable

upper/lower flammability or explosive limits:
vapour pressure:
vapour density:
density:
solubility(ies):
partition coefficient: n-octanol/water:
not applicable
not applicable
not applicable
not determined
not determined

auto-ignition temperature: not applicable, product is not subject to auto-ignition

decomposition temperature:

explosive properties:

oxidising properties:

viscosity:

not determined

not display

not display

not applicable



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN

SDS.048.A34.0EN.1807

#### 9.2 Other information

granulation: 0,1-0,5 mm bulk density:  $1,6-1,9 \text{ g/cm}^3$ 

## Section 10: Stability and reactivity

#### 10.1 Reactivity

Product is reactive. Product does not undergo a dangerous polymerization. See also subsections 10.4 -10.5.

## 10.2 Chemical stability

The product is stable under normal conditions of use and storage.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

#### 10.4 Conditions to avoid

Protect the product from moisture. The product is hygroscopic, clumping in contact with water, which causes a decrease in the quality of the product. Avoid warm and direct sunlight.

## 10.5 Incompatible materials

Strong oxidants.

#### 10.6 Hazardous decomposition products

Not known.

## **Section 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

## **Section 12: Ecological information**

## 12.1 Toxicity

Product is not classified as hazardous for the environment.

#### 12.2 Persistence and degradability

The product based on mineral compounds, it is not biodegradable.

#### 12.3 Bioaccumulative potential

The product does not contain components that can bioaccumulate.

## 12.4 Mobility in soil

The product clumping in contact with water. Product is not mobile in soil and water.

#### 12.5 Results of PBT and vPvB assessment

Product does not contain ingredients, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

#### 12.6 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, endocrine disrupting potential, global warming potential).

## **Section 13: Disposal considerations**

#### 13.1 Waste treatment methods

<u>Disposal methods for the product:</u> disposal in accordance with the local legislation. Store residues in original containers. Recycle if possible. Waste code should be given in the place of its formation.

<u>Disposal methods for used packing:</u> empty containers should be reused/recycled/eliminated in accordance with the local legislation. Only completely empty containers can be reused. Legal basis: Directive 2008/98/EC, 94/62/EC.

#### **Section 14: Transport information**

## 14.1 UN number

Not applicable. The product is not classified as dangerous during land, see and air transport.

## 14.2 UN proper shipping name

Not applicable.

#### 14.3 Transport hazard class(es)

Not applicable.

## 14.4 Packing group

Not applicable.

### 14.5 Environmental hazards

Not applicable.

#### 14.6 Special precautions for user

Not applicable.



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## **Section 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).

**Commission Regulation (EU) No 2015/830** of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Text with EEA relevance).

**Directive 2008/98/EC** of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

**Commission Directive 2000/39/EC** of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Commission Directive 2006/15/EC** of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

**Commission Directive 2009/161/EU** of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

**Commission Directive 2017/164/EU** of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

#### 15.2 Chemical safety assessment

It is not necessary to carry out a chemical safety assessment for the mixture.

#### **Section 16: Other information**

#### Full text of indicated H phrases mentioned in section 3

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

## Clarification of aberrations and acronyms

Eye Dam. 1 Serious eye damage category 1 Skin Irrit. 2 Skin irritation category 2 Skin Sens. 1 Skin sensitization category 1

STOT SE 3 Specific target organ toxicity – single exposure category 3

STEL Short Term Exposure Limit

TWA Total Weighted Average (permissible exposure limit; Occupational Safety and

Health Administration)

PBT Persistent, Bioaccumulative and Toxic substance vPvB very Persistent, very Bioaccumulative substance



[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Date of issue: 25.07.2018 version: 1.0/EN SDS.048.A34.0EN.1807

#### **Trainings**

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

## Key literature references and sources of data

This SDS was prepared on the basis of manufacturer's SDS, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.

Classification and procedures used to classify the mixture in accordance with Reg. EC 1272/2008

as amended

Skin Irrit. 2 H315 calculation method
Skin Sens. 1 H317 calculation method
Eye Dam. 1 H318 calculation method
STOT SE 3 H335 calculation method

Other data

Date of issue: 25.07.2018 Version: 1.0/EN

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.