#### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.12.2018

Version number 6

Revision: 18.12.2018

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: TREMCO ES300 B Grey · MSDS code: W-T-ES300B-G 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Epoxy curing agent Additional component · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410 msds@tremco-illbruck.com · Further information obtainable from: tremco illbruck Ltd Coupland Road, Hindley Green, Wigan, WN2 4HT T: +44 (0) 1942251400, F: +44 (0) 1942251410 www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com · 1.4 Emergency telephone number: During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor. SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 GHS07 GHS09 · Signal word Danger (Contd. on page 2) - GB

**TREMCO** sting Performance



Version number 6

Revision: 18.12.2018

# Printing date 18.12.2018

#### Trade name: TREMCO ES300 B Grey

	(Contd. of page 1)
Contains:	
Fatty acids, C	16 and C18-unsatd., polymers with Bisphenol A, Bu glycidyl ether, epichlorohydrin and
triethylenetetr	
3-aminomethy	/I-3,5,5-trimethylcyclohexylamine
	ethylaminomethyl)phenol
Phenol, styrer	nated
Hazard state	ments
H314 Causes	severe skin burns and eye damage.
H317 May cau	use an allergic skin reaction.
H410 Very tox	kic to aquatic life with long lasting effects.
Precautionar	y statements
P260	Do not breathe vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+F	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skir with water.
P305+P351+F	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
2.3 Other haz	zards
<b>Results of PE</b>	BT and vPvB assessment
PBT: Not app	licable.

· vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous components:

· Dangerous components:		
CAS: 105839-18-7 Reg.nr.: 01-2119983535-26-xxxx	Fatty acids, C16 and C18-unsatd., polymers with Bisphenol A, Bu glycidyl ether, epichlorohydrin and triethylenetetramine Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1A, H317	30-<50%
CAS: 90-72-2 EINECS: 202-013-9 Reg.nr.: 01-2119560597-27-xxxx	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4,	10-<20%
CAS: 61788-44-1 EINECS: 262-975-0 Reg.nr.: 01-2119980970-27-xxxx	Phenol, styrenated Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	10-<20%
CAS: 2855-13-2 EINECS: 220-666-8 Reg.nr.: 01-2119514687-32-xxxx	3-aminomethyl-3,5,5-trimethylcyclohexylamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	10-<20%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225	5-<10%
	(Cont	d. on page 3)



Printing date 18.12.2018

Version number 6

Revision: 18.12.2018

#### Trade name: TREMCO ES300 B Grey

	/6	
CAS: 1477-55-0	m-phenylenebis(methylamine)	td. of page 2) 5-<10%
EINECS: 216-032-5 Reg.nr.: 01-2119480150-50-xxxx	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 8000-41-7 EINECS: 232-268-1	Terpineol Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-<5%
CAS: 90-72-2 EINECS: 202-013-9	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	1-<5%
CAS: 68956-56-9 EINECS: 273-309-3	Hydrocarbons, terpene processing by-products Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	1-<5%
CAS: 69-72-7 EINECS: 200-712-3 Reg.nr.: 01-2119486984-17-xxxx	Salicylic acid Eye Dam. 1, H318; Acute Tox. 4, H302	1-<5%

#### · SVHC -

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out of danger area and lay down.

#### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately remove all soiled and contaminated clothing Seek immediate medical advice.

#### · After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical advice.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** Causes severe skin burns and eye damage. May cause an allergic skin reaction.
- Information for doctor: No further relevant information available.
- Hazards No further relevant information available.

(Contd. on page 4)



Printing date 18.12.2018

Version number 6

Revision: 18.12.2018

Trade name: TREMCO ES300 B Grey

(Contd. of page 3) • <b>4.3 Indication of any immediate medical attention and special treatment needed</b> No further relevant information available.
<ul> <li>SECTION 5: Firefighting measures</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.</li> <li>For safety reasons unsuitable extinguishing agents: Water with full jet</li> <li>5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO) Nitrogen oxides (NOx)</li> <li>5.3 Advice for firefighters</li> <li>Protective equipment: Mouth respiratory protective device. Wear self-contained respiratory protective device.</li> <li>Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.</li> </ul>
<ul> <li>SECTION 6: Accidental release measures</li> <li>6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.</li> <li>6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.</li> <li>6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to Section 13. Ensure adequate ventilation.</li> <li>6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> </ul>
<ul> <li>SECTION 7: Handling and storage</li> <li>7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Avoid contact with the eyes and skin. Do not breathe vapour. Use only in well-ventilated areas. Do not eat, drink, smoke or sniff while working. Do not handle until all safety precautions have been read and understood. Ensure that washing facilities are available at the work place. Wear suitable protective clothing and gloves. The usual precautionary measures are to be adhered to when handling chemicals. (Contd. on page 5) Bart Strand Stra</li></ul>



Version number 6

Revision: 18.12.2018

Printing date 18.12.2018

Trade name: TREMCO ES300 B Grey

(Contd. of page 4)
<ul> <li>Information about fire - and explosion protection: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> </ul>
<ul> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> </ul>
<ul> <li>Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.</li> </ul>
<ul> <li>Information about storage in one common storage facility: Do not store together with oxidising and acidic materials.</li> </ul>
Protect from heat and direct sunlight.
Further information about storage conditions:
Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
Protect from humidity and water.
Store receptacle in a well ventilated area. <ul> <li>7.3 Specific end use(s) No further relevant information available.</li> </ul>
SECTION 8: Exposure controls/personal protection
· 8.1 Control parameters
<ul> <li>Ingredients with limit values that require monitoring at the workplace:</li> <li>CAS: 64-17-5 ethanol</li> </ul>
WEL Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
· Additional information:
The lists valid during the making were used as basis. HSE EH40/2005 Workplace Exposure Limits (as amended)
· 8.2 Exposure controls
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> </ul>
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
Do not eat, drink, smoke or sniff while working.
Ensure that washing facilities are available at the work place. Do not breathe vapour.
Wear suitable protective clothing and gloves.
The usual precautionary measures are to be adhered to when handling chemicals.
<ul> <li>Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer</li> </ul>
exposure use self-contained respiratory protective device.
Use only in well-ventilated areas. Recommendation:
Fresh air mask
Use suitable respiratory protective device in case of insufficient ventilation.
For further guidance, please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".
(Contd. on page 6)
GB

# Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 18.12.2018

Version number 6

#### Trade name: TREMCO ES300 B Grey

(Contd. of page 5)

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR Neoprene gloves PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

#### · Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties		
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:</li> </ul>		
Form:	Liquid	
Colour:	Grey	
· Odour:	Fish-like	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
· Initial boiling point and boiling range: 80 °C		
· Flash point:	>60 °C	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	1 g/cm <sup>3</sup>	
	(Contd. on page 7)	

# Safety data sheet according to 1907/2006/EC, Article 31



Revision: 18.12.2018

Printing date 18.12.2018

Version number 6

			(Contd. of page
<ul> <li>Solubility water:</li> </ul>	/ in / Misci	bility with	
· 9.2 Other	informati	on	Slightly soluble. No further relevant information available.
· 9.2 Other	mormati		
SECTIO	N 10: Sta	ability and rea	ctivity
· 10.1 Read	ctivity Stat	ble	
· 10.2 Cher			
			s to be avoided:
		used according to	
			ions Reacts with strong acids and oxidising agents.
• 10.4 Cond		avoid	
Water / m		t hat aurfages a	norka onen flomen and other ignition sources. No omeking
			parks, open flames and other ignition sources. No smoking. ther relevant information available.
		composition pro	
Carbon m		composition pro	
Nitrogen o			
SECTIO	N 11: To	xicological in	formation
. 11 1 Infor	motion or		
	mation or	n toxicological e	ffects
		n toxicological en ed on available da	
· Acute tox	<b>cicity</b> Base	-	ta, the classification criteria are not met.
Acute tox	<b>values rel</b>	ed on available da evant for classif	ta, the classification criteria are not met.
Acute tox	<b>values rel</b>	ed on available da evant for classif	ta, the classification criteria are not met. ication: inomethyl)phenol
Acute tox LD/LC50 CAS: 90-7	<pre>kicity Base values rel 72-2 2,4,6-</pre>	ed on available da evant for classif tris(dimethylami	ta, the classification criteria are not met. ication: inomethyl)phenol
Acute tox     LD/LC50     CAS: 90-7     Oral	kicity Base values rele 72-2 2,4,6- LD50 NOAEL	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rai 15 mg/kg (rat)	ta, the classification criteria are not met. ication: inomethyl)phenol
Acute tox     LD/LC50     CAS: 90-7     Oral	kicity Base values rele 72-2 2,4,6- LD50 NOAEL	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rai 15 mg/kg (rat)	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (ra 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (ra	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (ra 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (ra	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-1</li> <li>Oral</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-7</li> <li>Oral</li> <li>Inhalative</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LD50 LC50/4 h	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) phenylenebis(methyl-	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine)
Acute tox     LD/LC50     CAS: 90-7     Oral     CAS: 285     Oral     CAS: 64-1     Oral     Inhalative	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LD50 LC50/4 h	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/kg (rat)	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-1</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 147</li> <li>Oral</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LC50/4 h 7-55-0 m-p LD50	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) phenylenebis(methyl-	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-1</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 147</li> <li>Oral</li> <li>Inhalative</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LC50/4 h 7-55-0 m-p LD50	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 1,040 mg/kg (rat) 2.4 mg/L (rat)	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-1</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 147</li> <li>Oral</li> <li>Inhalative</li> </ul>	kicity Base values rel 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LC50/4 h LD50 LC50/4 h	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 1,040 mg/kg (rat) 2.4 mg/L (rat)	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-1</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 147</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 69-7</li> <li>Oral</li> <li>Oral</li> <li>Primary in</li> </ul>	kicity Base         values relevance         72-2 2,4,6-         LD50         NOAEL         5-13-2 3-a         LD50         17-5 ethan         LD50         LC50/4 h         7-55-0 m-p         LD50         LC50/4 h         72-7 Salicy         LD50         rritant effet	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) phenylenebis(mat) 2,4 mg/L (rat) ylic acid 891 mg/kg (rat) ect:	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine)
Acute tox     LD/LC50     CAS: 90-7     Oral     Oral     CAS: 285     Oral     CAS: 64-1     Oral     Inhalative     CAS: 147     Oral     Inhalative     CAS: 69-7     Oral     · Primary in     Skin corr	kicity Base         values reli         72-2 2,4,6-         LD50         NOAEL         5-13-2 3-a         LD50         17-5 ethan         LD50         LC50/4 h         7-55-0 m-µ         LD50         LC50/4 h         72-7 Salicy         LD50         rritant efferosion/irrit	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 20,000 mg/L (rat) phenylenebis(me 1,040 mg/kg (rat) ylic acid 891 mg/kg (rat) ect: ation	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine) t)
<ul> <li>Acute tox</li> <li>LD/LC50</li> <li>CAS: 90-7</li> <li>Oral</li> <li>CAS: 285</li> <li>Oral</li> <li>CAS: 64-7</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 147</li> <li>Oral</li> <li>Inhalative</li> <li>CAS: 69-7</li> <li>Oral</li> <li>Primary in</li> <li>Skin correct</li> <li>Causes set</li> </ul>	Kicity Base           values reli           72-2 2,4,6-           LD50           NOAEL           5-13-2 3-a           LD50           17-5 ethan           LD50           LC50/4 h           7-55-0 m-p           LD50           LC50/4 h           72-7 Salicy           LD50           rritant efferences           rosion/irrite	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 20,000 mg/L (rat) phenylenebis(me 1,040 mg/kg (rat) 2.4 mg/L (rat) ylic acid 891 mg/kg (rat) ect: ation burns and eye da	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine) t)
Acute tox     LD/LC50     CAS: 90-7     Oral     CAS: 285     Oral     CAS: 64-1     Oral     Inhalative     CAS: 147     Oral     Inhalative     CAS: 69-7     Oral     · Primary in     Skin corr     Causes se     · Serious e	kicity Base         values relevation         72-2 2,4,6-         LD50         NOAEL         5-13-2 3-a         LD50         17-5 ethan         LD50         LC50/4 h         7-55-0 m-p         LD50         LC50/4 h         72-7 Salicy         LD50         rritant efferestion         cosion/irrit         evere skin         eye damag	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 20,000 mg/L (rat) phenylenebis(me 2,4 mg/L (rat) ylic acid 891 mg/kg (rat) ect: ation burns and eye da pe/irritation	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine) t)
Acute tox     LD/LC50     CAS: 90-7     Oral     CAS: 285     Oral     CAS: 64-1     Oral     Inhalative     CAS: 147     Oral     Inhalative     CAS: 69-7     Oral     Inhalative     CAS: 69-7     Oral     Skin corr     Causes se     Strong ca	Kicity Base           values relevation           72-2 2,4,6-           LD50           NOAEL           5-13-2 3-a           LD50           17-5 ethan           LD50           12-50/4 h           7-55-0 m-p           LD50           LC50/4 h           72-7 Salicy           LD50           rritant effectories           cosion/irrite           evere skin           eye damag           ustic effectories	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 20,000 mg/L (rat) phenylenebis(me 1,040 mg/kg (rat) ylic acid 891 mg/kg (rat) ect: ation burns and eye da pe/irritation t.	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine) t)
Acute tox     LD/LC50     CAS: 90-7     Oral     CAS: 285     Oral     CAS: 64-1     Oral     Inhalative     CAS: 147     Oral     Inhalative     CAS: 69-7     Oral     Inhalative     CAS: 69-7     Oral     Skin corr     Causes se     Strong ca     Causes se	kicity Base values relation 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LC50/4 h 7-55-0 m-p LD50 LC50/4 h 72-7 Salicy LD50 rritant effect evere skin eye damag ustic effect erious eye	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 20,000 mg/L (rat) phenylenebis(matheta) 2,4 mg/L (rat) ylic acid 891 mg/kg (rat) ect: ation burns and eye da pe/irritation t. damage.	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine) t)
Acute tox     LD/LC50     CAS: 90-7     Oral     Oral     CAS: 285     Oral     CAS: 64-7     Oral     Inhalative     CAS: 147     Oral     Inhalative     CAS: 69-7     Oral     Inhalative     CAS: 69-7     Oral     Skin corr     Causes se     Strong ca     Stron	kicity Base values reli 72-2 2,4,6- LD50 NOAEL 5-13-2 3-a LD50 17-5 ethan LD50 LC50/4 h 7-55-0 m-p LD50 LC50/4 h 72-7 Salicy LD50 rritant effe osion/irrit evere skin eye damag ustic effect erious eye ory or skin	ed on available da evant for classif tris(dimethylami 2,169 mg/kg (rat) 15 mg/kg (rat) minomethyl-3,5, 1,000 mg/kg (rat) 7,060 mg/kg (rat) 20,000 mg/L (rat) 20,000 mg/L (rat) phenylenebis(me 1,040 mg/kg (rat) ylic acid 891 mg/kg (rat) ect: ation burns and eye da pe/irritation t.	ta, the classification criteria are not met. ication: inomethyl)phenol t) 5-trimethylcyclohexylamine t) t) t) ethylamine) t)



Printing date 18.12.2018

Version number 6

Revision: 18.12.2018

(Contd. of page 7)

Trade name: TREMCO ES300 B Grey

- $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Very toxic to aquatic life with long lasting effects.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
  - Very toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· European waste catalogue		
waste adhesives and sealants containing organic solvents or other hazardous substances		
Acute Toxicity		
Corrosive		
Sensitising		
Ecotoxic		

#### · Uncleaned packaging:

#### · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.



Revision: 18.12.2018

(Contd. of page 8)

Printing date 18.12.2018

Version number 6

## Trade name: TREMCO ES300 B Grey

Non contaminated packagings may be recycled.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN2735
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> </ul>	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Polyaminoamide), ENVIRONMENTALLY HAZARDOUS
· IMDG · IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (Polyaminoamide), MARINE POLLUTANT AMINES, LIQUID, CORROSIVE, N.O.S. (Polyaminoamide)
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	8 (C7) Corrosive substances. 8
· IMDG	
· Class · Label	8 Corrosive substances. 8
· IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	
· 14.5 Environmental hazards:	Product contains environmentally hazardous
· Marine pollutant:	substances: Polyaminoamide Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Corrosive substances.
	(Contd. on page 10) GB ————————————————————————————————————



Printing date 18.12.2018

Version number 6

Revision: 18.12.2018

rade name: TREMCO ES300 B Grey	
	(Contd. of page 9
· Danger code (Kemler):	8
· EMS Number:	F-A,S-B
<ul> <li>Segregation groups</li> </ul>	Alkalis
<ul> <li>Stowage Category</li> </ul>	A
· Segregation Code	SG35 Stow "separated from" acids.
· 14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
<ul> <li>Limited quantities (LQ)</li> </ul>	5
Excepted quantities (EQ)	Code: E
Transport category	3
<ul> <li>Tunnel restriction code</li> </ul>	E
·IMDG	
<ul> <li>Limited quantities (LQ)</li> </ul>	5
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S (POLYAMINOAMIDE), 8, III, ENVIRONMENTALLY HAZARDOUS

# **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes

2008/98/EC on waste

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

 Information about limitation of use: Employment restrictions concerning juveniles must be observed.
 Employment restrictions concerning pregnant and lactating women must be observed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)



Version number 6

Revision: 18.12.2018

# Trade name: TREMCO ES300 B Grey

Printing date 18.12.2018

(Contd. of page 10) Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Department issuing SDS: Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3  $\cdot$  \* Data compared to the previous version altered.